Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

A-level
CHEMISTRY

Paper 1 Inorganic and Physical Chemistry

Tuesday 4 June 2019 Afternoon Time allowed: 2 hours

Materials

For this paper you must have:
- the Periodic Table/Data Sheet, provided as an insert (enclosed)
- a ruler with millimetre measurements
- a scientific calculator, which you are expected to use where appropriate.

Instructions
- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do **not** write outside the box around each page or on blank pages.
- All working must be shown.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 105.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	

Do not write outside the box

Answer **all** questions in the spaces provided.

0 1 **Figure 1** shows an incomplete Born–Haber cycle for the formation of caesium iodide. The diagram is not to scale.

Figure 1

Table 1 gives values of some standard enthalpy changes.

Table 1

Name of enthalpy change	**$\Delta H^{\ominus}$ / kJ mol^{-1}**
Enthalpy of atomisation of caesium	+79
First ionisation energy of caesium	+376
Electron affinity of iodine	–314
Enthalpy of lattice formation of caesium iodide	–585
Enthalpy of formation of caesium iodide	–337

0 1 . 1 Complete **Figure 1** by writing the formulas, including state symbols, of the appropriate species on each of the two blank lines.

[2 marks]

0 1 . 2 Use **Figure 1** and the data in **Table 1** to calculate the standard enthalpy of atomisation of iodine.

[2 marks]

Standard enthalpy of atomisation of iodine _____ kJ mol^{-1}

Do not write outside the box

0 1 . 3 The enthalpy of lattice formation for caesium iodide in **Table 1** is a value obtained by experiment.
The value obtained by calculation using the perfect ionic model is –582 kJ mol^{-1}

Deduce what these values indicate about the bonding in caesium iodide.

[1 mark]

_____

_____

0 1 . 4 Use data from **Table 2** to show that this reaction is **not** feasible at 298 K

$$CsI(s) \rightarrow Cs(s) + \frac{1}{2}I_2(s) \qquad \Delta H^{\ominus} = +337 \text{ kJ mol}^{-1}$$

Table 2

	CsI(s)	**Cs(s)**	**I_2(s)**
$S^{\ominus}$ / J K^{-1} mol^{-1}	130	82.8	117

[4 marks]

9

Turn over ►

Do not write outside the box

0 2 Time of flight (TOF) mass spectrometry can be used to analyse large molecules such as the pentapeptide, leucine encephalin (**P**).

P is ionised by electrospray ionisation and its mass spectrum is shown in **Figure 2**.

Figure 2

0 2 . 1 Describe the process of electrospray ionisation.

Give an equation to represent the ionisation of **P** in this process.

[4 marks]

Description _____

_____

_____

_____

_____

_____

_____

_____

_____

Equation

_____

Do not write outside the box

0 2 . 2 What is the relative molecular mass of **P**?
Tick (✓) **one** box.

[1 mark]

555 ☐ 556 ☐ 557 ☐

0 2 . 3 A molecule **Q** is ionised by electron impact in a TOF mass spectrometer.
The $\mathbf{Q}^+$ ion has a kinetic energy of 2.09×10^{-15} J
This ion takes 1.23×10^{-5} s to reach the detector.
The length of the flight tube is 1.50 m

Calculate the relative molecular mass of **Q**.

$KE = \frac{1}{2}mv^2$ where m = mass (kg) and v = speed (m s^{-1})

The Avogadro constant, $L = 6.022 \times 10^{23}$ mol^{-1}

[5 marks]

Relative molecular mass _____

10

Do not write outside the box

0 3 This question is about periodicity, the Period 4 elements and their compounds.

0 3 . 1 State the meaning of the term periodicity.

[1 mark]

0 3 . 2 Identify the element in Period 4 with the highest electronegativity value.

[1 mark]

0 3 . 3 Identify the element in Period 4 with the largest atomic radius.
Explain your answer.

[3 marks]

Element

Explanation

0 3 . 4 The equations for two reactions of arsenic(III) oxide are shown.

$$As_2O_3 + 6HCl \rightarrow 2AsCl_3 + 3H_2O$$

$$As_2O_3 + 6NaOH \rightarrow 2Na_3AsO_3 + 3H_2O$$

Name the property of arsenic(III) oxide that describes its ability to react in these two ways.

[1 mark]

0 3 . 5 Complete the equation for the formation of arsenic hydride.

[1 mark]

As_2O_3 + Zn + $HNO_3 \rightarrow$ AsH_3 + $Zn(NO_3)_2$ + H_2O

7

Do not write outside the box

0 4 **Figure 3** shows some reactions of aqueous iron ions.

Figure 3



0 4 . 1 Give the formula of **Precipitate J** and state its colour.
Give an equation for **Reaction 1**.

[3 marks]

Formula of **J** _____

Colour _____

Equation

_____

0 4 . 2 Give the formula of **L** and an equation for **Reaction 2**.

[2 marks]

Formula of **L** _____

Equation

_____

0 4 . 3 Suggest a reagent for **Reaction 3**.

[1 mark]

_____

Turn over ►

Do not write outside the box

0 4 . 4 Give the formula of **Precipitate M** and state its colour.

[2 marks]

Formula of **M** _____

Colour _____

0 4 . 5 Transition metal complexes have different shapes and many show isomerism.

Describe the different shapes of complexes and show how they lead to different types of isomerism.
Use examples of complexes of cobalt(II) and platinum(II).

You should draw the structures of the examples chosen.

[6 marks]

Do not write outside the box

14

Turn over ►

Do not write outside the box

0 5 This question is about some Group 7 compounds.

0 5 . 1 Solid sodium chloride reacts with concentrated sulfuric acid.

Give an equation for this reaction.
State the role of the sulfuric acid in this reaction.

[2 marks]

Equation

_____

Role _____

0 5 . 2 Fumes of sulfur dioxide are formed when sodium bromide reacts with concentrated sulfuric acid.

For **this** reaction
- give an equation
- give **one** other observation
- state the role of the sulfuric acid.

[3 marks]

Equation

_____

Observation _____

_____

Role _____

0 5 . 3 Chlorine reacts with hot aqueous sodium hydroxide as shown in the equation.

$$3Cl_2 + 6NaOH \rightarrow NaClO_3 + 5NaCl + 3H_2O$$

Give the oxidation state of chlorine in $NaClO_3$ and in NaCl

[1 mark]

$NaClO_3$ _____

NaCl _____

Do not write outside the box

0 5 . 4 State, in terms of redox, what happens to chlorine in the reaction in Question **05.3**.

[1 mark]

_____

_____

0 5 . 5 Solution **Y** contains **two** different negative ions.

To a sample of solution **Y** in a test tube a student adds

- silver nitrate solution
- then an excess of dilute nitric acid
- finally an excess of concentrated ammonia solution.

The observations after each addition are recorded in **Table 3**.

Table 3

Reagent added to solution Y	**Observation**
silver nitrate solution	cream precipitate containing compound **D** and compound **E**
excess dilute nitric acid	cream precipitate **D** and bubbles of gas **F**
excess concentrated ammonia solution	colourless solution containing complex ion **G**

Give the formulas of **D, E** and **F**.
Give an **ionic** equation to show the formation of **E**.
Give an equation to show the conversion of **D** into **G**.

[6 marks]

Formula of **D** _____

Formula of **E** _____

Formula of **F** _____

Ionic equation to form **E**

_____

Equation to show the conversion of **D** into **G**

_____

13

Do not write outside the box

0 6 A student does an experiment to determine the percentage of copper in an alloy.

The student

- reacts 985 mg of the alloy with concentrated nitric acid to form a solution (all of the copper in the alloy reacts to form aqueous copper(II) ions)
- pours the solution into a volumetric flask and makes the volume up to 250 cm^3 with distilled water
- shakes the flask thoroughly
- transfers 25.0 cm^3 of the solution into a conical flask and adds an excess of potassium iodide
- uses exactly 9.00 cm^3 of 0.0800 mol dm^{-3} sodium thiosulfate ($Na_2S_2O_3$) solution to react with all the iodine produced.

The equations for the reactions are

$$2Cu^{2+} + 4I^- \rightarrow 2CuI + I_2$$

$$2S_2O_3^{2-} + I_2 \rightarrow 2I^- + S_4O_6^{2-}$$

0 6 . 1 Calculate the percentage of copper by mass in the alloy.

Give your answer to the appropriate number of significant figures.

[6 marks]

% copper _____

Do not write outside the box

0 6 . 2 Suggest **two** ways that the student could reduce the percentage uncertainty in the measurement of the volume of sodium thiosulfate solution, using the same apparatus as this experiment.

[2 marks]

1 _____

_____

_____

2 _____

_____

_____

0 6 . 3 State the role of iodine in the reaction with sodium thiosulfate.

[1 mark]

_____

0 6 . 4 Give the full electron configuration of a copper(II) ion.

[1 mark]

_____

0 6 . 5 Copper(I) iodide is a white solid.

Explain why copper(I) iodide is white.

[2 marks]

_____

_____

_____

_____

_____

_____

Question 6 continues on the next page

Do not write outside the box

0 6 . 6 Iodine vaporises easily.

Calculate the volume, in cm^3, that 5.00 g of iodine vapour occupies at 185 °C and 100 kPa

The gas constant R = 8.31 J K^{-1} mol^{-1}

Give your answer to 3 significant figures.

[4 marks]

Volume _____ cm^3

16

Do not write outside the box

0 7 Sulfur trioxide decomposes on heating to form an equilibrium mixture containing sulfur dioxide and oxygen.

$$2SO_3(g) \rightleftharpoons 2SO_2(g) + O_2(g)$$

0 7 . 1 A sample of sulfur trioxide was heated and allowed to reach equilibrium at a given temperature.
The equilibrium mixture contained 6.08 g of sulfur dioxide.

Calculate the mass, in g, of oxygen gas in the equilibrium mixture.

[2 marks]

Mass _____ g

Question 7 continues on the next page

Do not write outside the box

0 7 . 2 A different mass of sulfur trioxide was heated and allowed to reach equilibrium at 1050 K

$$2SO_3(g) \rightleftharpoons 2SO_2(g) + O_2(g)$$

The amounts of each substance in the equilibrium mixture are shown in **Table 4**.

Table 4

Substance	**Amount at equilibrium / mol**
sulfur trioxide	0.320
sulfur dioxide	1.20
oxygen	0.600

For this reaction at 1050 K the equilibrium constant, $K_p = 7.62 \times 10^5$ Pa

Calculate the mole fraction of each substance at equilibrium.
Give the expression for the equilibrium constant, K_p
Calculate the total pressure, in Pa, of this equilibrium mixture.

[4 marks]

Mole fraction SO_3 _____

Mole fraction SO_2 _____

Mole fraction O_2 _____

K_p

Total pressure _____ Pa

Do not write outside the box

0 7 . 3 For this reaction at 1050 K the equilibrium constant, K_p = 7.62 x 10^5 Pa
For this reaction at 500 K the equilibrium constant, K_p = 3.94 x 10^4 Pa

Explain how this information can be used to deduce that the forward reaction is endothermic.

[2 marks]

_____

_____

_____

_____

_____

_____

0 7 . 4 Use data from Question **07.3** to calculate the value of K_p, at 500 K, for the equilibrium represented by this equation.
Deduce the units of K_p

$$SO_3(g) \rightleftharpoons SO_2(g) + \frac{1}{2}O_2(g)$$

[2 marks]

K_p _____

Units _____

10

Turn over for the next question

Do not write outside the box

0 8 This question is about structure and bonding.

0 8 . 1 Draw a diagram to show the strongest type of interaction between two molecules of ethanol (C_2H_5OH) in the liquid phase.

Include all lone pairs and partial charges in your diagram.

[3 marks]

0 8 . 2 Methoxymethane (CH_3OCH_3) is an isomer of ethanol.

Table 5 shows the boiling points of ethanol and methoxymethane.

Table 5

Compound	**Boiling point / °C**
ethanol	78
methoxymethane	–24

In terms of the intermolecular forces involved, explain the difference in boiling points.

[3 marks]

Do not write outside the box

Extra space

0 8 . 3 Draw the shape of the $POCl_3$ molecule and the shape of the ClF_4^- ion.
Include any lone pairs of electrons that influence the shapes.

In a $POCl_3$ molecule the oxygen atom is attached to the phosphorus atom by a double bond that uses two electrons from phosphorus.

Name each shape.

Suggest a value for the bond angle in ClF_4^-

Shape of $POCl_3$ Shape of ClF_4^-

[5 marks]

Name of shape of $POCl_3$

Name of shape of ClF_4^-

Bond angle in ClF_4^-

11

Turn over for the next question

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

0 9 This question is about different pH values.

0 9 . 1 For pure water at 40 °C, pH = 6.67
A student thought that the water was acidic.

Explain why the student was incorrect.

Determine the value of K_w at this temperature.

[4 marks]

Explanation _____

_____

K_w _____ $mol^2\ dm^{-6}$

Question 9 continues on the next page

Do not write outside the box

0 9 . 2 Sodium hydroxide solution was added gradually from a burette to 25 cm^3 of 0.080 mol dm^{-3} propanoic acid at 25 °C
The pH was measured and recorded at regular intervals.

The results are shown in **Figure 4**.

Figure 4



Do not write outside the box

Use **Figure 4** to determine the value of K_a for propanoic acid at 25 °C

Show your working.

[3 marks]

K_a _____ mol dm^{-3}

0 9 . 3 Suggest which indicator is the most appropriate for the reaction in Question **09.2**?
Tick (✓) **one** box.

[1 mark]

Indicator	**pH range**	**Tick (✓) one box**
methyl orange	3.1 – 4.4	
bromothymol blue	6.0 – 7.6	
cresolphthalein	8.2 – 9.8	
indigo carmine	11.6 – 13.0	

Question 9 continues on the next page

Do not write outside the box

0 9 . 4 A student prepared a buffer solution by adding 0.0136 mol of a salt KX to 100 cm^3 of a 0.500 mol dm^{-3} solution of a weak acid HX and mixing thoroughly.

The student then added 3.00×10^{-4} mol of potassium hydroxide to the buffer solution.

Calculate the pH of the buffer solution after adding the potassium hydroxide.

For the weak acid HX at 25 °C the value of the acid dissociation constant, $K_a = 1.41 \times 10^{-5}$ mol dm^{-3}.

Give your answer to two decimal places.

[6 marks]

pH _____

Do not write outside the box

0 9 . 5 A buffer solution has a constant pH even when diluted.

Use a mathematical expression to explain this.

[1 mark]

15

END OF QUESTIONS

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 AQA and its licensors. All rights reserved.