AQA

Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

A-level
FURTHER MATHEMATICS

Paper 3 Statistics

Time allowed: 2 hours

Materials
- You must have the AQA Formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)
- You must ensure you have the other optional Question Paper/Answer Book for which you are entered (**either** Discrete **or** Mechanics). You will have 2 hours to complete **both** papers.

Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page or on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 50.

Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	

Do not write outside the box

Answer **all** questions in the spaces provided.

1 The discrete uniform distribution X can take values 1, 2, 3, …, 10

Find $P(X \geq 7)$

Circle your answer.

[1 mark]

0.3 0.4 0.6 0.7

2 The random variable X has variance $\text{Var}(X)$

Which of the following expressions is equal to $\text{Var}(aX + b)$, where a and b are non-zero constants?

Circle your answer.

[1 mark]

$a\,\text{Var}(X)$ $a\,\text{Var}(X) + b$ $a^2\,\text{Var}(X)$ $a^2\,\text{Var}(X) + b$

Do not write outside the box

3 In a game, it is only possible to score 10, 20 or 30 points.

The probability of scoring 20 points is twice the probability of scoring 30 points.

The probability of scoring 20 points is half the probability of scoring 10 points.

3 (a) Find the mean points scored when the game is played once, giving your answer to two decimal places.

[3 marks]

3 (b) Mina plays the game.

Her father, Michael, tells her that he will multiply her score by 5 and then subtract 10

He will then give her the value he has calculated in pence rounded to the nearest penny.

Calculate the expected value in pence that Mina receives.

[2 marks]

Do not write outside the box

4 Oscar is studying the daily maximum temperature in °C in a village during the month of June.

He constructs a 95% confidence interval of width 0.8 °C using a random sample of 150 days.

He assumes that the daily maximum temperature has a normal distribution.

4 (a) Find the standard deviation of Oscar's sample, giving your answer to three significant figures.

[3 marks]

4 (b) Oscar calculates the mean of his sample to be 25.3 °C

He claims that the population mean is 26.0 °C

Explain whether or not his confidence interval supports his claim.

[2 marks]

Do not write outside the box

4 (c) Explain how Oscar could reduce the width of his 95% confidence interval.

[1 mark]

_____

_____

_____

Turn over for the next question

Do not write outside the box

5 The continuous random variable X has cumulative distribution function

$$F(x) = \begin{cases} 0 & x \leq 1 \\ \frac{1}{10}x - \frac{1}{10} & 1 < x \leq 6 \\ \frac{1}{90}x^2 + \frac{1}{10} & 6 < x \leq 9 \\ 1 & x > 9 \end{cases}$$

5 (a) Find the probability density function $f(x)$

[2 marks]

5 (b) Show that $\text{Var}(X) = \frac{6737}{1200}$

[4 marks]

Do not write outside the box

Turn over for the next question

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

6 Danai is investigating the number of speeding offences in different towns in a country.

She carries out a hypothesis test to test for association between town and number of speeding offences per year.

6 (a) State the hypotheses for this test.

[1 mark]

6 (b) The observed frequencies, O, have been collected and the expected frequencies, E, have been calculated in an $n \times m$ contingency table, where $n > 3$ and $m > 3$

One of the values of E is less than 5

6 (b) (i) Explain what steps Danai should take before calculating the test statistic.

[2 marks]

6 (b) (ii) State an expression for the test statistic Danai should calculate.

[1 mark]

Do not write outside the box

6 (c) Danai correctly calculates the value of the test statistic to be 45.22

The number of degrees of freedom for the test is 25

Determine the outcome of Danai's test, using the 1% level of significance.

[3 marks]

Turn over for the next question

Do not write outside the box

7 The random variable X has an exponential distribution with parameter λ

7 (a) Prove that $\mathrm{E}(X) = \frac{1}{\lambda}$

[4 marks]

Do not write outside the box

7 (b) Prove that $\text{Var}(X) = \frac{1}{\lambda^2}$

[7 marks]

Do not write outside the box

8 A company records the number of complaints, X, that it receives over 60 months. The summarised results are

$$\sum x = 102 \quad \text{and} \quad \sum (x - \bar{x})^2 = 103.25$$

8 (a) Using this data, explain why it may be appropriate to model the number of complaints received by the company per month by a Poisson distribution with mean 1.7

[3 marks]

Do not write outside the box

8 (b) The company also receives enquiries as well as complaints. The number of enquiries received is independent of the number of complaints received.

The company models the number of complaints per month with a Poisson distribution with mean 1.7 and the number of enquiries per month with a Poisson distribution with mean 5.2

The company starts selling a new product.

The company records a **total** of 3 complaints and enquiries in one randomly chosen month.

Investigate if the mean total number of complaints and enquiries received per month has changed following the introduction of the new product, using the 10% level of significance.

[6 marks]

Do not write outside the box

8 (c) It is later found that the mean total number of complaints and enquiries received per month is 6.1

Find the power of the test carried out in part **(b)**, giving your answer to four decimal places.

[4 marks]

END OF QUESTIONS

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.