

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

A-level MATHEMATICS

Paper 2

Tuesday 13 June 2023

Afternoon

Time allowed: 2 hours

Materials

- You must have the AQA Formulae for A-level Mathematics booklet.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page or on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

Advice


- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
TOTAL	



Section AAnswer **all** questions in the spaces provided.

- 1** The graph of $y = ax^2 + bx + c$ has roots $x = 2$ and $x = 5$, as shown in the diagram below.

State the set of values of x which satisfy

$$ax^2 + bx + c > 0$$

Tick (✓) **one** box.**[1 mark]**

$\{x : x < 2\} \cup \{x : x > 5\}$

☐

$\{x : 0 < x < 2\} \cap \{x : x > 5\}$

☐

$\{x : 2 < x < 5\}$

☐

$\{x : 2 > x > 5\}$

☐


2 It is given that

$$\int_0^6 f(x) \, dx = 20 \quad \text{and} \quad \int_3^6 f(x) \, dx = -10$$

Find the value of $\int_0^3 f(x) \, dx$

Circle your answer.

[1 mark]

−30

−10

10

30

3 A circle has equation

$$(x - 5)^2 + (y - 13)^2 = 16$$

Find the radius of the circle.

Circle your answer.

[1 mark]

4

12

16

256

Turn over for the next question

Turn over ►



4 A curve has equation

$$y = \frac{x^2}{8} + 4\sqrt{x}$$

4 (a) Find an expression for $\frac{dy}{dx}$

[3 marks]

4 (b) The point P with coordinates $(4, 10)$ lies on the curve.

Find an equation of the tangent to the curve at the point P

[2 marks]



4 (c) Show that the curve has no stationary points.

[2 marks]

Turn over for the next question

Turn over ►



On his first day of training, Ziad swims 10 lengths of the pool.

[1 mark]

[3 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

- 5 (b) (ii)** Ziad's coach claims that when he reaches his target he will have covered a total distance of over 50 000 metres.

Determine if Ziad's coach is correct.

[3 marks]

Turn over for the next question

Turn over ►



- 6** Victoria, a market researcher, believes the average weekly value, £ V million, of online grocery sales in the UK has grown exponentially since 2009.

Victoria models the incomplete data, shown in the table, using the formula


$$V = a \times b^N$$

where N is the number of years since 2009 and a and b are constants.

Year	2009	2010	2011	2012	2013	2014	2015	2016
Average Weekly Sales £ V million	56.4		74.5	86.9	97.7	109.3		141.9

- 6 (a)** Victoria wishes to determine the values of a and b in her formula.

To do this she plots a graph of $\log_{10} V$ against N and then draws a line of best fit as shown in the diagram below.



The equation of Victoria's line of best fit is

$$\log_{10} V = 0.057 N + 1.76$$

- 6 (a) (i)** Use the equation of Victoria's line of best fit to show that, correct to three significant figures, $a = 57.5$

[1 mark]



6 (a) (ii) Use the equation of Victoria's line of best fit to find the value of b

Give your answer to three significant figures.

[1 mark]

6 (b) According to Victoria's model, state the yearly percentage increase in the average weekly value of online grocery sales.

[1 mark]

6 (c) (i) Use Victoria's model to predict the average weekly value of online grocery sales in 2025.

[2 marks]

6 (c) (ii) Explain why the prediction made in part (c)(i) may be unreliable.

[1 mark]

Turn over ►



7 The functions f and g are defined by

$$f(x) = \sqrt{10 - 2x} \quad \text{for } x \leq 5$$

$$g(x) = \frac{1}{x} \quad \text{for } x \neq 0$$

The function h has maximum possible domain and is defined by

$$h(x) = gf(x)$$

7 (a) Find an expression for $h(x)$

[1 mark]

7 (b) Find the domain of h

[1 mark]

7 (c) Show that $h^{-1}(x) = 5 - \frac{1}{2x^2}$

[3 marks]



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



8 (a)

[4 marks]

[illegible]

8 (b)

Fully justify your answer.

[3 marks]



8 (c) Given that θ is obtuse and

$$\frac{1}{1 - \cos \theta} + \frac{1}{1 + \cos \theta} = 16$$

find the exact value of $\cot \theta$

[3 marks]

Turn over for the next question

Turn over ►



- 9 (a)** Find the first three terms, in ascending powers of x , of the binomial expansion of

$$(1+x)^{-\frac{1}{2}}$$

[2 marks]

- 9 (b)** A student substitutes $x = 2$ into the expansion of $(1+x)^{-\frac{1}{2}}$ to find an approximation for $\frac{1}{\sqrt{3}}$

Explain the mistake in the student's approach.

[1 mark]



9 (c) By substituting $x = -\frac{1}{4}$ in your expansion for $(1+x)^{-\frac{1}{2}}$ find an approximation for $\frac{1}{\sqrt{3}}$

Give your answer to three significant figures.

[3 marks]

Turn over for the next question

Turn over ►



10 (a) Expand and simplify $(a - b)^2$

[1 mark]

10 (b) Peter thinks that the sum of any rational number and its reciprocal is always greater than 2

Peter checks two examples:

$$\frac{2}{3} + \frac{3}{2} = 2.1\bar{6}$$

$$2 + \frac{1}{2} = 2.5$$

Use a counter example to show that Peter is **incorrect**.

[2 marks]



- 10 (c)** Given that a and b are distinct positive numbers, use proof by contradiction to prove that

$$\frac{a}{b} + \frac{b}{a} > 2$$

[3 marks]

END OF SECTION A
TURN OVER FOR SECTION B

Turn over ►



Section B

Answer **all** questions in the spaces provided.

11

A decoration is hanging freely from a fixed point on a ceiling.

The decoration has a mass of 0.2 kilograms.

The decoration is hanging by a light, inextensible wire.

The wire is 0.1 metres long.

Find the tension in the wire.

Circle your answer.

[1 mark]

0.02 N

0.02g N

0.2 N

0.2g N

12

A particle moves in a straight line.





After the first 4 seconds of its motion, the displacement of the particle from its initial position is 0 metres.

One of the graphs on the opposite page shows the velocity $v \text{ m s}^{-1}$ of the particle after time t seconds of its motion.

Identify the correct graph.

Tick (✓) **one** box.

[1 mark]



Turn over ►



13 A ball falls freely towards the Earth.

The ball passes through two different fixed points M and N before reaching the Earth's surface.

At M the ball has velocity $u \text{ m s}^{-1}$

At N the ball has velocity $3u \text{ m s}^{-1}$

It can be assumed that:

- the motion is due to gravitational force only
- the acceleration due to gravity remains constant throughout.

13 (a) Show that the time taken for the ball to travel from M to N is $\frac{2u}{g}$ seconds.

[2 marks]



13 (b) Point M is h metres above the Earth.

Show that $h > \frac{4u^2}{g}$

Fully justify your answer.

[3 marks]

Turn over for the next question

Turn over ►



[4 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

In this question use $g = 9.8 \text{ m s}^{-2}$

Find D

[4 marks]

[illegible]

A particle moves under the action of two forces, $\mathbf{F}_1$ and $\mathbf{F}_2$

$$\mathbf{F}_1 = (1.6\mathbf{i} - 5\mathbf{j}) \text{ N}$$

$$\mathbf{F}_2 = (k\mathbf{i} + 5k\mathbf{j}) \text{ N}$$

The acceleration of the particle is $(3.2\mathbf{i} + 12\mathbf{j}) \text{ m s}^{-2}$

[4 marks]

[illegible]

Turn over for the next question

*Do not write
outside the
box*


**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



- 17** A uniform plank PQ , of length 7 metres, lies horizontally at rest, in equilibrium, on two fixed supports at points X and Y

The distance PX is 1.4 metres and the distance QY is 2 metres as shown in the diagram below.



- 17 (a)** The reaction force on the plank at X is $4g$ newtons.

- 17 (a) (i)** Show that the mass of the plank is 9.6 kilograms.

[2 marks]

- 17 (a) (ii)** Find the reaction force, in terms of g , on the plank at Y

[2 marks]



17 (b) The support at Y is moved so that the distance $QY = 1.4$ metres.

The plank remains horizontally at rest in equilibrium.

It is claimed that the reaction force at Y remains unchanged.

Explain, with a reason, whether this claim is correct.

[2 marks]

Turn over for the next question

Turn over ►




- 18** In this question $\mathbf{i}$ and $\mathbf{j}$ are perpendicular unit vectors representing due east and due north respectively.

A particle, T , is moving on a plane at a constant speed.

The path followed by T makes the exact shape of a triangle ABC .

T moves around ABC in an anticlockwise direction as shown in the diagram below.



On its journey from A to B the velocity vector of T is $(3\mathbf{i} + \sqrt{3}\mathbf{j}) \text{ m s}^{-1}$

- 18 (a)** Find the speed of T as it moves from A to B

[1 mark]

- 18 (b)** On its journey from B to C the velocity vector of T is $(-3\mathbf{i} + \sqrt{3}\mathbf{j}) \text{ m s}^{-1}$

Show that the acute angle $ABC = 60^\circ$

[2 marks]



T returns to its initial position after 9 seconds.

Find the position vector of C

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

Turn over for the next question



[4 marks]

[illegible]

Turn over ►



19 (b) (ii) Find h

[3 marks]

19 (c) State one modelling assumption that you have used about the rod when answering part **(b)(i)**.

[1 mark]



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



20

In this question use $g = 9.8 \text{ m s}^{-2}$

Nell and her pet dog Maia are visiting the beach.


The beach surface can be assumed to be level and horizontal.

Nell and Maia are initially standing next to each other.

Nell throws a ball forward, from a height of 1.8 metres above the surface of the beach, at an angle of 60° above the horizontal with a speed of 14 m s^{-1}

Exactly 0.2 seconds **after** the ball is thrown, Maia sets off from Nell and runs across the surface of the beach, in a straight line with a constant acceleration $a \text{ m s}^{-2}$

Maia catches the ball when it is 0.3 metres above ground level as shown in the diagram below.



Find a

[7 marks]



[illegible]

END OF QUESTIONS



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



*Do not write
outside the
box*

[illegible]

*Do not write
outside the
box*

[illegible]

