
AQA A-LEVEL PSYCHOLOGY · 7182

PSYCHOLOGY



EXAM QUESTION PACK

3.3.10 REDUCING ADDICTION

SCORE	PERCENTAGE
/94	%

STEMUP

These questions belong to AQA, not to us.

The examination questions, mark schemes and examiner reports in this pack were written and published by AQA. They are past assessment materials, reproduced here so that students can revise from them.

What we do not own

STEMUP is not affiliated with AQA and does not own, and makes no claim to own, any of the question, mark scheme or examiner report material in this pack. AQA has not endorsed, approved or been involved in the production of it. AQA and the qualification titles used here belong to their respective owners and appear for identification only.

Where to find the originals

AQA publishes its past papers, mark schemes and examiner reports free of charge. Always check the current specification at aqa.org.uk before you revise, because content and wording can change between series.

If you hold the rights to any material in this pack and would like it amended or removed, contact admin@stemup.co.uk and we will act on it.

Q1.

A team of health workers attended a meeting about how to help a client who wants to give up smoking. They each offered suggestions and the team leader wrote some of the suggestions on a flip chart. The table below shows some of the suggestions.

Describe all the horrid things smoking is doing to her body
Remind her to keep using the patches
Make her smoke until she is feeling sick
Teach her how to say 'No' when someone offers her a cigarette
Tell her to take the pills so she won't want a cigarette

Discuss **one or more** ways of reducing addiction. Refer to some of the suggestions in the table above in your answer.

(Total 16 marks)

Q2.

Briefly outline **one** method for reducing addiction **and** explain **one** limitation of this method.

(Total 4 marks)

Q3.

Outline and evaluate behavioural interventions aimed at reducing addiction.

(Total 16 marks)

Q4.

Outline **one** biological intervention for reducing addictive behaviour **and** evaluate the effectiveness of this intervention.

(Total 16 marks)

Q5.

Kerry has recently married and she and her partner would like to have a baby. She is keen to give up smoking. However, she has tried several times and finds that she experiences unpleasant withdrawal symptoms. Kerry's job is stressful and most of her co-workers also smoke. She has started to despair and thinks that she will never succeed.

Identify **one or more** interventions which could be used to help Kerry to stop smoking and explain, with reference to the scenario, why your chosen intervention(s) would be appropriate for Kerry.

(Total 10 marks)

Q6.

Outline and evaluate **one** psychological intervention aimed at reducing addictive behaviour.

(Total 16 marks)

Q7.

Discuss **one** type of intervention aimed at reducing addictive behaviour.

(Total 16 marks)

STEMUP.CO.UK