AQA GCSE BIOLOGY (HIGHER) · 8461

BIOLOGY



EXAM QUESTION PACK

4.6.1 REPRODUCTION (PACK 1)

SCORE	PERCENTAGE
/309	%

STEMUP

These questions belong to AQA, not to us.

The examination questions, mark schemes and examiner comments in this pack were written and published by AQA. They are past assessment materials, reproduced here so that students can revise from them.

What we do not own

STEMUP is not affiliated with AQA and does not own, and makes no claim to own, any of the question, mark scheme or examiner report material in this pack. AQA has not endorsed, approved or been involved in the production of it. AQA and the qualification titles used here belong to their respective owners and appear for identification only.

Where to find the originals

AQA publishes its past papers, mark schemes and examiner reports. Always check the current specification at aqa.org.uk before you revise, because content and wording can change between series.

If you hold the rights to any material in this pack and would like it amended or removed, contact admin@stemup.co.uk and we will act on it.

Q1.

This question is about the cell cycle.

(a) Chromosomes are copied during the cell cycle.

Where are chromosomes found?

Tick **one** box.

Cytoplasm ☐

Nucleus ☐

Ribosomes ☐

Vacuole ☐

(1)


(b) What is the name of a section of a chromosome that controls a characteristic?

_____

(1)

Figure 1 shows information about the cell cycle.

Figure 1



(c) Which stage of the cell cycle in **Figure 1** takes the most time?

Tick **one** box.

STEMUP.CO.UK

Cell growth ☐

Copying of chromosomes ☐

Mitosis ☐

(1)

(d) During mitosis cells need extra energy.
Which cell structures provide most of this energy?

Tick **one** box.

Chromosomes ☐

Cytoplasm ☐

Mitochondria ☐

Ribosomes ☐

(1)

(e) The cell cycle in **Figure 1** takes two hours in total.
The cell growth stage takes 45 minutes.

Calculate the time taken for mitosis.

_____

_____

_____


_____

Time = _____ minutes

(2)

Figure 2 shows some cells in different stages of the cell cycle.

STEMUP.CO.UK



(f) Which cell is **not** dividing by mitosis

Tick **one** box.

A		B		C		D	

(1)

(g) Cell **E** in **Figure 2** contains 8 chromosomes.
Cell **E** divides by mitosis.

How many chromosomes will each new cell contain?

Tick **one** box.

2 ☐

4 ☐

8 ☐

16 ☐

(1)

(h) Why is mitosis important in living organisms?

Tick **one** box.

To produce gametes ☐

To produce variation ☐

STEMUP.CO.UK

To release energy ☐

To repair tissues ☐

(1)

(Total 9 marks)

Q2.

Earthworms are small animals that live in soil. Earthworms have no specialised gas exchange system and absorb oxygen through their skin.

(a) What is the name of the process in which oxygen enters the skin cells?

Tick **one** box.

Active transport ☐

Diffusion ☐

Osmosis ☐

Respiration ☐

(1)

The table below shows information about four skin cells of an earthworm.

Cell	Percentage of oxygen	
	Outside cell	**Inside cell**
A	9	8
B	12	8
C	12	10
D	8	12

(b) Which cell has the smallest difference in percentage of oxygen between the outside and the inside of the cell?

Tick **one** box.

A ☐ B ☐ C ☐ D ☐

(1)

(c) Which cell will oxygen move **into** the fastest?

STEMUP.CO.UK

Tick **one** box.

A		B		C		D	

(1)

(d) Earthworms have a large surface area to volume ratio.

Suggest why a large surface area to volume ratio is an advantage to an earthworm.

_____

_____

(1)

(e) The earthworm uses enzymes to digest dead plants.

Many plants contain fats or oils.

Which type of enzyme would digest fats?

_____

_____

(1)

(f) Earthworms move through the soil.

This movement brings air into the soil.

Dead plants decay faster in soil containing earthworms compared with soil containing **no** earthworms.

Explain why.

_____

_____

_____

_____

_____

_____

(3)

(g) When earthworms reproduce, a sperm cell from one earthworm fuses with an egg cell from a different earthworm.

Name the process when an egg cell and a sperm cell fuse.

_____

(1)

(h) Some types of worm reproduce by a process called fragmentation.

STEMUP.CO.UK

In fragmentation, the worm separates into two or more parts. Each part grows into a new worm.

What type of reproduction is fragmentation?

_____

(1)

(Total 10 marks)

Q3.

In the mid-19th century, a scientist studied inheritance in pea plants.

The scientist's work was the beginning of our modern understanding of genetics.

(a) What is the name of this scientist?

Tick **one** box.

- Alfred Russel Wallace ☐
- Charles Darwin ☐
- Gregor Mendel ☐
- Jean-Baptiste Lamarck ☐

(1)

(b) In the mid-20th century, other scientists identified the chemical substance that makes up genetic material.

What is the name of the chemical substance that makes up genetic material?

Tick **one** box.

- Carbohydrate ☐
- DNA ☐
- Lipid ☐
- Protein ☐

(1)

(c) A gene often has two alleles.

STEMUP.CO.UK

One allele is dominant and the other allele is recessive.

When is a recessive allele expressed as a characteristic?

Tick **one** box.

- When the dominant allele is not present ☐
- When the recessive allele is inherited from the female parent ☐
- When the recessive allele is inherited from the male parent ☐
- When the recessive allele is present on only one of the chromosomes ☐


(1)

A scientist investigated the inheritance of height in pea plants.

The scientist crossed tall pea plants with short pea plants.

Figure 1 shows the scientist's results.

Figure 1



All tall offspring

In questions **(d)** and **(e)**, use the following symbols to represent alleles:

T = the dominant allele for tall.

STEMUP.CO.UK

t = the recessive allele for short.

(d) In **Figure 1**, the genotype of plant **1** is **TT**.

Give the genotype of plant **2**.

_____

(1)

(e) The scientist crossed plant **3** with plant **4**.

Complete **Figure 2** to show the offspring produced from this cross.

Figure 2

		Male gametes: T	Male gametes: t
Female gametes	T	TT	
Female gametes	t		

(2)

(f) Draw a circle around **one** of the homozygous offspring in **Figure 2**.

(1)

(g) What is the ratio of tall plants : short plants in the offspring in **Figure 2**?

Ratio of tall plants : short plants = _____ : _____

(1)

(Total 8 marks)

Q4.

Cell division is needed for growth and for reproduction.

(a) The table below contains three statements about cell division.

Complete the table.

Tick **one** box for each statement.

	Statement is true for		
Statement	**Mitosis only**	**Meiosis only**	**Both mitosis and meiosis**

STEMUP.CO.UK

All cells produced are genetically identical			
In humans, at the end of cell division each cell contains 23 chromosomes			
Involves DNA replication			

(2)

Bluebell plants grow in woodlands in the UK.

- Bluebells can reproduce sexually by producing seeds.
- Bluebells can also reproduce asexually by making new bulbs.

(b) One advantage of asexual reproduction for bluebells is that only **one** parent is needed.

Suggest **two** other advantages of asexual reproduction for bluebells.

1. _____

_____

2. _____

_____

(2)

(c) Explain why sexual reproduction is an advantage for bluebells.

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

(4)

(Total 8 marks)

Q5.


Scientists want to breed cows that produce milk with a low concentration of fat.

STEMUP.CO.UK

Figure 1 shows information about the milk in one group of cows.

The cows were all the same type.

Figure 1



(a) In **Figure 1** the mean percentage of fat in the milk is equal to the modal value.

Give the mean percentage of fat in the milk of these cows.

Mean percentage = _____

(1)

(b) A student suggested:

'The percentage of fat in milk is controlled by one dominant allele and one recessive allele.'

How many different phenotypes would this produce?

Tick **one** box.

2	☐	3	☐	22	☐	46	☐

(1)

(c) Give the evidence from **Figure 1** which shows the percentage of fat in the milk is controlled by several genes.

_____

_____

(1)

(d) One of the genes codes for an enzyme used in fat metabolism.

A mutation in this gene causes a reduction in milk fat.

The mutation changes one amino acid in the enzyme molecule.

STEMUP.CO.UK

Explain how a change in one amino acid in an enzyme molecule could stop the enzyme working.

_____

_____

_____

_____

_____

_____

(3)


The scientists found one cow with a mutation.

The cow's milk contained only 2.9% fat.

Figure 2 shows the percentage of fat in the milk of cattle related to the cow with the mutation.

The values for male cattle are the mean values of their female offspring.

Figure 2



STEMUP.CO.UK

(e) Animal **8** is homozygous.

The mutation in animal **7** produced a dominant allele for making low-fat milk.

Give evidence from **Figure 2** that animal **7** is heterozygous.

_____

_____

(1)

(f) Animals **7** and **8** produced 11 offspring. These offspring were produced by in vitro fertilisation (IVF).

The embryos from IVF were transferred into 11 other cows.

Suggest why IVF and embryo transfer were used rather than allowing animals **7** and **8** to mate naturally.

_____

_____

(1)

(g) Draw a Punnett square diagram to show a cross between animals **7** and **8**.

Identify which offspring produce low-fat milk and which offspring produce high-fat milk.

Use the following symbols:

D = dominant allele for making low-fat milk

d = recessive allele for making high-fat milk

(4)

(h) The scientists want to produce a type of cattle that makes large volumes of low-fat milk.

The scientists will selectively breed some of the animals shown in **Figure 2**.

Describe how the scientists would do this.

_____

_____

_____

STEMUP.CO.UK

_____

_____

_____

_____

_____

_____

_____

(4)

(Total 16 marks)

Q6.

Chromosomes carry genetic information.

Chromosomes are found in nearly all human cells.

(a) How many chromosomes are there in most human body cells?

Tick **one** box.

23 ☐

24 ☐

46 ☐

48 ☐

(1)

(b) How many chromosomes are there in a human gamete cell?

_____

(1)

(c) Complete the sentences.

Choose the answers from the box.

sexual reproduction	**binary fission**	**egg**	**fertilisation**	**meiosis**
mitosis	**ovary**	**sperm**	**testis**	**uterus**

The female gamete is called the _____.

STEMUP.CO.UK

The male gamete is called the _____.

The female gamete is produced in the _____.

Gametes are produced by a type of cell division

called _____ .


Male and female gametes join together in a process

called _____ .

(5)

In humans, the sex chromosomes are called **X** and **Y**.

The diagram shows the inheritance of sex chromosomes.



(d) Complete the diagram above to show the sex chromosomes inherited by the offspring.

(2)

(e) What is the chance that a child produced by these parents will be female?

Tick **one** box.

1 in 2 ☐

1 in 3 ☐

1 in 4 ☐

3 in 4 ☐

(1)

(f) The parents shown in the diagram above have five children.

STEMUP.CO.UK

Give **two** reasons why these children all look different from each other.

1. _____

_____

2. _____

_____

(2)

(Total 12 marks)

Q7.

In humans, chromosome **X** and chromosome **Y** are the sex chromosomes.

(a) Most cells in the human body contain two sex chromosomes.

Which type of cell does **not** have two sex chromosomes?

Tick **one** box.

Liver cell ☐

Muscle cell ☐

Nerve cell ☐

Red blood cell ☐

(1)

(b) Apart from the sex chromosomes, how many **other** chromosomes are there in most human body cells?

Tick **one** box.

21 ☐ 23 ☐ 44 ☐ 46 ☐

(1)

Stickler syndrome is an inherited disorder that causes damage to the eye.

One of the symptoms of Stickler syndrome is that black spaces can appear in the visual image.

(c) Which part of the eye is affected by Stickler syndrome?

Tick **one** box.


STEMUP.CO.UK

Ciliary muscles	☐
Iris	☐
Retina	☐
Suspensory ligaments	☐

(1)

Stickler syndrome is caused by the inheritance of a dominant allele.

The diagram shows the inheritance of Stickler syndrome in two families.



Use the following symbols in your answers to (d) and (e):

A = the dominant allele for Stickler syndrome

a = the recessive allele for unaffected vision.

(d) Explain why none of the children of persons **7** and **8** have Stickler syndrome.

_____

_____

_____

_____

(2)

(e) Person **12** marries person **18**.

Use a Punnett square diagram to find the probability that their first child will be a female with Stickler syndrome.

STEMUP.CO.UK


Probability of a female child with Stickler syndrome = _____

(4)

(Total 9 marks)

Q8.

The diagram shows how scientists can use genetic engineering to produce human growth hormone.



(a) Human growth hormone is made by the pituitary gland.

The human DNA containing the gene for growth hormone can be taken from a white blood cell.

Give the reason why the gene does **not** have to be taken from cells in the pituitary gland.

_____

STEMUP.CO.UK

_____

(1)

The figure above shows that the plasmid contains two genes for antibiotic resistance:

- a gene for resistance to the antibiotic ampicillin
- a gene for resistance to the antibiotic tetracycline.

(b) Explain how the structure of **Enzyme 1** allows it to cut the gene for tetracycline resistance, but **not** the gene for ampicillin resistance.

_____

_____

_____

_____

_____

_____

(3)

(c) In the final step of the diagram above, very few bacteria take up a plasmid containing the gene for growth hormone.

Some bacteria take up an unmodified plasmid.

Most bacteria do **not** take up a plasmid.

Complete the table below.

- Put a tick in the box if the bacterium **can** multiply in the presence of the given antibiotic.
- Put a cross in the box if the bacterium **cannot** multiply in the presence of the given antibiotic.

	Bacterium can multiply in the presence of	
	Ampicillin	**Tetracycline**
Bacterium + plasmid with growth hormone gene		
Bacterium without a plasmid		
Bacterium with an unmodified plasmid		

(d) The figure above shows that the bacterium containing the gene for human growth hormone multiplies by cell division.

This produces a clone of bacteria.

Explain why **all** the bacteria in this clone are able to produce growth hormone.

_____

STEMUP.CO.UK

_____

_____

_____

_____

_____


(3)

(Total 10 marks)

Q9.

Figure 1 shows a human body cell.

Figure 1



(a) Which part in **Figure 1** contains chromosomes?

Tick **one** box.

A ☐ **B** ☐ **C** ☐

(1)

(b) Humans have pairs of chromosomes in their body cells.

Draw **one** line from each type of cell to the number of chromosomes it contains.

Type of cell	Number of Chromosomes
	10
Human body cell	23
	46
Sperm cell	60

STEMUP.CO.UK

(2)

(c) Humans have two different sex chromosomes, **X** and **Y**.

Figure 2 shows the inheritance of sex in humans.

Figure 2

		Mother	
		X	X
Father	X	XX	XX
	Y	XY	XY

Circle a part of **Figure 2** that shows an egg cell.

(1)

(d) Give the genotype of male offspring.

_____

(1)

(e) A man and a woman have two sons. The woman is pregnant with a third child.

What is the chance that this child will also be a boy?

Tick **one** box.

0% ☐

25% ☐

50% ☐

100% ☐

(1)

(Total 6 marks)

Q10.

Our understanding of genetics and inheritance has improved due to the work of many scientists.

(a) Draw **one** line from each scientist to the description of their significant work.

Scientist	Description of significant work

STEMUP.CO.UK

Charles Darwin	Carried out breeding experiments on pea plants.
Alfred Russel Wallance	Wrote 'On the origin of species'.
Gregor Mendel	Worked on plant defence systems.
	Worked on warning colouration in animals.

(3)

(b) In the mid-20th century the structure of DNA was discovered.

What is a section of DNA which codes for one specific protein called?

_____

(1)

(c) **Figure 1** shows one strand of DNA.

The strand has a sequence of bases (A, C, G and T).

Figure 1



How many amino acids does the strand of DNA in **Figure 1** code for?

Tick **one** box.

2 ☐

3 ☐

4 ☐

6 ☐

(1)

(d) Mutations of DNA cause some inherited disorders.

One inherited disorder is cystic fibrosis (CF).

STEMUP.CO.UK

A recessive allele causes CF.

Complete the genetic diagram in **Figure 2**.

- Identify any children with CF.
- Give the probability of any children having CF.


Each parent does not have CF.

The following symbols have been used:

D = dominant allele for **not** having CF

d = recessive allele for having CF

Figure 2



Probability of a child with CF = _____

(3)

(e) What is the genotype of the mother shown in **Figure 2**?

Tick **one** box.

Heterozygous ☐

Homozygous dominant ☐

Homozygous recessive ☐

(1)

(Total 9 marks)

Q11.


Figure 1 shows an image of a small section of DNA.

Figure 2 shows the structure of a small section of DNA.

Figure 1 **Figure 2**

STEMUP.CO.UK





© Svisio/iStock/Thinkstock

(a) What is Part **B**?

_____

_____

(1)

(b) In **Figure 1** the structure of DNA shows four different bases.

There are four different bases and they always pair up in the same pairs.

Which bases pair up together?

_____


(1)

(c) Syndrome H is an inherited condition.

People with syndrome H do **not** produce the enzyme IDUA.

Figure 3 shows part of the gene coding for the enzyme IDUA.

Figure 3



Strand **K** shows a mutation in the DNA which has caused syndrome H.

The enzyme IDUA helps to break down a carbohydrate in the human body.

The enzyme IDUA produced from Strand **K** will not work.

Explain how the mutation could cause the enzyme **not** to work.

_____

_____

_____

STEMUP.CO.UK

_____

_____

_____

_____

_____

_____

_____

(5)

(d) A recessive allele causes syndrome H.

A heterozygous woman and a homozygous recessive man want to have a child.

Draw a Punnett square diagram to determine the probability of the child having syndrome H.

Identify any children with syndrome H.

Use the following symbols:

A = dominant allele

a = recessive allele

Probability = _____ %

(5)

(Total 12 marks)

Q12.

In humans, hair colour is an inherited characteristic.

Red hair is caused by a recessive allele.

(a) When does a recessive allele control the development of a characteristic?

Tick (✔) **one** box.


When the allele is present on only one of the chromosomes.	☐
When the dominant allele is not present.	☐
When the allele is inherited from the female parent.	☐

(1)

(b) **Figure 1** shows the inheritance of hair colour in one family.

STEMUP.CO.UK

Figure 1



(i) Brown hair is caused by a dominant allele, **B**.

Red hair is caused by the recessive allele, **b**.

What combination of alleles does person **1** have?

Tick (✔) **one** box.

BB ☐

Bb ☐


bb ☐

(1)

(ii) Person **3** married a woman with brown hair.

Figure 2 shows how hair colour could be inherited by their children.

Figure 2



Complete **Figure 2** to show the combination of alleles that the children would inherit.
One has been done for you.

(2)

(iii) What is the probability that one of the children would have red hair?

STEMUP.CO.UK

Tick (✔) **one** box.

1 in 2 ☐

1 in 3 ☐

1 in 4 ☐

(1)

(Total 5 marks)

Q13.

(a) Which organ of the human body produces egg cells?

Draw a ring around the correct answer.

liver **ovary** **testis**

(1)

(b) An egg joins with a sperm and develops into an embryo.

How many chromosomes are there in each cell of a human embryo?

Draw a ring around the correct answer.

23 **46** **48**

(1)

(c) Some women find it difficult to have a baby. A doctor may suggest that these women should use In Vitro Fertilisation (IVF) to help them have a baby.

Table 1 shows how successful IVF was for women of different ages at one clinic.

Table 1

Age of women in years	Percentage of women who had a baby
<35	35
35–37	31
38–39	25
40–42	32
43–44	7
>44	0

(i) A student thought that the result for women aged 40–42 was anomalous.

STEMUP.CO.UK

Suggest why the student thought this result was anomalous.

_____

_____

(1)

(ii) Describe the general trend in the results in **Table 1**.

You should ignore the anomalous result.

_____

_____

(1)

(d) Some babies are born with a faulty chromosome.

Scientists investigated whether the chance of having a baby with a faulty chromosome is also related to the age of the woman.

Table 2 shows the scientists' results.

Table 2

Age of women in years	Number of women per 1000 who had a baby with a faulty chromosome
25	2.0
30	2.6
35	6.1
40	19.6
45	66.0

(i) A 45-year-old woman is more likely than a 25-year-old woman to have a baby with a faulty chromosome.

How many times more likely?

_____

_____

Answer = _____ times

(2)

(ii) Suggest **two** reasons why many fertility clinics will **not** accept women over 40 years of age for IVF treatment.

Use information from **Table 1** and **Table 2** in your answer.

1. _____

STEMUP.CO.UK

_____

2. _____


_____

(2)

(Total 8 marks)

Q14.

The diagram below shows the production of human sperm cells.



(a) Name the organ where the processes shown in the diagram above take place.

_____

(1)

(b) (i) Not every cell in the diagram above contains the same amount of DNA.

Cell **A** contains 6.6 picograms of DNA (1 picogram = 10^{-12} grams).

How much DNA is there in each of the following cells?

Cell **B** _____ picograms

Cell **C** _____ picograms

Cell **E** _____ picograms

(2)

(ii) How much DNA would there be in a fertilised egg cell?

_____ picograms

(1)

(iii) A fertilised egg cell divides many times to form an embryo.

Name this type of cell division.

STEMUP.CO.UK

_____

(1)

(c) After a baby is born, stem cells may be collected from the umbilical cord. These can be frozen and stored for possible use in the future.

(i) What are stem cells?

_____

_____

_____

_____

(2)

(ii) Suggest why it is ethically more acceptable to take stem cells from an umbilical cord instead of using stem cells from a 4-day-old embryo produced by In Vitro Fertilisation (IVF).

_____

_____

(1)

(iii) Stem cells taken from a child's umbilical cord could be used to treat a condition later in that child's life.

Give **one** advantage of using the child's own umbilical cord stem cells instead of using stem cells donated from another person.

_____

_____

(1)

(iv) Why would it **not** be possible to treat a genetic disorder in a child using his own umbilical cord stem cells?

_____

_____

(1)

(Total 10 marks)

Q15.

Polydactyly is an inherited condition caused by a dominant allele.

(a) The figure below shows the hand of a man with polydactyly. The man has an extra finger on each hand.

The man's mother also has polydactyly but his father does not.

STEMUP.CO.UK



© Ifness/iStock

(i) The man is **heterozygous** for polydactyly.

Explain how the information given above shows that the man is **heterozygous** for polydactyly.

_____

_____

_____

_____

_____

_____

(3)

(ii) The man marries a woman who does **not** have polydactyly.

What is the probability that their first child will have polydactyly?

_____

(1)

(b) The man has red hair. His sister has brown hair.

Both of their parents have brown hair.

Brown hair is caused by the dominant allele, **B**.

Red hair is caused by a recessive allele, **b**.

Complete the genetic diagram below to show how the man's parents were able to have some children with red hair and some with brown hair.

	Father	**Mother**
Parental phenotypes	_____	_____
Parental Genotypes	_____	_____

STEMUP.CO.UK

Gametes _____ _____ _____ _____

Offspring genotypes: _____

Offspring phenotypes: _____

(5)


(Total 9 marks)

Q16.

Figure 1 shows the stages in the transmission of the malaria parasite by mosquitoes to humans.

Figure 1

STEMUP.CO.UK



(a) Where in the mosquito does **Stage 2** happen?

Draw a ring around the correct answer.

brain **salivary glands** **stomach**

(1)

(b) What is **Organ A** in the human?

Draw a ring around the correct answer.

liver **pancreas** **small intestine**

(1)

(c) What happens in the human at **Stages 5** and **6**?

STEMUP.CO.UK

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

(4)

(d) Sickle-cell anaemia is an inherited disease caused by a mutation in the haemoglobin gene.

(i) Genes are small pieces of DNA. The DNA in a gene consists of a sequence of bases.

Figure 2 shows part of the base sequence in the DNA of a normal haemoglobin gene and the same section in the sickle-cell gene. **A**, **C**, **G** and **T** represent the different bases.

Figure 2

Normal gene	**GGACTCCTC**
Sickle-cell gene	**GGACACCTC**

Describe how the mutation causes a change in the shape of the haemoglobin protein molecule.

_____

_____

_____

_____

_____

_____

_____

_____

_____

STEMUP.CO.UK

_____

(4)

(ii) Sickle-cell anaemia is caused by a recessive allele, **a**. The normal haemoglobin allele is dominant, **A**.

Use a genetic diagram to find the probability that two heterozygous parents will produce a child who is homozygous for sickle-cell anaemia.

Probability = _____

(4)

(iii) What is the benefit of the heterozygous genotype in areas where malaria is common?

_____

_____

(1)

(Total 15 marks)

Q17.

(a) A healthy diet should be balanced.

What is meant by a balanced diet?

_____

_____

_____

_____

(2)

(b) Cholesterol has important functions in the body.
Some cholesterol is produced by the liver.
Cholesterol is needed in the body to make the hormone oestrogen.

(i) Name the organ in the body which produces oestrogen.

STEMUP.CO.UK

_____

(1)

(ii) What effect does oestrogen have on the female reproductive cycle?

_____

_____

(1)

(iii) Oestrogen is a naturally occurring steroid hormone.

Give **one** artificial use of a steroid hormone in the body.


_____

_____

(1)

(c) The graph below shows the effect of the mass of cholesterol in the diet on:

- the concentration of cholesterol in the blood
- the mass of cholesterol produced by the liver.



Describe the effect of increasing the mass of cholesterol in the diet on the mass of cholesterol produced by the liver.

To gain full marks you should include data from the graph in your answer.

_____

_____

STEMUP.CO.UK

_____

_____

_____

_____

(2)

(d) Large amounts of cholesterol in the diet switch off the production of an enzyme called reductase, in the liver.

An increase of the enzyme reductase increases the production of cholesterol by the liver.

(i) Which part of a liver cell is responsible for controlling the production of reductase?

_____

_____

(1)

(ii) High blood cholesterol concentrations increase the likelihood of heart and circulatory diseases.

Doctors can prescribe statins to control the concentration of cholesterol in the blood.

Suggest how statins work.

_____

_____

(1)

(Total 9 marks)


Q18.

Genetic disorder **E** is a condition caused by a change in the chromosomes.

(a) / **Figure 1** shows the chromosomes from one cell of a person with genetic disorder **E**.

STEMUP.CO.UK

Figure 1



(i) How do you know this person is female?

Use information from **Figure 1**.

_____

_____

(1)

(ii) Describe how the chromosomes shown in **Figure 1** are different from the chromosomes from a person who does not have genetic disorder **E**.

_____

_____

_____

_____


(2)

(b) As a woman gets older, the chance of her having a baby with genetic disorder **E** increases.

Figure 2 shows this.

STEMUP.CO.UK

Figure 2



(i) The chance of a 35-year-old woman having a baby with genetic disorder **E** is 2 per 1000 births.

What is the chance of a 40-year-old woman having a baby with genetic disorder **E**?

_____ per 1000 births

(1)

(ii) A 40-year-old woman is more likely than a 35-year-old woman to have a baby with genetic disorder **E**.

How many times more likely?

_____ times

(1)

(c) A 41-year-old woman wants to have a baby. A 41-year-old woman has an increased chance of having a baby with genetic disorder **E**.

Doctors can screen embryos for genetic disorder **E**.

The table gives some information about two methods of embryo screening.

Method 1	**Method 2**
1. The woman is given hormones to cause the release of a few eggs. The eggs are taken from her body	1. The woman gets pregnant in the

STEMUP.CO.UK

in a minor operation. The eggs are fertilised in a glass dish.	normal way.
2. One cell is taken from each embryo when the embryo is 3 days old.	2. Cells are taken when the embryo is 10 weeks old.
3. Cells are screened for genetic disorder **E**.	3. Cells are screened for genetic disorder **E**.
4. An unaffected embryo is placed in the woman's uterus. Embryos that are not used are destroyed or used in medical research.	4. An unaffected fetus is allowed to develop. If the fetus has genetic disorder **E**, the woman can choose to have an abortion.
5. This method costs about £6000.	5. This method costs about £600.

Use information from the table to give **two** advantages and **one** disadvantage of **Method 1** compared with **Method 2** for detecting genetic disorder **E**.

Advantages of **Method 1**:

1. _____

_____

2. _____

_____

Disadvantage of **Method 1**:

_____

_____

(3)

(Total 8 marks)

Q19.

DNA is the genetic material of human cells.

Figure 1 shows the structure of part of a DNA molecule.

STEMUP.CO.UK

Figure 1



(a) (i) Describe where DNA is found in a human cell.

_____

_____

_____

(2)

(ii) When a cell divides by mitosis the new cells are genetically identical.

What causes the cells to be genetically identical?

_____

_____

(1)

(b) Many genes have different forms called alleles.

(i) A person has polydactyly (extra fingers or toes). Polydactyly is caused by a dominant allele.
What is the smallest number of copies of the dominant allele for polydactyly that could be found in a body cell of this person?

_____

(1)

(ii) Another person has cystic fibrosis. Cystic fibrosis (CF) is caused by a recessive allele.
How many copies of the recessive CF allele are there in a body cell of this person?

_____

(1)


(c) A burglar broke into a house. The burglar cut his hand on some broken glass. Scientists extracted DNA from the blood on the broken glass.

The scientists analysed the DNA from the glass and DNA from three suspects, **A**, **B** and **C**. The scientists used a method called DNA fingerprinting.

STEMUP.CO.UK

Figure 2 shows the scientists' results.

Figure 2



Which suspect, **A**, **B** or **C**, is most likely to have been the burglar?

Tick (✓) **one** box.

A ☐

B ☐

C ☐


(1)
(Total 6 marks)

Q20.

In 1866, Gregor Mendel published the results of his investigations into inheritance in garden pea plants.

The diagram below shows the results Mendel obtained in one investigation with purple-flowered and white-flowered pea plants.

STEMUP.CO.UK



(a) (i) Calculate the ratio of purple-flowered plants to white-flowered plants in the F_2 generation.

Ratio of purple : white = _____

(1)

(ii) There was a total of 929 plants in the F_2 generation.

Mendel thought that the production of a large number of offspring plants improved the investigation.

Explain why.

_____

_____

_____

_____

(2)

(b) (i) Some of the plants in the diagram are homozygous for flower colour and some are heterozygous.

Complete the table to show whether each of the plants is homozygous or heterozygous. For each plant, tick (✓) **one** box.

	Homozygous	**Heterozygous**
Purple-flowered plant in the P generation		
White-flowered plant in the P generation		

STEMUP.CO.UK

Purple-flowered plant in the F_1 generation		

(2)

(ii) Draw a genetic diagram to show how self-pollination of the F_1 purple-flowered plants produced mainly purple-flowered offspring in the F_2 generation together with some white-flowered offspring.

Use the following symbols:

N = allele for purple flower colour
n = allele for white flower colour

(3)

(c) When Mendel published his work on genetics, other scientists at the time did not realise how important it was.

Suggest **two** reasons why.

1. _____

_____

2. _____

_____

(2)

(Total 10 marks)

Q21.

Some genetic disorders are caused by alleles inherited from the parents.

(a) What are **alleles**?

_____

_____

(1)

(b) Describe how embryos can be screened for the alleles that cause genetic disorders.

_____

_____

_____

_____

_____

_____

_____

STEMUP.CO.UK

_____

_____

_____

(4)

(c) Polydactyly is a genetic disorder that leads to extra fingers or toes.

Polydactyly is caused by a dominant allele, **D**.

The photograph shows the hand of a person with polydactyly.



© Adem Demir/Hemera.

A man has polydactyly. His wife does not have polydactyly.

This couple's children have a 50% chance of having polydactyly.


Draw a genetic diagram to explain why.

(3)

(d) Cystic fibrosis is another genetic disorder. It is caused by a recessive allele.

STEMUP.CO.UK

The diagram shows the inheritance of cystic fibrosis in one family.



Woman **5** is pregnant with her fourth child.

What is the probability that this child will have cystic fibrosis?

Draw a genetic diagram to explain your answer.

Use the following symbols.


N = allele for normal health
n = allele for cystic fibrosis

(4)
(Total 12 marks)

Q22.

The diagram shows part of a DNA molecule.

STEMUP.CO.UK



(a) (i) In which part of an animal cell is DNA found?

_____

(1)

(ii) Complete the following sentence.

The letters **A**, **C**, **G** and **T** in the diagram represent four different compounds

called _____ .

(1)

(iii) One strand of the DNA, in the section labelled **X**, contains the following sequence of these compounds:

T A T G G G T C T T C G

How many amino acids would this section of the DNA code for? ☐

(1)

(iv) The section of DNA described in part **(a) (iii)** is a small part of a gene.

The sequence of compounds **A**, **C**, **G** and **T** in the gene is important.

Explain why.

_____

_____

_____

_____

(2)

(b) *Read the following information about genetic engineering.*

The caterpillar of the European Corn Borer moth feeds on the fruits of maize (sweet corn). There is a chemical called Bt-toxin which is poisonous to the corn borer caterpillar but not to humans.

STEMUP.CO.UK

Scientists carried out the following steps.

1. The Scientists made a bacterial plasmid to which they added two genes:
   - **Bt** gene, which coded for production of the Bt-toxin
   - **kan^r** gene, which coded for resistance to an antibiotic called kanamycin.

2. They used this plasmid to produce genetically modified bacteria which could invade plant cells.

3. They mixed these genetically modified bacteria with pieces cut from maize leaves.

4. They placed the pieces of maize leaf on agar jelly in a Petri dish. The agar jelly contained the antibiotic, kanamycin. The kanamycin killed most of the pieces of maize leaf, but a few survived.

5. They took some cells from the surviving pieces of maize leaf and grew them in tissue culture.

The result was maize plants that now contained the **Bt** gene, as well as the **kan^r** gene, in all of their cells.

(i) What is a **plasmid** (Step 1)?

_____

_____

_____

_____

(2)

(ii) Why did the scientists add **kanamycin** to the agar jelly (Step 4)?

_____

_____

_____

_____

(2)

(iii) The scientists grew each Bt-maize plant from a single cell which contained the **Bt** gene.

Explain why **all** the cells in the Bt-maize plant contained the **Bt** gene.

_____

_____

_____

_____

(2)

STEMUP.CO.UK

(iv) Kanamycin is an antibiotic.

Some scientists are concerned that the gene for kanamycin resistance has been put into maize.

Suggest why.

_____

_____

_____

_____

_____

_____

(2)


(Total 13 marks)

Q23.

CRAM is an inherited condition which causes muscle breakdown.

The breakdown products enter the urine, making it dark-coloured.

The diagram below shows the inheritance of CRAM in one family.



CRAM is caused by a recessive allele, **n**.

The allele for normal health is **N**.

(a) (i) What is an **allele**?

_____

_____

(1)

(ii) What does **recessive** mean?

_____

STEMUP.CO.UK

_____

(1)

(iii) Give evidence from the diagram that CRAM is caused by a **recessive** allele.

_____

_____

(1)

(b) (i) Person **2** is homozygous for CRAM.

What does **homozygous** mean?

_____

_____

(1)

(ii) None of person **2**'s children have CRAM.

Explain why.

_____

_____

_____

(2)

(c) Persons **7** and **8** want to have another child.

(i) What is the probability that this child will have CRAM?

Draw a genetic diagram to explain your answer.

Probability = _____

(4)

(ii) To avoid having another child with CRAM, persons **7** and **8** may decide to use embryo screening.


Two ways of doing this are:

- PGD (pre-implantation genetic diagnosis)
- CVS (chorionic villus sampling).

PGD involves IVF (in vitro fertilisation) of a few eggs, then taking a cell from each embryo when it is 3 days old.

The image below shows how the cell is removed.

STEMUP.CO.UK



© Rtimages/iStock/Thinkstock

The DNA in the cell can then be tested. An unaffected embryo can be implanted in the woman's uterus. The possibility of a false positive result is around 1 in 6. The procedure costs about £6000. Affected embryos would be discarded. Extra unaffected embryos might be frozen and kept for later implantation. Alternatively, the extra embryos might be used in scientific research.

CVS involves taking a sample of blood from the placenta a few weeks into pregnancy. DNA from white blood cells can then be tested.
If an affected embryo is detected, the parents then have to decide whether to terminate the pregnancy or allow it to continue.

CVS has a 1 percent chance of giving an incorrect result and a 0.9 percent chance of causing a miscarriage. CVS costs about £600.

Evaluate the benefits of these two methods of embryo screening.
You should include a conclusion to your evaluation.

_____

_____

_____


_____

(5)

(Total 15 marks)

Q24.

The diagram below shows a cell.



(a) Draw a ring around the correct answer to complete each sentence.

(i) In the nucleus of a cell, genes are part of

chromosomes.
membranes.
receptors.

(1)

(ii) Different genes control different

characteristics
gametes
nuclei

of an organism.

(1)

(iii) Studying the similarities and differences between organisms allows us to

classify
clone
grow

the organisms.

(1)

(b) Complete the following sentence.

Living things can be grouped into animals, microorganisms and _____ .

(1)

(Total 4 marks)

Q25.

Most cows produce milk with a fat content of 3.4%.


STEMUP.CO.UK

Cow **S** produces milk with a fat content of 1.2%.

Only cow **S** has the gene to produce this low-fat milk.

(a) A farmer plans to develop more cows like cow **S**.

The diagram below shows how the farmer plans to do this.



Cow S © GlobalP/iStock/Thinkstock, **Bull** © Fuse/Thinkstock, **Whitish cow** © Eric Isselee/iStock/Thinkstock, **Brown cow** © DC Productions/Photodisc/Thinkstock, **Holstein cow(1)** © GlobalP/iStock/Thinkstock, **Holstein cow(2)** © GlobalP/iStock/Thinkstock, **Calf** © Eric Isselee/iStock/Thinkstock.

(i) An egg cell from cow **S** is fertilised by a sperm cell from a bull. This is part of sexual reproduction.

What is the scientific name for sex cells such as egg cells and sperm cells?

_____

(1)

(ii) After fertilisation, cells are taken from the original embryo.

These cells develop into new embryos.

Which part of the host mother's body should each new embryo be put into?

_____

(1)

(b) (i) The calves born to all of the host mothers are genetically identical to each other.

Draw a ring around the correct answer to complete the sentence.

STEMUP.CO.UK

The calves are genetically identical to each other because

they

are formed from the same original embryo.
have the same host mother.
have the same two parents.

(1)

(ii) What term is used to describe the method of producing calves shown in the diagram in part (a)?

Tick (✓) **one** box.

Adult cell cloning ☐

Embryo transplantation ☐

Genetic modification ☐

(iii) Why are the calves born to the host mothers **not** genetically identical to cow **S**?

_____

_____

(1)

(Total 5 marks)

Q26.

Read the information.

Insects can be both useful and harmful to crop plants.
Insects such as bees pollinate the flowers of some crop plants. Pollination is needed for successful sexual reproduction of crop plants.
Some insects eat crops and other insects eat the insects that eat crops.

Corn borers are insects that eat maize plants.
A toxin produced by the bacterium *Bacillus thuringiensis* kills insects.
Scientists grow *Bacillus thuringiensis* in large containers. The toxin is collected from the containers and is sprayed over maize crops to kill corn borers.

A company has developed genetically modified (GM) maize plants. GM maize plants contain a gene from *Bacillus thuringiensis*. This gene changes the GM maize plants so that they produce the toxin.

(a) Describe how scientists can transfer the gene from *Bacillus thuringiensis* to maize plants.

_____

STEMUP.CO.UK

_____

_____

_____

_____

_____

_____

(3)

(b) Would you advise farmers to grow GM maize plants?

Justify your answer by giving advantages and disadvantages of growing GM maize plants.

Use the information from the box and your own knowledge to help you.

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

(4)

(Total 7 marks)

Q27.

In sexual reproduction, an egg fuses with a sperm.

(a) (i) Draw a ring around the correct answer to complete the sentence.

An egg and a sperm fuse together in the process of

cloning.
fertilisation.
mitosis.

STEMUP.CO.UK

(1)

(ii) Egg cells and sperm cells each contain the structures given in the box.

chromosome	**gene**	**nucleus**

List these three structures in size order, starting with the smallest.

1 _____ (smallest)

2 _____

3 _____ (largest)

(2)

(iii) The egg and the sperm contain genetic material.


Draw a ring around the correct answer to complete the sentence.

The genetic material is made of

carbohydrate.
DNA.
protein.

(1)

(b) The diagram below shows the inheritance of **X** and **Y** chromosomes.



(i) Draw a tick (✓) on the part of the diagram that shows a sperm cell.

(1)

(ii) What is the chance of having a female child?

Give the reason for your answer.

_____

_____

_____

_____

STEMUP.CO.UK

(2)
(Total 7 marks)

Q28.

Phenylketonuria (PKU) is an inherited condition. PKU makes people ill.

(a) PKU is caused by a recessive allele.

(i) What is an allele?

_____

_____

(1)


(ii) What is meant by recessive?

_____

_____

(1)

(b) The diagram below shows the inheritance of PKU in one family.



(i) Give **one** piece of evidence from the diagram that PKU is caused by a recessive allele.

_____

_____

(1)

(ii) Persons **6** and **7** are planning to have another child.
Use a genetic diagram to find the probability that the new child will have PKU.

Use the following symbols in your answer:

N = the dominant allele for **not** having PKU

n = the recessive allele for PKU.

Probability = _____

(4)

(c) Persons **6** and **7** wish to avoid having another child with PKU.

STEMUP.CO.UK

A genetic counsellor advises that they could produce several embryos by IVF treatment.

(i) During IVF treatment, each fertilised egg cell forms an embryo by cell division.

Name this type of cell division.

_____

(1)

(ii) An embryo screening technique could be used to find the genotype of each embryo.

An unaffected embryo could then be placed in person **7**'s uterus.

The screening technique is carried out on a cell from an embryo after just three cell divisions of the fertilised egg.

How many cells will there be in an embryo after the fertilised egg has

divided three times? ☐

(1)

(iii) During embryo screening, a technician tests the genetic material of the embryo to find out which alleles are present.

The genetic material is made up of large molecules of a chemical substance.

Name this chemical substance.

_____

(1)

(d) Some people have ethical objections to embryo screening.

(i) Give **one** ethical objection to embryo screening.

_____

(1)

(ii) Give **one** reason in favour of embryo screening.

_____

(1)

(Total 12 marks)

Q29.

When humans reproduce, chromosomes and genes are passed on to the next generation.

In each of the following questions, draw a ring around the correct answer to complete the sentence.

cellulose.

STEMUP.CO.UK

(a) A gene is a small section of

- DNA.
- protein.

(1)

(b) The sex chromosomes in the human male are

- X and X.
- X and Y.
- Y and Y.

(1)

(c) (i) Most human body cells contain

- 23 chromosomes.
- 46 chromosomes.
- 92 chromosomes.

(1)

(ii) The number of chromosomes in a human gamete (sex cell)

is

- the same number as
- half the number
- twice the number

in body cells.

(1)

(d) Gametes are produced by

- fertilisation.
- meiosis.
- mitosis.

(1)
(Total 5 marks)

Q30.

In each question, draw a ring around the correct answer to complete the sentence.

(a) Our understanding of how genes are inherited is mostly because of

the work of

- Darwin.
- Lamarck.
- Mendel.


(1)

STEMUP.CO.UK

(b) A scientist investigated inheritance in pea plants.

The scientist crossed tall pea plants with short pea plants. **Diagram 1** shows the results.

Diagram 1



In the rest of this question, the following symbols are used to represent alleles.

T = allele for tall
t = allele for short

(i) The 1st cross in **Diagram 1** produced 120 offspring. All of these offspring were tall.

This shows that **plant 1** contained the alleles

TT.
Tt.

STEMUP.CO.UK

tt.

(1)


(ii) **Plant 3** is tall because of

a dominant allele.
the environment.
a recessive allele.

(1)

(c) **Diagram 2** gives more information about the cross between **plant 3** and **plant 4**.

Diagram 2



This cross produced some tall offspring and some short offspring.

The ratio of tall to short offspring in **Diagram 2** is

1:1.
2:1.
3:1.

(1)

(d) Two short plants were crossed. This cross produced 100 offspring.

The expected offspring would be

100 short plants.
50 tall plants and 50 short plants.
75 tall plants and 25 short plants.

(1)


(Total 5 marks)

Q31.

Diagram 1 shows a cell from the pancreas.

Diagram 2 shows part of the cell seen under an electron microscope.

STEMUP.CO.UK



Part **A** is where most of the reactions of aerobic respiration happen.

(a) (i) Name part **A**.

_____

(1)

(ii) Complete the equation for aerobic respiration.

glucose + oxygen ⟶ _____ + _____ (+ energy)

(2)

(iii) Part **A** uses oxygen.

Explain how oxygen passes from the blood to part **A**.

_____

_____

_____

_____

_____

_____

_____

STEMUP.CO.UK

_____

(3)

(b) The pancreas cell makes enzymes.

Enzymes are proteins.

Describe how the ribosomes and part **A** help the cell to make enzymes.

_____

_____

_____

_____

_____

_____

_____


_____

(3)

(Total 9 marks)

Q32.

The diagram shows some of the cell divisions that occur during human reproduction.



(a) (i) Name the type of cell division that produces cell **D** from cell **B**.

STEMUP.CO.UK

_____

(1)

(ii) Which organ in the male body produces cell **C** from cell **A**?

_____

(1)

(b) (i) Cells **A** and **B** each contain 46 chromosomes.

How many chromosomes would there be in the nucleus of cell **C**? ☐

(1)

(ii) Why is it important that cell **C** has this number of chromosomes?

_____

_____

_____

_____

(2)


(Total 5 marks)

Q33.

CADASIL is an inherited disorder caused by a dominant allele.

CADASIL leads to weakening of blood vessels in the brain.

The diagram shows the inheritance of CADASIL in one family.



(a) CADASIL is caused by a *dominant allele*.

(i) What is a *dominant allele*?

_____

_____

(1)

STEMUP.CO.UK

(ii) What is the evidence in the diagram that CADASIL is caused by a dominant allele?

_____

_____

(1)

(iii) Person **7** has CADASIL.

Is person **7** homozygous or heterozygous for the CADASIL allele?

Give evidence for your answer from the diagram.

_____

_____

(1)

(b) Persons **7** and **8** are planning to have another baby.
Use a genetic diagram to find the probability that the new baby will develop into a person with CADASIL.

Use the following symbols to represent alleles.

D = allele for CADASIL
d = allele for not having CADASIL

Probability = _____

(4)

(c) Scientists are trying to develop a treatment for CADASIL using stem cells.

Specially treated stem cells would be injected into the damaged part of the brain.

(i) Why do the scientists use stem cells?

_____

_____

_____

_____

(2)

(ii) Embryonic stem cells can be obtained by removing a few cells from a human embryo. In 2006, scientists in Japan discovered how to change adult skin cells

STEMUP.CO.UK

into stem cells. Suggest **one** advantage of using stem cells from adult skin cells.

_____


_____

(1)

(Total 10 marks)

Q34.

The diagram shows one method of producing herbicide-resistant crop plants.



STEMUP.CO.UK

(a) The herbicide-resistance gene is cut out of a chromosome of a herbicide-resistant plant.

How is the herbicide-resistance gene cut out of the chromosome?

_____

_____

(1)

(b) Apart from having the herbicide-resistance gene, the herbicide-resistant plants are identical to the herbicide-susceptible plants.

Explain why.

_____

_____

_____

_____

(2)

(c) Suggest **one** advantage to a farmer of growing herbicide-resistant crops.

_____

_____

(1)

(d) Many people are opposed to the growing of herbicide-resistant crops produced in this way.

Suggest **one** reason why.

_____

_____

(1)

(Total 5 marks)

Q35.

Humans reproduce sexually.

(a) Draw a ring around the correct answer to complete each sentence.

(i) At fertilisation

chromosomes
genes
gametes

join together.

(1)

chromosomes.

STEMUP.CO.UK

(ii) At fertilisation a single cell forms. The cell has new pairs of

nuclei.
gametes.

(1)

(b) A child inherits cystic fibrosis. The child's parents do **not** have cystic fibrosis.

(i) What does this information tell us about the cystic fibrosis allele?

Tick (✓) **one** box.

The allele is dominant. ☐

The allele is recessive. ☐

The allele is strong. ☐

(1)


(ii) How many copies of the cystic fibrosis allele does the child have?

Draw a ring around your answer.

one **two** **four**

(1)

(c) The diagram shows a human body cell.



Which part of the cell, **A**, **B**, **C** or **D**:

(i) contains the allele for cystic fibrosis ☐

(1)

(ii) is affected by cystic fibrosis? ☐

(1)

(Total 6 marks)

STEMUP.CO.UK