AQA GCSE PHYSICS (HIGHER) · 8463

PHYSICS



MARK SCHEME

4.2.3 DOMESTIC USES AND SAFETY (PACK 1)

SCORE	PERCENTAGE
/308	%

STEMUP

These questions belong to AQA, not to us.

The examination questions, mark schemes and examiner comments in this pack were written and published by AQA. They are past assessment materials, reproduced here so that students can revise from them.

What we do not own


STEMUP is not affiliated with AQA and does not own, and makes no claim to own, any of the question, mark scheme or examiner report material in this pack. AQA has not endorsed, approved or been involved in the production of it. AQA and the qualification titles used here belong to their respective owners and appear for identification only.

Where to find the originals

AQA publishes its past papers, mark schemes and examiner reports. Always check the current specification at aqa.org.uk before you revise, because content and wording can change between series.

If you hold the rights to any material in this pack and would like it amended or removed, contact admin@stemup.co.uk and we will act on it.

Q1.

(a) 

1

(b) E = 13 × 230

1

E = 2990 (J)

1

*an answer 2990 (J) scores **2** marks*

(c) charge flow = current × time

allow Q = It

1

(d) 1.52 = I × 0.40

1

$$I = \frac{1.52}{0.40}$$

1

I = 3.8 (A)

1

*an answer of 3.8 (A) scores **3** marks*

(e) E = 0.00175 × 205 000

1

E = 359 (J)

*allow an answer that rounds to 360 (J) for **2** marks*

1

*an answer of 359 (J) scores **2** marks*

[9]

Q2.

(a) (i) earth wire

1

(ii) double

1

(b) if too much current flows through the wire

accept power for current

*do **not** accept electricity for current*

accept if more than 20 amps flows through the wire

1

the fuse (overheats and) melts

accept 'blows' for melts

STEMUP.CO.UK

do not accept explodes / breaks / snaps etc

1

breaking the circuit

accept stopping the current flow

1

[5]

Q3.

(a) changes

allow reverses

1

(b) dependent

1

(c) kettle **C**
or
2.8 kW

1

highest power (output)

allow higher power (output)

1

(d) values for gradient calculation shown on graph or on answer lines

1

power input = 2200 (W)

*accept an answer that rounds to 2200 (W) for **2** marks*

1

(e) charge flow = current × time

allow Q = It

1

(f) 2400 = I × 250

1

$$I = \frac{2400}{250}$$

1

I = 9.6 (A)

an answer of 9.6 (A) scores 3 marks

1

[10]

Q4.

(a) current that is always in the same direction

1

(b) total resistance = 30 (Ω)

1

STEMUP.CO.UK

V = 0.4 × 30

1

12 (V)

1

*allow 12 (V) with no working shown for **3** marks*
*an answer of 8 (V) or 4 (V) gains **2** marks only*

(c) P = 0.4 × 12 = 4.8

1

5 (W)

1

*allow 5 (W) with no working shown for **2** marks*
*allow 4.8 (W) with no working shown for **1** mark*

[6]

Q5.

(a) he may receive an electric shock

or

he may be electrocuted

1

if he touches the live wire

1

(b) 10 690 = I × 230

1

I = 10 690 / 230

1

46.478(260) (A)

1

46

1

*allow 46 (A) with no working shown for **4** marks*

(c) cost is higher

1

more energy is used (per second)

1

[8]

Q6.

(a) (because the) potential of the live wire is 230 V

1

(and the) potential of the electrician is 0 V

1

(so there is a) large potential difference between live wire and electrician

1

STEMUP.CO.UK

charge / current passes through his body

allow voltage for potential difference

1

(b) diameter between 3.50 and 3.55 (mm)

*allow correct use of value of cross-sectional area of 9.5 to 9.9 (mm^2) with no final answer given for **1** mark*

2

(c) $18000 = I \times 300$

1

$I = 18000 / 300 = 60$

1

$13\ 800 = (60^2) \times R$

1

$R = 13\ 800 / 60^2$

1

3.83 (Ω)

1

*allow 3.83(Ω) with no working shown for **5** marks*

answer may also be correctly calculated using P = IV and V = IR if 230 V is used.

[11]

Q7.

(a) 20

1

(b) 50

1

(c) (i) 115

1

(ii) 230

1

(iii) if one goes out the other still works

or

brighter

accept power (output) is greater

can be switched on/off independently is insufficient

1

(d) the outside/casing is plastic

there is plastic around the wires is insufficient

it is plastic is insufficient

1

and plastic is an insulator

an answer the light fitting is double insulated gains both marks

1

STEMUP.CO.UK

(e) (residual current) circuit breaker

accept RCCB
accept RCBO
accept RCCD
accept RCB
accept miniature circuit breaker / MCB
trip switch is insufficient
breaker is insufficient
do not accept earth wire

1

[8]

Q8.

(a) pin
made from brass because it is (hard and) a (good electrical) conductor

accept copper for brass
metal is insufficient
heat conductor on its own negates

1

outer case
plastic/rubber because it is a (good electrical) insulator

heat insulator on its own negates

1

(b) (i) live

1

(ii) makes it hot/warm

melts is insufficient

1

(iii) 8.7

accept an answer that rounds to 8.7
*allow **1** mark for correct substitution ie 2000 = 230 × I*
*an answer of 0.0087 **or** 0.009 **or** 3.0(4) **or** 5.65 **or** 5.7 gains **1** mark*

2

(c) a (large) current goes from the live wire to the earth wire

accept metal case for live wire
accept a current goes from live to earth
do not accept electricity for current

1

(which causes) the fuse to (overheat and) melt

accept blow for melt
break is insufficient
do not accept snap / blow up for melt

1

(d) reduce chance of an electric shock

STEMUP.CO.UK

accept to reduce the risk of an accident
accept prevent electric shock
accept prevent electrocution
accept prevent or reduce the risk of an (electrical) fire
accept an electric shock can kill you
accept it can kill you
accept so you can use it safely

1

[9]

Q9.

(a) charge

1

(b) (i) blue

1

(ii) earth wire

1

fuse

1

(c) (i) case is non-metal / non-conducting / plastic / insulator
must refer to case / outside of appliance
do not accept plastic coating / covering

1

(ii) earth (wire)

1

(d) (i) 60 (W)
*P = 3 × 20 gains **1** mark*
provided no subsequent step shown

2

(ii) 15
300 = 20 × Q
or
*20 = 300 / Q gains **1** mark*

2

C / coulombs
must clearly be upper case C accept J / V or As

1

[11]

Q10.

(a) (i) (3-pin) <u>plug</u>
*do **not** accept plug socket*

1

(ii) live and neutral

STEMUP.CO.UK

1

(iii) double

1

(b) direct current (d.c.) only

1

(c) (i) live

1

(ii) too great a current flows

accept a surge of current
accept too great a power
accept an electrical fault

*do **not** accept voltage / energy / electricity too high*

1

(iii) can be reset

accept does not need replacing

1

(disconnects circuit) faster

cheaper is insufficient
does not melt is insufficient
quicker to fix / replace is insufficient

1

[8]

Q11.

(a) (i) 150

1

(ii) transferred to the surroundings by heating

reference to sound negates mark

1

(iii) 0.75

*450 / 600 gains **1** mark*
*accept 75% for **2** marks*
*maximum of **1** mark awarded if a unit is given*

2

(iv) 20 (s)

*correct answer with or without working gains **2** marks*
*correct substitution of 600 / 30 gains **1** mark*

2

(b) (i) to avoid bias

1

(ii) use less power and last longer

1

1 LED costs £16, 40 filament bulbs cost £80

STEMUP.CO.UK

or

filament costs (5 times) more in energy consumption

1

(iii) any **one** from:

- availability of bulbs
- colour output
- temperature of bulb surface

1

[10]

Q12.

(a) (i) generator

1

(ii) alternating current

1

(iii) voltmeter / CRO / oscilloscope / cathode ray oscilloscope

1

(b) (i) time

1

(ii) peaks and troughs in opposite directions

1

amplitude remains constant

dependent on first marking point

1

(c) any **two** from:

- increase speed of coil
- strengthen magnetic field
- increase area of coil

*do **not** accept larger*

2

[8]

Q13.

(a) (i) any **six** from:

- switch on
- read both ammeter and voltmeter

allow read the meters

- adjust variable resistor to change the current
- take further readings
- draw graph
- (of) V against I

allow take mean

- R = V / I

allow take the gradient of the graph

6

STEMUP.CO.UK

(ii) resistor would get hot if current left on

1

so its resistance would increase

1

(iii) 12 (V)

*0.75 × 16 gains **1** mark*

2

(iv) 15 (Ω)

1

16 is nearer to that value than any other

1

(b) if current is above 5 A / value of fuse

1

fuse melts

allow blows / breaks
*do **not** accept exploded*

1

breaks circuit

1

[15]

Q14.

(a) *attempt to draw four cells in series*

1

correct circuit symbols

circuit symbol should show a long line and a short line, correctly joined together
example of correct circuit symbol:



1

(b) (i) 6 (V)

*allow **1** mark for correct substitution, ie*
*V = 3 × 2 scores **1** mark*
provided no subsequent step

2

(ii) 12 (V)

ecf from part (b)(i)
18 – 6
or
*18 – their part (b)(i) scores **1** mark*

2

(iii) 9 (Ω)

ecf from part (b)(ii) correctly calculated

STEMUP.CO.UK

3 + their part (b)(ii) / 2
or
*18 / 2 scores **1** mark*
provided no subsequent step

2

(c) (i) need a.c.

1

battery is d.c.

1

(ii) 3 (A)

*allow **1** mark for correct substitution, ie*
*18 × 2 = 12 × I_s scores **1** mark*

2

[12]

Q15.

(a) *there is a* magnetic field *(around the magnet)*

1

(this magnetic field) changes / moves

1

and cuts through coil
accept links with coil

1

so a p.d. *induced* across coil

1

the coil forms *a* complete circuit

1

so a current (*is* induced)

1

(b) ammeter reading does not change
must be in this order
accept ammeter has a small reading / shows a current

1

zero

1

greater than before
accept a large(r) reading

1

same as originally but in the opposite direction
accept a small reading in the opposite direction

1

(c) 0.30
*allow **1** mark for correct substitution, ie 0.05 = Q / 6*

STEMUP.CO.UK

2

C / coulomb

allow A s

1

[13]

Q16.

(a) risk of electric shock (if someone touched the case)

allow risk of electrocution (if someone touched the case)

1

(b) 2530 = I × 230

this mark may be awarded if P is incorrectly / not converted

1

$$I = \frac{2530}{230}$$

this mark may be awarded if P is incorrectly / not converted

1

I = 11 (A)

this answer only

*an answer of 0.011 (A) scores **2** marks*

1

*an answer of 11 (A) scores **3** marks*

(c) E = 2530 × 14

this mark may be awarded if P is incorrectly / not converted

1

E = 35 420 (J)

this answer only

1

35 420 = m × 4200 × 70

allow their calculated E = m × 4200 × 70

1

$$m = \frac{35\,420}{4200 \times 70}$$

$$\textit{allow } m = \frac{\textit{their calculated } E}{4200 \times 70}$$

1

m = 0.12 (kg)

allow an answer that is consistent with their calculated value of E

1

[9]

Q17.

(a) (i) live

1

STEMUP.CO.UK

(ii) react faster

1

(iii) live and neutral

1

(b) (i) ammeter

1

to measure current

accept to measure amps

1

plus any **one** from:

- *variable resistor* (1)
  to vary current (1)
  accept variable power supply
  accept change or control

- *switch* (1)
  to stop apparatus getting hot / protect battery
  or
  to reset equipment (1)

- fuse (1)
  to break circuit if current is too big (1)

2

(ii) any **two** from:

- use smaller mass(es)
- move mass closer to pivot
- reduce gap between coil and rocker
- more turns (on coil)*coil / loop*
- iron core in coil

  accept use smaller weight(s)

2

[9]

Q18.

(a) any **two** from:

- nuclear
- oil
- (natural) gas

2

(b) 4 (hours)

1

(c) a system of cables and transformers

1

(d) The power output of wind turbines is unpredictable

1

STEMUP.CO.UK

(e) 1500 / 0.6

1

2500 (wind turbines)

1

*allow 2500 with no working shown for **2** marks*

(f) Most energy resources have negative environmental effects.

1

[8]

Q19.

(a) (black) is a good absorber of (infrared) radiation

1

(b) (i) amount of energy required to change (the state of a substance) from solid to liquid (with no change in temperature)

melt is insufficient

1

unit mass / 1kg

1

(ii) 5.1×10^6 (J)

accept 5×10^6

*allow **1** mark for correct substitution ie $E = 15 \times 3.4 \times 10^5$*

2

(c) (i) mass of <u>ice</u>

allow volume / weight / amount / quantity of <u>ice</u>

1

(ii) to distribute the salt throughout the ice

1

to keep all the ice at the same temperature

1

(iii) melting point decreases as the mass of salt is increased

allow concentration for mass

accept negative correlation

*do **not** accept inversely proportional*

1

(d) 60 000 (J)

accept 60 KJ

*allow **2** marks for correct substitution ie $E = 500 \times 2.0 \times 60$*

*allow **2** marks for an answer of 1000 **or** 60*

*allow **1** mark for correct substitution ie*

*$E = 500 \times 2.0$ **or** $0.50 \times 2.0 \times 60$*

*allow **1** mark for an answer of 1*

3

STEMUP.CO.UK

(e) Marks awarded for this answer will be determined by the Quality of Communication (QC) as well as the standard of the scientific response. Examiners should also apply a 'best-fit' approach to the marking.

0 marks
No relevant content

Level 1 (1–2 marks)
There is *an attempt at a description of some advantages or disadvantages.*

Level 2 (3–4 marks)
There is a basic description of *some advantages* ***and / or*** *disadvantages for some of the methods*

Level 3 (5–6 marks)
There is a clear description of the advantages and disadvantages of all the methods.

examples of the points made in the response
extra information

energy storage

advantages:

- no fuel costs
- no environmental effects

disadvantages:

- expensive to set up and maintain
- need to dig deep under road
- dependent on (summer) weather
- digging up earth and disrupting habitats

salt spreading

advantages:

- easily available
- cheap

disadvantages:

- can damage trees / plants / drinking water / cars
- needs to be cleaned away

undersoil heating

advantages:

- not dependent on weather
- can be switched on and off

disadvantages:

- costly
- bad for environment

STEMUP.CO.UK

6

[18]

Q20.

(a) (i) 50 (Hz)

1

(ii) 2760 (W)

1

(b) 12

*allow **1** mark for correct substitution, ie 2400/200*

or

*allow **1** mark for 2760/230 provided no subsequent step shown*

2

amps

1

(c) the charge is directly proportional to the time switched on for

*accept for **1** mark the longer time (to boil), the greater amount of charge*

***or** positive correlation*

***or** they are proportional*

2

[7]

Q21.

(a) (i)

Wire	**Plug terminal**
Live	C
Neutral	A
Earth	B

*all 3 correct for **2** marks*

*allow **1** mark for 1 correct*

2

(ii) plastic
or
rubber

accept:

ABS
UF / urea formaldehyde
nylon
PVC

1

(b) (i) 600

STEMUP.CO.UK

*allow **1** mark for correct substitution,*

ie $P = \frac{30\,000}{50}$

provided no subsequent step

2

(ii) power is greater than 820 (W)

power is 1200 W is insufficient

1

the lead /cable / wire will overheat / get (too) hot

accept lead / cable will melt

may overheat / get hot is insufficient

1

so there is a risk of fire

accept causing a fire

1

(c) X

any **one** from:

- most / more efficient
- smallest energy input (per second)
- cheapest to operate

mark only scores if X is chosen

mark is for the reason

accept smallest input (power) for same output (power)

accept wastes least energy

smallest (power) input is insufficient

uses least electricity is insufficient

1

[9]

Q22.

(a) water heated by radiation (from the Sun)

accept IR / energy for radiation

1

water used to heat buildings / provide hot water

*allow for **1** mark heat from the Sun heats water if no other marks given*

*references to photovoltaic cells / electricity scores **0** marks*

1

(b) 2 (minutes)

$1.4 \times 10^3 = \frac{168 \times 10^3}{t}$

*gains **1** mark*

STEMUP.CO.UK

*calculation of time of 120 (seconds) scores **2** marks*

3

(c) (i) 150 (kWh)

1

(ii) £60(.00) or 6000 (p)

*an answer of £6000 gains **1** mark*

*allow **1** mark for 150 × 0.4(0) 150 × 40*

*allow ecf from **(c)(i)***

2

(iii) 25 (years)

an answer of 6000 / 240
or
*6000 / their **(c)(ii)** × 4*
*gains **2** marks*

an answer of 6000 / 60
or
*6000 / their **(c)(ii)** gains **1** mark, ignore any other multiplier of **(c)(ii)***

3

(iv) any **one** from:

- will get £240 per year
  *accept value consistent with calculated value in **(c)(iii)***
- amount of light is constant throughout the year
- price per unit stays the same
- condition of cells does not deteriorate

1

(d) any **one** from:

- angle of tilt of cells
- cloud cover
- season / shade by trees
- amount of dirt

1

[13]

Q23.

(a) (i) to obtain a range of p.d. values

accept increase / decrease current / p.d. / voltage / resistance

accept to change / control the current / p.d. / voltage / resistance

to provide resistance is insufficient

a variable resistor is insufficient

*do **not** accept electricity for current*

1

(ii) temperature of the bulb increases

accept bulb gets hot(ter)

STEMUP.CO.UK

accept answers correctly

expressed in terms of collisions between (free) electrons and ions / atoms

bulb gets brighter is insufficient

1

(iii) 36

*allow **1** mark for correct substitution, ie 12 × 3 provided no subsequent step shown*

2

watt(s) / W

accept joules per second / J/s

*do **not** accept w*

1

(b) Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information in the Marking guidance, and apply a 'best-fit' approach to the marking.

0 marks
No relevant content.

Level 1 (1-2 marks)
There is a basic comparison of either a cost aspect or an energy efficiency aspect.

Level 2 (3-4 marks)
There is a clear comparison of either the cost aspect or energy efficiency aspect
OR
a basic comparison of both cost and energy efficiency aspects.

Level 3 (5-6 marks)
There is a detailed comparison of both the cost aspect and the energy efficiency aspect.

For full marks the comparisons made should support a conclusion as to which type of bulb is preferable.

Examples of the points made in the response:

cost

- halogen are cheaper to buy
  simply giving cost figures is insufficient
- 6 halogen lamps cost the same as one LED
- LEDs last longer
- need to buy 18 / more halogen lamps to last the same time as one LED
- 18 halogens cost £35.10
- costs more to run a halogen than LED

STEMUP.CO.UK

- LED has lower maintenance cost (where many used, eg large departmental store lighting)

energy efficiency

- LED works using a smaller current
- LED wastes less energy
- LEDs are more efficient
- LED is 22% more energy efficient
- LED produces less heat
- LED requires smaller input (power) for same output (power)

6

[11]

Q24.

(a) 35

*an answer with more than 2 sig figs that rounds to 35 gains **2** marks*

*allow **2** marks for correct method, ie* $\frac{230}{6.5}$

*allow **1** mark for I = 6.5 (A) **or** R =* $\frac{230}{26}$

*an answer 8.8 gains **2** marks*

*an answer with more than 2 sig figs that rounds to 8.8 gains **1** mark*

3

(b) (maximum) current exceeds maximum safe current for a 2.5 mm^2 wire

accept power exceeds maximum safe power for a 2.5 mm^2 wire

or

(maximum) current exceeds 20 (A)

(maximum) current = 26 (A) is insufficient

1

a 2.5 mm^2 wire would overheat / melt

accept socket for wire

*do **not** accept plug for wire*

1

(c) a.c. is constantly changing direction

accept a.c. flows in two directions

accept a.c. changes direction

a.c. travels in different directions is insufficient

1

d.c. flows in one direction only

1

[7]

STEMUP.CO.UK

Q25.

(a) iron

1

hairdryer

1

kettle

1

answers can be in any order

(b) (i) **Y**

1

(ii) bar drawn with any height greater than **Y**

ignore width of bar

1

(c) (bigger volume) takes more time (to boil)

accept explanation using data from graph

1

(so) more energy transferred

*do **not** accept electricity for energy*

1

(and) this costs more money

ignore reference to cost of water

wasting more money because heating more water than needed is insufficient

1

[8]

Q26.

(a) (i) 50(Hz)

ignore any unit given

1

(ii) any **two** from:

- (some) current flows to Earth

  accept ground for Earth

- current flows through copper braid

  accept current flows through the earth wire

  accept electricity for current in either the first or second marking point but not both

- RCCB detects difference between <u>current</u> in live and neutral wire

2

(iii) can be reset

accept does not need replacing

or

STEMUP.CO.UK

faster acting

accept switches circuit off faster

1

(b) (i) 79 200

*allow **1** mark for correct substitution, ie* $11 = \frac{Q}{2 \times 3600}$

*an answer 22 gains **1** mark*

2

coulombs / C

*do **not** accept c*

1

(ii) 18 216 000

*accept for **2** marks 18 216 kJ **or** 18.216 MJ*

or

230 × their (b)(i) correctly calculated

*allow **1** mark for correct substitution, ie 230 × their (b)(i) **or** allow **1** mark for power calculated as 2530(W)*

2

(c) increases temperature of thermistor

1

changes resistance (of thermistor)

*do **not** accept increases resistance (of thermistor)*

*an answer decreases resistance (of thermistor) gains **2** marks*

1

[11]

Q27.

(a) (i) connect the earth wire (to pin)

answers must be in terms of correcting the faults

1

screw cable grip (across cable)

accept tighten the cable grip

1

(ii) any **two** from:

- fuse gets (very) hot
- fuse melts

accept blows for melts

*do **not** accept break / snap fuse / blow up*

- circuit breaks / switches off

accept stops current flowing

2

(b) any **two** from:

STEMUP.CO.UK

- hairdryer is plugged into mains (electricity socket)

  it refers to hairdryer
  hairdryer works from the mains

  or
  hairdryer is using 230 V

  accept 240 for 230

- water conducts electricity

  *do **not** accept water and electricity don't mix*

- radio is low power / current / pd / voltage

  accept radio not connected to the mains
  *do **not** accept radio is waterproof*

- (the current in / pd across) hairdryer more likely to give a (fatal) electric shock

  accept the idea of electrocution if hairdryer is wet
  accept the idea of radio not causing electrocution if wet

2

[6]

Q28.

(a) d.c. flows in (only) one direction

1

a.c. changes direction (twice every cycle)

accept a.c. constantly changing direction
ignore references to frequency

1

(b) a current flows through from the live wire / metal case to the earth wire

accept a current flows from live to earth
*do **not** accept on its own if the current is too high*

1

this current causes the fuse to melt

accept blow for melt
*do **not** accept break / snap / blow up for melt*

1

[4]

Q29.

(a) **A**

*only scores if **A** chosen*

1

it is alternating / a.c.

accept because B and C are d.c.

or
it changes direction/p.d.

accept voltage for p.d.

STEMUP.CO.UK

it goes up and down is insufficient

it is constantly changing is insufficient

an answer B and/or C with the reason because it is <u>direct current/d.c</u> scores 1 mark

1

(b) too much current (through socket)

accept electricity for current

accept too much power

accept socket/circuit overloaded

do not accept voltage/p.d for current

1

wiring / socket gets hot

accept melts for gets hot

accept risk of fire

risk of fire in appliances is insufficient

ignore reference to sparking

overloaded plugs and plugs getting hot or fuses melting is insufficient

1

[4]

Q30.

(a) (i) 50 000

*allow **1** mark for correct substitution, ie*

6 = 0.00012 × R

***or** 6 = 0.12 × R*

***or** answers of 25 000 or 50 gain **1** mark*

***or** allow 1 mark for an incorrect answer caused by one error only ie using 3V or an incorrect conversion of current*

2

ohm / Ω

*an answer 50kΩ gains **3** marks*

1

(ii) (body) resistance changes

or

body fat/resistance affected by (many) factors

accept named factor, eg age, gender, height, fitness, bone structure, muscle, drinking water related to body fat / resistance

1

(iii) gives misleading / wrong/inaccurate value

do not credit if specifically linked to a change in mass / weight

1

(because) high water content changes body resistance

STEMUP.CO.UK

accept a specific change to resistance

water changes body mass is insufficient

1

(b) (i) RCCB – detects difference between current in live and neutral (wires)

accept RCCB can be reset

1

fuse – (overheats and) melts

accept blows for melts

1

(ii) switches the circuit / hedge trimmers off within 60 milliseconds

*allow for **1** mark the RCCB / it is (very) fast.*

do not accept the bigger the current the faster the RCCB switches off

2

[10]

Q31.

(a) (i) 720

*allow **1** mark for correct substitution,*

ie 72 × 10 provided no subsequent step shown

2

(ii) 720
or
their (a)(i)

1

(b) (i) gravitational potential

allow gravitational

allow potential

1

(ii) 432

*allow **1** mark for correct substitution, ie* $\frac{21600}{50}$ *provided no subsequent step shown*

2

watt / W

1

[7]

Q32.

(a) (i) 0.6
or
60%

*allow **1** mark for correct substitution ie* $\frac{720}{1200}$ *provided no subsequent step shown*

*an answer of 0.6 / 60 with a unit gains **1** mark only*

STEMUP.CO.UK

*an answer of 60 gains **1** mark only*

2

(ii) heat

allow thermal

1

(b) 12 000 p
or
£120

to score both marks the unit must be consistent with the numerical answer

*answers 12 000 and 120 gain **1** mark only*

*allow **1** mark for correct substitution ie 800 × 15 **or** 800 × 0.15*

provided no subsequent step shown

2

[5]

Q33.

(a) (i) circuit not complete

accept circuit is broken

accept switch / s are open / off

1

(ii) 9

*allow **1** mark for correct substitution, ie 0.5 × 18 provided no subsequent step shown*

2

(iii) 36

1

(b) can be switched on / off from top or bottom of stairs

1

(c) (i) (electric) shock

accept fitting becomes live

accept answers giving a possible consequence of electric shock, eg death

1

(ii) connect the earth wire

1

[7]

Q34.

(a) (i) **D**

1

(ii) plastic or rubber

accept a specific type of plastic

accept electrical insulator

1

STEMUP.CO.UK

(b) 460

*allow **1** mark for correct substitution ie 2 × 230*

2

(c) any **two** from:

- not all appliances need a 13 A fuse

  idea that 13 A is (much) bigger than required by many appliances

  *do **not** accept some appliances require more than 13 A*

  *do **not** accept 13 A fuse will blow*

- can choose the most suitable fuse (for the appliance)

  accept install correct fuse for the appliance

- (in the event of a fault) 13 A fuse may allow too much current to flow through an appliance
  or
  fuse may not melt (before appliance is damaged)

- may already have the fuse

  idea of reusing a fuse

  *do **not** accept cheaper unless explained correctly*

2

[6]

Q35.

(a) (i) 0.25 (A)

1

(ii) 75

*allow **1** mark for converting 5 minutes to 300 seconds*

***or** allow **1** mark for correct substitution*

ie 0.25 × 300

*allow **1** mark for an answer 1.25*

*allow **1** mark only for their (a)(i) × 300 correctly calculated*

2

coulombs or C

*do **not** accept c*

1

(b) any **two** from:

- fault not repaired

  accept if a fault was to occur

- larger current will (still) flow

- aluminium foil will not melt (if a fault)

  accept aluminium foil needs a higher current / charge to melt

- wiring will overheat / (may) cause a fire

STEMUP.CO.UK

accept idea of fire hazard
*do **not** accept explode etc*

2

[6]

STEMUP.CO.UK