

AQA GCSE PHYSICS (HIGHER) • 8463

PHYSICS



EXAM QUESTION PACK

4.5.2 WORK DONE AND ENERGY TRANSFER (PACK 2)

SCORE

/134

PERCENTAGE

%

STEMUP

These questions belong to AQA, not to us.

The examination questions, mark schemes and examiner comments in this pack were written and published by AQA. They are past assessment materials, reproduced here so that students can revise from them.

What we do not own

STEMUP is not affiliated with AQA and does not own, and makes no claim to own, any of the question, mark scheme or examiner report material in this pack. AQA has not endorsed, approved or been involved in the production of it. AQA and the qualification titles used here belong to their respective owners and appear for identification only.


Where to find the originals

AQA publishes its past papers, mark schemes and examiner reports. Always check the current specification at aqa.org.uk before you revise, because content and wording can change between series.

If you hold the rights to any material in this pack and would like it amended or removed, contact admin@stemup.co.uk and we will act on it.

Q1.

The diagram below shows a plank being used as a simple machine. The crate is slid up the plank into the back of the lorry.



- (i) The mass of the crate is 70kg. Calculate the weight of the crate.

_____ Weight _____ N

(2)

- (ii) Calculate the work done when the crate is lifted a vertical distance of 0.5m.

_____ Work done _____

(4)


(Total 6 marks)

Q2.

- (a) When an object is moving it is said to have momentum. Define momentum.

(1)

- (b) The diagram below shows one way of measuring the velocity of a bullet.



A bullet is fired into a block of wood suspended by a long thread.
 The bullet stops in the wooden block.
 The impact of the bullet makes the block swing.
 The velocity of the wooden block can be calculated from the distance it swings.

In one such experiment the block of wood and bullet had a velocity of 2 m/s **immediately after** impact. The mass of the bullet was 20 g and the mass of the wooden block 3.980 kg.

- (i) Calculate the combined mass of the block of wood and bullet.

_____ Mass _____

(1)

- (ii) Calculate the momentum of the block of wood and bullet **immediately after** impact.

_____ Momentum _____
(3)

- (iii) State the momentum of the bullet **immediately before** impact.

(1)

- (iv) Calculate the velocity of the bullet **before** impact.

_____ Velocity _____ m/s
(3)

- (v) Calculate the kinetic energy of the block of wood and bullet **immediately after** impact.

_____ Kinetic energy _____ J
(3)

- (vi) The kinetic energy of the bullet before the impact was 1600 joules. This is much greater than the kinetic energy of the bullet and block just after the impact.


What has happened to the rest of the energy?

(1)

(Total 13 marks)

Q3.

The diagram shows a high jumper.



In order to jump over the bar, the high jumper must raise his mass by 1.25 m. The high jumper has a mass of 65 kg. The gravitational field strength is 10 N/kg.

- (a) The high jumper just clears the bar.

Calculate the gain in his gravitational potential energy.

Gain in gravitational potential energy _____ J

(4)

- (b) Calculate the minimum speed the high jumper must reach for take-off in order to jump over the bar.

(joule, J)

(kilogram, kg)

$[(\text{metre/second})^2, (\text{m/s})^2]$


Speed _____ m/s

(3)

(Total 7 marks)

Q4.

A crane on a barge lifts a girder and then carries it along the river.



The girder has a weight of 1 000 000 N and is lifted to a height of 1500 cm.

- (a) Complete the sentence.

The weight of the girder is caused by the Earth's gravitational field strength acting on its _____.

(1)

- (b) Calculate the work done in lifting the girder.

Write the equation you are going to use.


(1)

Show clearly how you work out your answer and give the unit.

Work done = _____

(3)

- (c) The velocity–time graph represents the motion of the barge after the girder had been lifted.



To gain full marks in this question you should write your ideas in good English. Put them in a sensible order and use the correct scientific words.


Describe the motion of the barge over this period of seven hours. You must refer to the points **A**, **B**, **C**, **D**, **E** and **F** in your description.

(5)

(Total 10 marks)

Q5.

'SPEED KILLS' - was the heading of an advertising campaign. The scientific reason for this is that energy is transferred from the vehicle to the person it knocks down.



- (a) The bus and the van are travelling at the same speed. The bus is more likely to cause more harm to a person who is knocked down than the van would. Explain why.

(2)

- (b) A car and its passengers have a mass of 1200 kg. It is travelling at 12 m/s.

- (i) Calculate the increase in kinetic energy when the car increases its speed to 18 m/s.

Show clearly how you work out your answer and give the unit.

Increase in kinetic energy = _____

(5)

- (ii) Explain why the increase in kinetic energy is much greater than the increase in speed.

(1)

(Total 8 marks)

Q6.

When you transfer *energy* to a shopping trolley, the amount of *work done* depends on the *force* used and the *distance moved*.



Complete the table by using the correct units from the box.

joule (J)	metre (m)	newton (N)
-----------	-----------	------------

The first one has been done for you.


Quantity	Unit
energy (transferred)	joule
force	
distance (moved)	
work done	

(Total 2 marks)

Q7.

A forklift truck was used to stack boxes on to a trailer.

It lifted a box weighing 1900 N through 4.5 m.



Calculate the work done on the box. Show your working.

Work done = _____ J
(Total 3 marks)

Q8.

A rollercoaster car stops above a vertical drop. Suddenly it falls under gravity.




The drop is 60 metres high and at the bottom of the drop the car travels at 125 km/h. The acceleration experienced by the people in the car is 10 m/s^2 . The mass of the car and its passengers is 1210 kg.

Calculate the force exerted on the car and its passengers. Show your working.

Force = _____ N
(Total 3 marks)

Q9.

A rocket has a mass of 5000 kg and is travelling at a speed of 600 m/s.



Calculate the rocket's kinetic energy in kilojoules. Show your working.

Kinetic energy = _____ kJ
(Total 3 marks)

Q10.

A car which is moving has kinetic energy.



The faster a car goes, the more kinetic energy it has. The kinetic energy of this car was 472 500 J when travelling at 30 m/s.


Calculate the total mass of the car.

Show clearly how you work out your answer and give the unit.

Mass of the car = _____
(Total 5 marks)

Q11.

The drawing shows an investigation using a model steam engine to lift a load.



In part of the investigation, a metal block with a weight of 4.5 N was lifted from the floor to a height of 90 cm.

- (a) Explain what causes the weight of the metal block.

(2)

- (b) (i) What is the tension in the string when the block is lifted at a steady speed?

(1)

- (ii) Explain your answer to part (b) (i).

(1)

- (c) (i) Calculate the work done in lifting this load. Write the equation you are going to use, show clearly how you get to your answer and give the unit.

Equation _____

Work = _____

(3)

- (ii) How much useful energy is transferred to do the work in part (c) (i)?

(1)

- (d) In another part of the investigation, 250J of work is done in one minute. Use the equation:

$$\text{power} = \frac{\text{work done}}{\text{time taken}}$$

to work out the useful power output. Give the unit.

Power = _____

(2)

(Total 10 marks)

Q12.

Mira and Susan are rock climbing. They are using a nylon climbing rope. Mira has fastened herself to the rock face and to one end of the rope. The other end of the rope is fastened to Susan. This means that, if Susan falls, the rope will hold her. Susan weighs 540 N.



- (a) (i) Use the words *distance*, *force* and *work* to write an equation which shows the relationship between them

(1)

- (ii) What vertical distance up the rock face does Susan climb when she does 2000 J of work against gravity? Show your working and give your answer to the nearest 0.1 m.

Distance = _____ metres

(2)

- (iii) How much gravitational energy will Susan gain when she does 2000 J of work against gravity?

(1)

- (b) The climbers dislodge a 3 kg stone which falls down the rock face.

What is the speed of the stone when its kinetic energy is 600 J?

$$\text{kinetic energy} = \frac{1}{2} \text{ mass} \times \text{speed}^2$$

Show clearly how you get to your answer and give the unit.

Speed = _____

(3)

- (c) The climbing rope is made of nylon. Nylon is very strong. Another advantage is that it stretches. This means that, if Susan falls, it transfers some of her kinetic energy to elastic (or strain) energy at the end of the fall.


Explain, in terms of *force* and *deceleration*, what would happen if Susan fell and the climbing rope did **not** transfer any of her kinetic energy to elastic energy.

(3)

(Total 10 marks)

Q13.

Complete the following sentences.



When you drop a ball, it falls to the ground.

This happens because the _____ pulls the ball
towards it with a force called _____.


Forces are measured in units called _____.

(Total 3 marks)

Q14.

A book weighs 6 newtons.

A librarian picks up the book from one shelf and puts it on a shelf 2 metres higher.



- (a) Calculate the work done on the book. [Show your working].

(3)

- (b) The next person to take the book from the shelf accidentally drops it.

The book accelerates at 9.8m/s^2 .

Use this information to calculate the mass of the book. [Show your working].

Answer _____ kg.

(3)

- (c) If the book was dropped from an aeroplane high in the sky, it would accelerate to begin with. Eventually it would fall at a steady speed.


Explain, in as much detail as you can, why this happens.

(3)

(Total 9 marks)

Q15.

A crane is used to lift a steel girder to the top of a high building.



When it is lifted by the crane:

- the girder accelerates from rest to a speed of 0.6 m/s in the first 3 seconds;
- it then rises at a steady speed.

- (a) Calculate the **acceleration** of the girder.

(Show your working.)

(3)

- (b) (i) What is the **weight** of the steel girder?

Answer _____ N

(1)

- (ii) Calculate the **power** of the crane motor as it lifts the girder at a steady speed of 0.6 m/s.

(Show your working. You can ignore the weight of the cable and hook which is small compared to the weight of the girder.)

Answer _____ W

(2)

- (c) A new motor is fitted to the crane. This motor accelerates the girder at 0.3 m/s^2 .

Calculate the **force** which the crane applies to the girder to produce this acceleration.

(Show your working.)

Answer _____ N

(3)

(Total 9 marks)

Q16.

When a gun is fired, a very large force acts on the bullet for a very short time.

The change in momentum of the bullet is given by the following relationship:

$$\text{force (N)} \times \text{time(s)} = \text{change in momentum (kg m/s)}$$

- (a) An average force of 4000 newton acts for 0.01 seconds on a bullet of mass 50g.

Calculate the speed of the bullet. (Show your working.)

Answer _____ m/s

(4)

- (b) The bullet is fired horizontally. In the short time it takes for the bullet to reach its target, its horizontal speed has fallen to 80% of its initial speed.

- (i) Explain why the speed of the bullet decreases so quickly.

(2)

- (ii) Calculate the percentage of its original kinetic energy the bullet still has when it reaches its target.


(Show your working.)

(4)

(Total 10 marks)

Q17.

When you slide a book across a table, there is a force of friction between the book and the table.



- (a) Which arrow shows the force of friction that acts on the book? _____

(1)

- (b) The force of friction will slow the book down.
Write down **one** other effect that the force of friction will have on the book.

(1)

(Total 2 marks)

Q18.

A man's car will not start, so two friends help him by pushing it.



Mass of car = 800 kg

By pushing as hard as they can for 12 seconds they make the car reach a speed of 3 metres per second.

- (a) Calculate the acceleration they give to the car.

_____ Answer _____ m/s^2

(2)

- (b) Whilst pushing the car the two friends together do a total of 2400 joules of work. Calculate their total power.

_____ Answer _____ watts

(2)

- (c) Another motorist has the same problem. The two friends push his car along the same stretch of road with the same force as before.


It takes them 18 seconds to get the second car up to a speed of 3 metres per second.

What does this tell you about the mass of the second car?
(You can ignore forces of friction.)

(2)

- (d) On a flat stretch of a motorway a lorry driver changes into top gear. He then makes the lorry go as fast as he can.

The graph shows what happens to the speed of the lorry.



Explain why the speed of the lorry increases at first but then levels out.

(3)

(Total 9 marks)

Q19.

A cyclist accelerates from a set of traffic lights.

The driving force of the back tyre on the ground is 250 N.

- (a) How much work is done by this force when the cyclist travels 5 metres?
(Show your working.)

Answer _____ joules (J)

(2)

- (b) What happens to the energy transferred by this force?

(2)

(Total 4 marks)

Q20.

A cyclist accelerates from a set of traffic lights.

The driving force of the back tyre on the ground is 250 N.

- (a) How much work is done by this force when the cyclist travels 5 metres?
(Show your working.)

Answer _____ joules (J)

(2)

- (b) What happens to the energy transferred by this force?

(2)

(Total 4 marks)

Q21.

To get a bobsleigh moving quickly, the crew push it hard for a few metres and then jump in.



- (a) Choose from the following words to complete the sentences below.

distance energy force speed time

You can calculate the work done by the bobsleigh crew like this:

work done = _____ × _____

The work done by the crew is transferred to the bobsleigh as kinetic _____

(3)

- (b) Which of the following units is used for the amount of work done?
Underline the correct one.

joules newtons metres metres per second

(1)

(Total 4 marks)

Mark schemes

Q1.

- (i) 700 or 686

gets 2

Else mg or 70×10 or 70×9.8 (1)

gets 1

2

- (ii) 350J

gets 4

Else 350

gets 3

Else 700×0.5

gets 2

Else $W = F.d.$

gets 1

Any answer with unit J may score 1, 2 or 3 (see general instructions)

4

[6]

Q2.

- (a) product of mass and velocity

1

- (b) (i) 4kg or 4000g

1

- (ii) $M = 8\text{kgm/s}$ or Ns

for 3 marks

else $M = 8$

for 2 marks

else $M - mv$ or 4×2

for 1 mark

3

- (iii) 8 kgm/s (watch e.c.f.)

1

- (iv) $v = 400$

for 3 marks

else $v = 8/0.02$

for 2 marks

else $M - mv$, $v = M/m$ or $8 = 0.02v$

for 1 mark

3

(v) $ke = 8$

for 3 marks

else $ke = \frac{1}{2} (4 \times 2^2)$

for 2 marks

else $ke = \frac{1}{2} (mv^2)$

for 1 mark

3

- (vi) transferred to heat and sound
or does work against wood/pushing wood aside/deforming bullet

1

[13]

Q3.

- (a) $W = 65 \times 10$
(allow a maximum of 3 marks if candidate uses $g = 9.8 \text{ N / Kg}$ (as ecf))
gains 1 mark

but

$W = 650 \text{ (N)}$
(allow use of $p.e. = m \times g \times h$)
gains 2 marks

but

PE change = 650×1.25 **or** $65 \times 10 \times 1.25$
gains 3 marks

but

PE change = 812.5 (J) (allow 813J or 812J)
gains 4 marks

4

- (b) $k.e. = p.e.$
gains 1 mark

but

$(\text{speed})^2 = 812.5 \times 2 / 65$ **or** $812.5 = \frac{1}{2} \times 65 \times (\text{speed})^2$ ecf
gains 2 marks

but

speed = 5 (m/s) (allow $4.99 \rightarrow 5.002$)

(if answer = 25mls check working: $812.5 = \frac{1}{2} m \times v$ gains 1 mark for
 $KE = PE$)

(but if $812.5 = \frac{1}{2} m \times v^2 = \frac{1}{2} \times 65 \times v^2$ or $v^2 = \frac{2 \times 812.5}{65}$ gains 2 marks)

25, with no working shown gains 0 marks
gains 3 marks

Q4.

(a) mass

1

(b) work (done) = force (applied) × distance (moved in the direction of the force)

*do **not** accept correctly substituted figures for this equation
mark**accept $W = Fs$ **or** $W = Fd$ **or** $W = Fh$ (well done) = force ×
height)**mark formula independently*

1

$$1\,000\,000 \times 15$$

$$\text{allow } 1\,000\,000 \times \frac{15}{1000}$$

1

$$= 15\,000\,000$$

$$= 15\,000$$

1

J / joules

KJ / kilojoules

1

allow $1\,000\,000 \times 1500$

= 15 00 000 000 for 1 mark

*only – no unit mark**allow 3 marks for correct answer if no working / correct
working is shown*(c) **Quality of written communication***The answer to this question requires ideas in good English, in a sensible order with
correct use of scientific terms. Quality of written communication should be
considered in crediting points in the mark scheme**Max.4 if ideas not well expressed***A – B** not moving*accept stationary **or** at rest*

1

B - C acceleration **or C – D**

acceleration

accept increases speed / velocity accept gets faster

1

comparison made that the acceleration

B – C is less than **C – D***accept comparison made that the**acceleration **C-D** is greater than **B-C***

1

D – E constant velocity

accept steady speed **or** at 0.4 m/s

1

E – F deceleration

accept decreases speed / velocity

accept gets slower

1

[10]

Q5.

(a) the greater the mass / weight

1

then the greater the kinetic energy

accept the greater the momentum

accept greater mass / weight therefore greater force = 2

1

(b) (i)

Note: this calculation requires candidates to show clearly how they work out their answer

$$\text{k.e. } \frac{1}{2} mv^2$$

accept evidence of equation

1

86 400 (J) at 12 m/s

accept $\frac{1}{2} \times 1200 \times 12^2$ **or** 86.4 KJ

1

194 400 (J) at 18 m/s

accept $\frac{1}{2} \times 1200 \times 18^2$ **or** 194.4KJ

1

increase in k.e. = 108 000

NB 10800 = 0 marks

N.B. if no working at all then max 3 for a correct numerical answer

1

joules **or J**

accept 108 kilojoules **or kJ**

1

(ii) explanation that $ke \propto v^2$

1

[8]

Q6.

newton **or N**

metre **or m**

joules or J

*all three correct 2 marks
two or one correct 1 mark*

[2]

Q7.

8550

*correct answer with no working = 3
if incorrect, allow 1 mark for work = force / weight × distance,
2 marks for = 1900 × 4.5*

*N.B. correct answer from the incorrectly recalled relationship
mass × distance = 2 marks*

[3]

Q8.

12 100

*correct answer with no working = 3
if answer incorrect, allow 1 mark for force = mass ×
acceleration
1210 × 10 = 2 force / weight = mass × gravity is neutral
N.B. no marks for correct answers with incorrectly recalled
relationship*

[3]

Q9.

900 000

correct with no working = 3 if answer incorrect, allow:

1 mark for K.E. = $\frac{1}{2}$ × mass × speed²

2 marks for $\frac{1}{2}$ × 5000 × 600²

N.B. correct answer with the incorrectly recalled relationship

$\frac{1}{2}$ × weight × speed² = 2 marks

[3]

Q10.

1050

kg

*if answer incorrect then kinetic energy = $\frac{1}{2}$ mv² or
accept indication by correct substitution for 1 mark
accept 900 for 1 mark*

4

accept $m = \frac{2KE}{v^2}$ or indication by correct substitution for 1 mark

1

[5]

Q11.

- (a) **either**
gravity

1

due to mass of the Earth

or

(the) interaction / attraction between the (1)

mass of the block
and the mass of the Earth (1)

1

- (b) (i) 4.5 N

unit required accept equal to weight (lifted)
do not credit ..mass..

1

- (ii) the forces are balanced

accept because the block is not accelerating
accept because the block is moving at a steady speed (in a straight line) *accept because the block's velocity is constant*

1

- (c) (i) **either**
4.05 J

3

or

work (done)
= force (applied)
× distance (moved in the
direction of the force)

or $work = 4.5 \times 0.9$
note '= 4.5 × 0.9' is not an equation

1

= 4.05

1

joules **or** J **or** newton metres

405 J will be a common answer
it gets (1) (for the unit) if correct equation is not shown but
(2) otherwise
4.5 ÷ 0.9, or variations on this theme, get (1) (for the unit) at most

1

(ii) 4.05 J

or same as the answer to (c) (i) provided that the same unit for energy is shown in both cases

1

(d) 4.16

accept 4, 4.2, 4.17, 4.16

1

[10]

Q12.

(a) (i) work = force × distance

or any correctly transposed version e.g.

$$\text{force} = \frac{\text{work}}{\text{distance}}$$

or in correct units throughout e.g.

$$J = N \times m$$

or in acceptable abbreviations e.g.

$$W = f \times d$$

do not credit $W = Nm$ or any other

ambiguous or unclear response

do not credit



unless subsequent calculation shows understanding

1

(ii) **EITHER**

3.7 (m)

2

OR

$$(\text{distance} =) \frac{2000}{540}$$

1

(iii) 2000 J

unit required

1

(b) **EITHER**

20

3

OR

$$\text{speed}^2 = 600 \div 1.5$$

$$\text{or speed}^2 = 600 \times \frac{2}{3}$$

or $speed^2 = 400$

or $speed^2 = KE \div \frac{1}{2} \text{ mass}$

1

metres per second

or m/s

1

(c) any **three** from

deceleration (would be) (very) great

or rate of change of speed / velocity would be (very) great

(because) $F = ma$

or (because) force is proportional to deceleration / (negative) acceleration

(so the) force (on Susan / the rope) would be (very) great

do not credit she would be hurt

do not credit just the rope could snap

the rope may exceed its elastic limit

3

[10]

Q13.

(centre of the) Earth [not ground]

gravity

newtons (allow N)

each for 1 mark

[3]

Q14.

(a) $WD = \text{force} \times \text{distance}$ **or** 6×2

gains 1 mark

but 12 *gains 2 marks*

units J/joules [credit Nn]

for 1 mark

3

(b) 0.6 (i.e. using the **recalled** 10N/kg)

gains 1 mark

but evidence of $\text{force} = \text{mass} \times \text{acceleration}$

or of correct substitution e.g. $6/9.8$

gains 2 marks

but 0.61 (2...)

gains 3 marks

3

- (c) *any reference to*
initial acceleration due to gravity
(force due to) friction/air resistance
each for 1 mark

ideas that
this increases as speed increases
forces eventually balance
each for 1 further mark

9

[9]

Q15.

- (a) **evidence of acceleration = $\frac{\text{change in speed}}{\text{time}}$ or $\frac{0.6}{3}$*
gains 1 mark

but 0.2
gains 2 marks

units m/s²
for 1 mark

3

- (b) (i) 2000 **or** 1960
for 1 mark

1

- (ii) *evidence of power = $\frac{\text{work done}}{\text{time taken}}$ or weight × speed (credit figures) $\frac{25}{0.6}$*

- (iii) $\frac{25}{0.6}$
gains 1 mark

but 1200/1176 or figure consistent with (b)(i)
gains 2 marks

2

- (c) *evidence of force = mass × acceleration or 200 × 0.3*
gains 1 mark

but 60
gains 2 marks

but 60 + weight of girder (2060/2020*) (or figure consistent with (b)(i))
gains 3 marks

3

[9]

Q16.

- (a) *any evidence of:* momentum = mass $\times$ velocity (words, symbols or numbers)
appropriate re-arrangement mass as 0.05kg

each gains 1 mark

but 800

gains 4 marks

4

- (b) (i) *any reference to* friction with air/air resistance

gains 1 mark

but *idea that* friction with air/air resistance is high (at high speed)

gains 2 marks

2

- (ii) *any evidence of:* k.e. $\propto v^2$ **or** k.e. = $\frac{1}{2} mv^2$

final k.e.

initial k.e.

either initial or final k.e. correctly calculated (i.e. 16000; 10240)

each gains 1 mark

but $(0.8)^2$

gains 3 marks

but 64%(credit 0.64)

gains 4 marks (also credit e.c.f)

4

[10]

Q17.

- (a) D

for 1 mark

1

- (b) wear it away **or** make it warmer

for 1 mark do not accept 'stops it'

1

[2]

Q18.

- (a) *evidence of* $\frac{\text{change in speed}}{\text{time taken}}$ $\frac{3}{12}$ **or** $\frac{3}{12}$
gains 1 mark

but 0.25 **or** $\frac{1}{4}$

gains 2 marks

2

- (b) *evidence of* $\frac{\text{work done}}{\text{time taken}}$ $\frac{2400}{12}$ **or** $\frac{2400}{12}$
gains 1 mark

but 200

gains 2 marks

2

(c) *idea that*

second car has a bigger mass
(allow bigger weight/heavier)

gains 1 mark

but

second car has 1.5 times bigger mass

or

second car has mass of 1200 kg

gains 2 marks

2

(d) friction/resistance increases with speed

gains 1 marks

but

friction with/resistance of air increases with speed

gains 2 marks

- increase in speed because driving force greater than friction
- steady speed when friction = driving force

or

increases in speed until friction = driving force

each for 1 further mark to maximum of 3

3

[9]

Q19.

(a) work done = force $\times$ distance **or** 250×5 **NB** if formula given must be correct

gains 1 mark

but

1250

gains 2 marks

[In this and similar examples, a correct answer only gets full marks.

From an incorrect formula, do not allow marks for 'error carried forward'

2

- (b)
- (mainly) (transferred as) it is kinetic / movement energy (not 'mechanical')
 - (some) lost / wasted / transferred as heat / sound

[Answers must refer to 'energy'. Do not allow 'it drives the bike']

or
used to overcome friction / air resistance
each for 1 mark

2

[4]

Q20.

- (a) [NB e.c.f not allowed from incorrect formula]
work done = force $\times$ distance or 250×5
gains 1 mark

but
1250

gains 2 marks

2

- (b) • (mainly) transferred as kinetic / movement energy
[not makes bike move]

• (some) lost / wasted / transferred as heat / sound
or
used to overcome friction / air resistance
each • for 1 mark

2

[4]

Q21.

- (a) force distance (*either way round*)
 energy
for 1 mark each

3

- (b) joules
for 1 mark

1

[4]