CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the October/November 2014 series

9700 BIOLOGY

9700/41 Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore
AVP	alternative valid point (examples given as guidance)

© Cambridge International Examinations 2014

1 **(a)** 1 (ideal characteristics) selected by humans / AW **;**

2 one example of features **;** e.g. calm temperament / obedient / intelligent

3 allowed to mate / bred together **;**

4 offspring with ideal characteristics chosen to mate **;**

5 over (many) generations **;**

6 allele frequency (for ideal characteristics) increases **;**

7 directional selection **;** [max 4]

(b) **(i)** *jackal*
behavioural / reproductive / AW **;**

dingo
geographical / AW **;** [2]

(ii) *one species*
all breeds form fertile offspring with (domestic) dog **;**

separate species
idea of different types of jackal do not interbreed (to produce fertile offspring) **;** [2]

[Total: 8]

2 **(a)** *prevents*
1 growth of new blood vessels (to tumour) **;**

2 supply of (more), oxygen / nutrient **;** **A** named nutrient

3 more routes for metastasis / AW **;** [max 2]

(b) **(i)** VEGF **;** [1]

(ii) cell formed by fusion of a plasma cell **and** a cancer cell **;**
A B-lymphocyte, B cell, splenocyte **and** myeloma cell [1]

(c) 1 does not act as foreign antigen / AW **;**

2 (so) does not cause, immune response / rejection **;**

3 avoids, allergic reactions / side effects / anaphylactic shock **;**


4 allows more than one treatment **;**

5 remains in body for longer (so more effective) **;** [max 3]

© Cambridge International Examinations 2014

(d) *drawing IgG*
ignore labels

four polypeptide chains shown ; *in correct positions*
(disulfide) bridges shown to link chains ;



[2]

[Total: 9]

3 (a) (i) *reverse transcriptase*: produces (c)DNA from mRNA ;

DNA polymerase: produces double stranded DNA from, single stranded (DNA) / cDNA ;

restriction enzyme: cuts, DNA / plasmid ;

DNA ligase: joins (gaps in) the sugar-phosphate backbone (of DNA) ; [4]

(ii) 1 causes blood glucose concentration, to decrease / return to normal (from high) ;

2 (target cells are) liver / muscle ;

3 increased, absorption of glucose (from blood) / permeability of cell surface membrane to glucose ;

4 increased (rate of) respiration of glucose ;

5 *idea of* increased conversion of glucose to glycogen ;

6 inhibits secretion of glucagon / decreased gluconeogenesis ; [max 3]

(ii) 1 identical to that produced by body ;
2 activity the same / fast response / no immune response ;

3 no need for animal insulin / AW ;
4 for religious reasons / for ethical reasons / for e.g. vegetarian ;

5 uncontaminated / pure ;
6 so no risk of disease ;

7 production very efficient / always available ;
8 extraction from animals, costly / complex / limited by supply of animals ; [max 2]

© Cambridge International Examinations 2014

(b) (i) *insulin **X** **ora** throughout for human insulin*

1 greater initial increase in activity / AW **;**

2 time of maximum activity / peak, earlier **;** [1.9h v. 3h]

3 maximum activity / peak, greater **;** [9.4 v 5.4 (a.u.)]

4 rate of decrease greater **;**

5 activity always higher **;**

6 comparative figures **;** [see above] [max 4]

(ii) 1 changes, tertiary / 3D structure **;**

2 affects binding to receptor (on cell surface membrane) **;**

3 (this) affects production of second messenger **;**

4 hydrophilic / hydrophobic, bonds different **;**

5 AVP **;** e.g. may affect, solubility in blood / transport in blood **/** rate at which broken down [max 2]

[Total: 15]

4 (a) 1 maintains biodiversity **;**

2 maintain, genetic diversity / genetic variation / gene pool **;**

3 (loss of a species) may affect food, chains / webs **;**

4 use by humans **;** e.g. medical use / building materials / food

5 (eco)tourism **;**

6 ethical / moral / aesthetic, reasons **;** [max 3]

(b) (i) *assume answer refers to the botanic garden population unless otherwise stated*

statement about position relative to **A**, **B** or **C** **;** e.g. closest to **B** / lower than **A** and **B** / higher than **C**

use of comparative figures **;** e.g. 30.74 plus one other [2]

© Cambridge International Examinations 2014

(ii) 1 small number / (only) 10, sampled **;**

2 some, variants / alleles, were not included in the sample **;**

3 **C** may be smaller than the other populations **;**

4 **C** may have developed from only a small number of original plants **;**

5 (so) only a small number of, alleles / variants, (present in the original population) **;** **A** small gene pool / less genetic diversity [max 2]

(iii) 1 *idea of* better chance of survival in changing conditions **;**

2 example of change **;** e.g. climatic / increased competition / new disease / new pest

3 less chance of, two harmful recessive alleles coming together / inbreeding depression **;** [max 2]

(iv) 1 (environmental) conditions similar to those in the, wild / natural habitat **;**

2 within pollination distance / AW **;**

3 *ref. to* possible reintroduction of plants to the wild **;** [max 2]

(c) **(i)** *assume answer refers to the seeds unless otherwise stated*

1 *idea that* seeds are small **and** easier to store **;**

2 seeds can be stored for a long time **;**

3 little maintenance required **;**

4 less prone to, disease / being eaten **;**

5 seeds can be stored anywhere in the world **;** [max 2]

(ii) 1 to check that seeds are still, viable / able to germinate **;**

2 to produce new plants from which fresh seeds can be collected **;**

3 to, find / verify, conditions for breaking seed dormancy (should plants be needed) **;** [max 2]

[Total: 15]

5 **(a)** contains ribose (not deoxyribose) **;**

has three phosphate groups (not one) **;** [2]

© Cambridge International Examinations 2014

(b) (i) *anaerobic – accept **ora** for aerobic*

1 *idea that* glucose not completely, broken down / oxidised
or
only glycolysis occurs **;**

2 pyruvate / lactate / ethanol, still contains energy **;**

3 ETC stops **;**

4 (because) no oxygen to act as (final) electron acceptor **;**

5 (so) no, Krebs cycle / link reaction / oxidative phosphorylation / chemiosmosis **;** [max 3]

(ii) 1 lipid contains (relatively) more, hydrogen atoms / C-H **;**

2 detail **;** e.g. molecular formula of glucose <u>and</u> a lipid given

3 more reduced, NAD / FAD, produced **;**

4 more electrons passed along ETC **;**

5 more hydrogen ions pumped across inner mitochondrial membrane / more hydrogen ions pumped into intermembrane space / steeper proton gradient **;** [max 3]

[Total: 8]

6 (a)

statement	letter
is myelinated	**B**
may form a synapse with an intermediate neurone	**B**
cell body lies within the CNS	**M**
dendron is usually longer than axon	**S**
cell body lies within spinal nerve	**S**
has many dendrites	**B**

;;;

all correct = 3 marks
3/4 correct = 2 marks
1/2 correct = 1 mark [3]

© Cambridge International Examinations 2014

(b) 1 $Ca^{(2+)}$ channels open (in presynaptic membrane / presynaptic knob) ;

2 Ca^{2+} enter (pre)synaptic knob ;

3 vesicles contain, neurotransmitter / ACh ;

4 (vesicles) move towards / fuse with, presynaptic membrane ;

5 (ACh / neurotransmitter) released / exocytosis ;

6 (ACh / neurotransmitter) diffuses (across cleft) ;

7 binds to receptors on postsynaptic membrane ;

8 $Na^{(+)}$ channels open ;

9 Na^{+} enters post-synaptic neurone ;

penalise lack of mention of ions in mp2 and 9 ***once*** *only* [max 5]

(c) hydrolyses / breaks down, ACh ;

stops continuous production of action potentials (in post-synaptic neurone) ; [2]

[Total: 10]

7 **(a)** *recessive*
only expressed in homozygote / two copies of the allele needed to be expressed /
not expressed in heterozygote / not expressed in presence of dominant allele ;

mutation
change in the structure of, DNA / gene / allele
or
change in, base / nucleotide, sequence ; [2]

(b) suitable symbols and key ; e.g. A = allele for normal (non PKU)
a = allele for PKU

correct parental genotypes **plus** correct gametes ;

offspring phenotypes linked to correct offspring genotypes ; [3]

(c) 1 fewer amino acids ;

2 change in primary structure ; **A** different amino acid sequence

3 different, tertiary structure / 3D shape ;

4 *ref. to* active site of, PAH / enzyme, changed / absent ;

5 PAH / enzyme / protein, non-functional / AW ; **A** different function [max 3]

[Total: 8]

© Cambridge International Examinations 2014

8 (a) (i) **A** – RuBP / ribulose bisphosphate ;

B – fatty acid ;

C – nitrates ; **A** suitable nitrogenous substance e.g. ammonium ions
I nitrogen / ammonia [3]

(ii) non-cyclic photophosphorylation ; [1]

(iii) condensation / polymerisation ; **A** anabolic

glycosidic ; [2]

(iv) 1 enters via stoma(ta) ;

2 by diffusion / down a concentration gradient ;

3 passes through air spaces ;

4 dissolves in film of water (on cell surface) ;

5 (diffuses) through cell, wall / surface membrane (of palisade cells) ; [max 3]

(b) 1 excited electrons leave, chlorophyll a / photosystem ;

2 pass along ETC ;

3 protons present from photolysis ;

4 protons (pumped) into intermembrane space ;

5 rubisco is in stroma ;

6 *idea that* protons leaving stroma raises pH ; [max 3]

[Total: 12]

© Cambridge International Examinations 2014

9 (a) 1 high, carbohydrate / starch, content ; **A** 70–80%

2 source of, energy / ATP ;

3 protein provides amino acids ;

4 for growth ;

5 low in fat ; **A** 2–4%

6 contains essential fatty acids ;

7 source of, vitamin B / vitamin E ;

8 deficient in, vitamin A / vitamin D / vitamin C ;

9 *ref. to* Golden Rice and vitamin A ; **A** *ref. to* other valid examples

10 wide range / AW, of minerals ;

11 named mineral plus use in human body ; e.g. calcium for bone development

12 high in fibre ;

13 for peristalsis / prevents constipation ;

14 easily, dried / stored ;

15 AVP ; e.g. staple diet for much of the world / named staple crop and location

16 AVP ; e.g. different parts of grain have different nutrients / *ref. to* processing grain [max 8]

(b) 1 seed is, dormant / metabolically inactive ;

2 water enters seed ;

3 embryo, produces / releases, gibberellin ;

4 gibberellin stimulates aleurone layer ;

5 (by) affecting, gene coding / transcription of mRNA, for amylase ;

6 to produce amylase ;

7 amylase <u>hydrolyses</u> starch ;

8 in endosperm ;

9 to, maltose / glucose ;

10 embryo uses sugars for respiration ;

11 energy / ATP, used for growth ; [max 7]

[Total: 15]

© Cambridge International Examinations 2014

10 (a) 1 FSH / LH, released by anterior pituitary ;

2 Graafian / ovarian, follicle develops / AW ;

3 oestrogen produced by follicle (cells) ;

4 oestrogen conc rises for first 12 days ;

5 causes, endometrium to thicken ; **A** detail such as increase in blood vessels

6 (around day 14) surge in LH / AW ;

7 stimulates ovulation / AW ;

8 corpus luteum develops ;

9 produces progesterone ;

10 causes, further development of endometrium ;

11 if no fertilisation, secretion of FSH / LH inhibited ;

12 corpus luteum, degenerates / AW ;

13 progesterone conc falls ;

14 endometrium breaks down / menstruation occurs ;

15 negative feedback in correct context ; [max 9]

(b) 1 (homeostasis is) maintenance of, constant / stable, internal environment ;

2 irrespective of changes in external environment ;

3 negative feedback ;

4 *ref. to* input / stimulus ;

5 receptor detects change in parameter ;

6 action taken by effector / response / AW ;

7 restoration of, norm / set point / AW ;

8 *ref. to* fluctuation around the norm ;

9 example of homeostasis ; [max 6]

[Total: 15]

© Cambridge International Examinations 2014

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the October/November 2014 series

9700 BIOLOGY

9700/42 Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore
AVP	alternative valid point (examples given as guidance)

© Cambridge International Examinations 2014

1 (a) 1 (ideal characteristics) selected by humans / AW **;**

2 one example of features **;** e.g. calm temperament / obedient / intelligent

3 allowed to mate / bred together **;**

4 offspring with ideal characteristics chosen to mate **;**

5 over (many) generations **;**

6 allele frequency (for ideal characteristics) increases **;**

7 directional selection **;** [max 4]

(b) (i) *jackal*
behavioural / reproductive / AW **;**

dingo
geographical / AW **;** [2]

(ii) *one species*
all breeds form fertile offspring with (domestic) dog **;**

separate species
idea of different types of jackal do not interbreed (to produce fertile offspring) **;** [2]

[Total: 8]

2 (a) *prevents*
1 growth of new blood vessels (to tumour) **;**

2 supply of (more), oxygen / nutrient **;** **A** named nutrient

3 more routes for metastasis / AW **;** [max 2]

(b) (i) VEGF **;** [1]

(ii) cell formed by fusion of a plasma cell **and** a cancer cell **;**
A B-lymphocyte, B cell, splenocyte **and** myeloma cell [1]

(c) 1 does not act as foreign antigen / AW **;**

2 (so) does not cause, immune response / rejection **;**

3 avoids, allergic reactions / side effects / anaphylactic shock **;**


4 allows more than one treatment **;**

5 remains in body for longer (so more effective) **;** [max 3]

© Cambridge International Examinations 2014

(d) *drawing IgG*
ignore labels

four polypeptide chains shown ; *in correct positions*
(disulfide) bridges shown to link chains ;



[2]

[Total: 9]

3 (a) (i) *reverse transcriptase*: produces (c)DNA from mRNA ;

DNA polymerase: produces double stranded DNA from, single stranded (DNA) / cDNA ;

restriction enzyme: cuts, DNA / plasmid ;

DNA ligase: joins (gaps in) the sugar-phosphate backbone (of DNA) ; [4]

(ii) 1 causes blood glucose concentration, to decrease / return to normal (from high) ;

2 (target cells are) liver / muscle ;

3 increased, absorption of glucose (from blood) / permeability of cell surface membrane to glucose ;

4 increased (rate of) respiration of glucose ;

5 *idea of* increased conversion of glucose to glycogen ;

6 inhibits secretion of glucagon / decreased gluconeogenesis ; [max 3]

(ii) 1 identical to that produced by body ;
2 activity the same / fast response / no immune response ;

3 no need for animal insulin / AW ;
4 for religious reasons / for ethical reasons / for e.g. vegetarian ;

5 uncontaminated / pure ;
6 so no risk of disease ;

7 production very efficient / always available ;
8 extraction from animals, costly / complex / limited by supply of animals ; [max 2]

© Cambridge International Examinations 2014

(b) (i) *insulin **X** **ora** throughout for human insulin*

1 greater initial increase in activity / AW **;**

2 time of maximum activity / peak, earlier **;** [1.9h v. 3h]

3 maximum activity / peak, greater **;** [9.4 v 5.4 (a.u.)]

4 rate of decrease greater **;**

5 activity always higher **;**

6 comparative figures **;** [see above] [max 4]

(ii) 1 changes, tertiary / 3D structure **;**

2 affects binding to receptor (on cell surface membrane) **;**

3 (this) affects production of second messenger **;**

4 hydrophilic / hydrophobic, bonds different **;**

5 AVP **;** e.g. may affect, solubility in blood / transport in blood **/** rate at which broken down [max 2]

[Total: 15]

4 (a) 1 maintains biodiversity **;**

2 maintain, genetic diversity / genetic variation / gene pool **;**

3 (loss of a species) may affect food, chains / webs **;**

4 use by humans **;** e.g. medical use / building materials / food

5 (eco)tourism **;**

6 ethical / moral / aesthetic, reasons **;** [max 3]

(b) (i) *assume answer refers to the botanic garden population unless otherwise stated*

statement about position relative to **A**, **B** or **C** **;** e.g. closest to **B** / lower than **A** and **B** / higher than **C**

use of comparative figures **;** e.g. 30.74 plus one other [2]

© Cambridge International Examinations 2014

(ii) 1 small number / (only) 10, sampled **;**

2 some, variants / alleles, were not included in the sample **;**

3 **C** may be smaller than the other populations **;**

4 **C** may have developed from only a small number of original plants **;**

5 (so) only a small number of, alleles / variants, (present in the original population) **;** **A** small gene pool / less genetic diversity [max 2]

(iii) 1 *idea of* better chance of survival in changing conditions **;**

2 example of change **;** e.g. climatic / increased competition / new disease / new pest

3 less chance of, two harmful recessive alleles coming together / inbreeding depression **;** [max 2]

(iv) 1 (environmental) conditions similar to those in the, wild / natural habitat **;**

2 within pollination distance / AW **;**

3 *ref. to* possible reintroduction of plants to the wild **;** [max 2]

(c) **(i)** *assume answer refers to the seeds unless otherwise stated*

1 *idea that* seeds are small **and** easier to store **;**

2 seeds can be stored for a long time **;**

3 little maintenance required **;**

4 less prone to, disease / being eaten **;**

5 seeds can be stored anywhere in the world **;** [max 2]

(ii) 1 to check that seeds are still, viable / able to germinate **;**

2 to produce new plants from which fresh seeds can be collected **;**

3 to, find / verify, conditions for breaking seed dormancy (should plants be needed) **;** [max 2]

[Total: 15]

5 **(a)** contains ribose (not deoxyribose) **;**

has three phosphate groups (not one) **;** [2]

© Cambridge International Examinations 2014

(b) (i) *anaerobic – accept **ora** for aerobic*

1 *idea that* glucose not completely, broken down / oxidised
or
only glycolysis occurs **;**

2 pyruvate / lactate / ethanol, still contains energy **;**

3 ETC stops **;**

4 (because) no oxygen to act as (final) electron acceptor **;**

5 (so) no, Krebs cycle / link reaction / oxidative phosphorylation / chemiosmosis **;** [max 3]

(ii) 1 lipid contains (relatively) more, hydrogen atoms / C-H **;**

2 detail **;** e.g. molecular formula of glucose <u>and</u> a lipid given

3 more reduced, NAD / FAD, produced **;**

4 more electrons passed along ETC **;**

5 more hydrogen ions pumped across inner mitochondrial membrane / more hydrogen ions pumped into intermembrane space / steeper proton gradient **;** [max 3]

[Total: 8]

6 (a)

statement	letter
is myelinated	**B**
may form a synapse with an intermediate neurone	**B**
cell body lies within the CNS	**M**
dendron is usually longer than axon	**S**
cell body lies within spinal nerve	**S**
has many dendrites	**B**

;;;

all correct = 3 marks
3/4 correct = 2 marks
1/2 correct = 1 mark [3]

© Cambridge International Examinations 2014

(b) 1 $Ca^{(2+)}$ channels open (in presynaptic membrane / presynaptic knob) ;

2 Ca^{2+} enter (pre)synaptic knob ;

3 vesicles contain, neurotransmitter / ACh ;

4 (vesicles) move towards / fuse with, presynaptic membrane ;

5 (ACh / neurotransmitter) released / exocytosis ;

6 (ACh / neurotransmitter) diffuses (across cleft) ;

7 binds to receptors on postsynaptic membrane ;

8 $Na^{(+)}$ channels open ;

9 Na^{+} enters post-synaptic neurone ;

penalise lack of mention of ions in mp2 and 9 ***once*** *only* [max 5]

(c) hydrolyses / breaks down, ACh ;

stops continuous production of action potentials (in post-synaptic neurone) ; [2]

[Total: 10]

7 **(a)** *recessive*
only expressed in homozygote / two copies of the allele needed to be expressed /
not expressed in heterozygote / not expressed in presence of dominant allele ;

mutation
change in the structure of, DNA / gene / allele
or
change in, base / nucleotide, sequence ; [2]

(b) suitable symbols and key ; e.g. A = allele for normal (non PKU)
a = allele for PKU

correct parental genotypes **plus** correct gametes ;

offspring phenotypes linked to correct offspring genotypes ; [3]

(c) 1 fewer amino acids ;

2 change in primary structure ; **A** different amino acid sequence

3 different, tertiary structure / 3D shape ;

4 *ref. to* active site of, PAH / enzyme, changed / absent ;

5 PAH / enzyme / protein, non-functional / AW ; **A** different function [max 3]

[Total: 8]

© Cambridge International Examinations 2014

8 (a) (i) **A** – RuBP / ribulose bisphosphate ;

B – fatty acid ;

C – nitrates ; **A** suitable nitrogenous substance e.g. ammonium ions
I nitrogen / ammonia [3]

(ii) non-cyclic photophosphorylation ; [1]

(iii) condensation / polymerisation ; **A** anabolic

glycosidic ; [2]

(iv) 1 enters via stoma(ta) ;

2 by diffusion / down a concentration gradient ;

3 passes through air spaces ;

4 dissolves in film of water (on cell surface) ;

5 (diffuses) through cell, wall / surface membrane (of palisade cells) ; [max 3]

(b) 1 excited electrons leave, chlorophyll a / photosystem ;

2 pass along ETC ;

3 protons present from photolysis ;

4 protons (pumped) into intermembrane space ;

5 rubisco is in stroma ;

6 *idea that* protons leaving stroma raises pH ; [max 3]

[Total: 12]

© Cambridge International Examinations 2014

9 (a) 1 high, carbohydrate / starch, content ; **A** 70–80%

2 source of, energy / ATP ;

3 protein provides amino acids ;

4 for growth ;

5 low in fat ; **A** 2–4%

6 contains essential fatty acids ;

7 source of, vitamin B / vitamin E ;

8 deficient in, vitamin A / vitamin D / vitamin C ;

9 *ref. to* Golden Rice and vitamin A ; **A** *ref. to* other valid examples

10 wide range / AW, of minerals ;

11 named mineral plus use in human body ; e.g. calcium for bone development

12 high in fibre ;

13 for peristalsis / prevents constipation ;

14 easily, dried / stored ;

15 AVP ; e.g. staple diet for much of the world / named staple crop and location

16 AVP ; e.g. different parts of grain have different nutrients / *ref. to* processing grain [max 8]

(b) 1 seed is, dormant / metabolically inactive ;

2 water enters seed ;

3 embryo, produces / releases, gibberellin ;

4 gibberellin stimulates aleurone layer ;

5 (by) affecting, gene coding / transcription of mRNA, for amylase ;

6 to produce amylase ;

7 amylase <u>hydrolyses</u> starch ;

8 in endosperm ;

9 to, maltose / glucose ;

10 embryo uses sugars for respiration ;

11 energy / ATP, used for growth ; [max 7]

[Total: 15]

© Cambridge International Examinations 2014

10 (a) 1 FSH / LH, released by anterior pituitary ;

2 Graafian / ovarian, follicle develops / AW ;

3 oestrogen produced by follicle (cells) ;

4 oestrogen conc rises for first 12 days ;

5 causes, endometrium to thicken ; **A** detail such as increase in blood vessels

6 (around day 14) surge in LH / AW ;

7 stimulates ovulation / AW ;

8 corpus luteum develops ;

9 produces progesterone ;

10 causes, further development of endometrium ;

11 if no fertilisation, secretion of FSH / LH inhibited ;

12 corpus luteum, degenerates / AW ;

13 progesterone conc falls ;

14 endometrium breaks down / menstruation occurs ;

15 negative feedback in correct context ; [max 9]

(b) 1 (homeostasis is) maintenance of, constant / stable, internal environment ;

2 irrespective of changes in external environment ;

3 negative feedback ;

4 *ref. to* input / stimulus ;

5 receptor detects change in parameter ;

6 action taken by effector / response / AW ;

7 restoration of, norm / set point / AW ;

8 *ref. to* fluctuation around the norm ;

9 example of homeostasis ; [max 6]

[Total: 15]

© Cambridge International Examinations 2014

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the October/November 2014 series

9700 BIOLOGY

9700/43 Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore
AVP	alternative valid point (examples given as guidance)

© Cambridge International Examinations 2014

1 (a) (i) C (cytosine) is replaced by T (thymine) ;

GCC becomes GTC / GCT becomes GTT ; [2]

(ii) change in, active site / tertiary structure / 3D structure ; [1]

(b) 1 <u>natural selection</u> ;

in Europe

2 more, fungus / ochratoxin A ;

3 ochratoxin A / fungus, acts as selection pressure ;

4 heterozygotes / carriers, have advantage ; **AW**

5 (heterozygotes / carriers) survive / reproduce ; **A** selected for / less likely to develop renal cancer

6 pass on, advantageous / PKU, <u>allele</u> ;

7 frequency of PKU <u>allele</u> increases ;

8 *idea that* people with PKU are treated so also pass on recessive allele ;

*accept **ora** Sub-Saharan Africa* [max 5]

[Total: 8]

2 (a) 1 supplied with food ;

2 monitor health of the, mother / offspring ;

3 (sperm / eggs) stored / frozen ; **A** sperm bank

4 artificial insemination / in vitro fertilisation ; **A** AI / IVF

5 *ref. to* cloning / surrogacy / fostering (of young) ;

6 fertilised eggs incubated artificially ;

7 transfer of breeding partners between zoos ;

8 maintenance of records ;

9 maintains genetic diversity ;

10 protection from, predators / shooting / disease ; [max 4]

© Cambridge International Examinations 2014

(b) 1 no longer living in natural habitat **;**

2 stress **;**

3 behavioural changes **;**

4 *idea of* disruption to normal reproductive cycles **;**

5 reject mate **;** [max 2]

(c) 1 may find difficulty in moving around (due to previously been captive) **;**

2 *idea of* difficulty obtaining food / short of food / outcompeted for food **;**

3 difficulty integrating with others of members of their species **;**

4 disease **;**

5 *idea of* lack of survival skills **;** **A** lack of fear of, humans / predators [max 2]

(d) lead poisoning / lead is an enzyme inhibitor **;** [1]

[Total: 9]

3 **(a)** **(i)** **X** – reverse transcriptase **;** **R** RNA

Y – DNA polymerase **;** [2]

(ii) 1. large number of copies of mRNA readily available **;**

2. *idea of* mRNA is only from gene coding for insulin (being expressed) **;**

3. easier than, extracting / locating, gene from cell's DNA **;**

4. AVP **;** e.g. introns already removed / bacteria cannot remove introns [max 2]

(b) 1 in yeast cells promoters already present **;**

2 have RER / Golgi body **;**

3 so, insulin can be modified / insulin is in correct 3D conformation **;**

4 AVP **;** e.g. *ref. to* YAC holding more DNA than BAC [max 2]

© Cambridge International Examinations 2014

(c) 1 it is identical to human insulin / exact fit to receptor (cell surface membranes) ;

2 (more) rapid response ;

3 no / fewer, rejection problems / side effects / allergic reactions / immune response ;

4 *ref. to* ethical / moral / religious, issues ;

5 cheaper to produce in large volume / unlimited availability ; **R** cheap to produce

6 less risk of, transmitting disease / infection ;

7 good for people who have developed tolerance to animal insulin ; [max 3]

[Total: 9]

4 (a) *ignore ref. to energy currency*

1 *idea of* synthesis of complex substances or synthesis of named large molecule / anabolic reactions;

2 transport of substances against concentration gradient / active transport ;

3 movement qualified ; e.g. muscle contraction / cilia movement / locomotion

4 AVP ; e.g bioluminescence, electrical discharge, temperature regulation [max 2]

(b) (i) *both answers required for one mark*

A adenine **R** adenosine

B ribose / pentose ; [1]

(ii) 1 small ;

2 water soluble ;

3 easily transported around the cell ;

4 easily hydrolysed (to release energy) ;

5 (so) relatively large quantity of energy released / 30.5 $kJ\,mol^{-1}$;

6 *idea of*, rapid turnover / small cellular ATP content is sufficient for cell's requirements ; [max 3]

© Cambridge International Examinations 2014

(c) (i) 1 less / decreased (aerobic respiration) **;**

2 oxygen, is the final electron acceptor / needed for ETC **;**

3 oxidative phosphorylation decreased / chemiosmosis decreased **;**

4 regeneration of NAD / Kreb's cycle / link reaction, decreased **;**

5 ATP synthesis decreases / ATP synthetase activity decreased **;** [max 2]

(ii) more ATP produced (for population growth) **;** [1]

(d) (i) 1 HB8 always does better than mutant HB8 **;**

2 HB8 and mutant HB8 both do better in aerobic than in anaerobic conditions **;**

3 data quote to support **;**

for mp1
[950×10^6 per cm^3 v 900×10^6 per cm^3] **and** [490×10^6 per cm^3 v 410×10^6 per cm^3] **or** manipulated figures

for mp2
[950×10^6 per cm^3 v 490×10^6 per cm^3] **and** [900×10^6 per cm^3 v 410×10^6 per cm^3] **or** manipulated figures [max 2]

(ii) 1 both grow better in aerobic compared to anaerobic **;**

2 *ref. to* significant difference found in mutant HB8 (aerobic compared to anaerobic) **;**

3 data quote to support **;**

for mp1
[880×10^6 per cm^3 v 460×10^6 per cm^3] **and** [840×10^6 per cm^3 v 50×10^6 per cm^3] **or** manipulated figures

for mp2
[840×10^6 per cm^3 v 50×10^6 per cm^3] **or** [460×10^6 per cm^3 v 50×10^6 per cm^3] **or** manipulated figures [max 2]

(iii) *idea that* HB8 is a better competitor than mutant HB8 **; ora**

in mutant HB8 activity of, enzyme / nitrate reductase, is reduced **;** [max 1]

[Total: 14]

© Cambridge International Examinations 2014

5 (a) (i) 1 performed in an open fermenter / nutrients added at a steady rate throughout **;**

2 products harvested throughout **;**

3 pH / temp / oxygen concentration, controlled throughout **;**

4 *ref. to* input = output / constant volume **;** [max 2]

(ii) 1 organisms maintained in exponential phase **;**

2 faster rate of enzyme production **;**

3 no build-up of toxins **;**

4 no down time / AW **;**

5 small vessels can be used **;**

6 cost effective **;** [max 3]

(b) (i) 1 percentage breakdown (of azo-dye) increased, between 7 and 10 days / after 10 days **;**

after 7 days

2 percentage breakdown (of azo-dye) increased with increasing concentration of azo-dye, up to 150 mg dm^{-3} / except for 200 mg dm^{-3} **;**

3 two breakdown percentages at two dye concentrations to support mp2 **;**

after 10 days

4 percentage breakdown (of azo-dye) decreased with increasing concentration of azo-dye **;**

5 two breakdown percentages at two dye concentrations to support mp4 **;** [max 4]

(ii) 1 time is not taken for enzymes to leave white-rot fungal cells **; ora**

2 lower concentration of enzymes from white-rot cells **; ora**

3 AVP **;** e.g. possible inhibitory effect of azo-dye on white-rot cells / ESCs formed more quickly [max 2]

(c) 1 enzyme can be, re-used / recovered after use **;**

2 enzyme does not contaminate water / no purification needed **;**

3 *idea of* enzymes being thermostable **;**

4 *idea that* enzymes able to withstand pH changes **;**

5 *ref. to* increased shelf-life of enzyme **;** [max 3]

[Total: 14]

© Cambridge International Examinations 2014

6 (a)

ion	role	type of cell
Fe^{2+}	oxygen transport / haemoglobin structure ;	red blood cell
Na^{+}	co-transport in the kidney	proximal convoluted tubule / epithelial ;
Ca^{+}	synaptic transmission / described ;	neurone

[3]

(b) receptor / generator ; **A** threshold [1]

(c) 1 high blood pressure in <u>glomerulus</u> ;

2 (due to) greater diameter of afferent vessel ; **ora**

3 molecules pass through holes in (capillary) <u>endo</u>thelium ;

4 <u>basement membrane</u> selectively permeable / only small molecules pass through <u>basement membrane</u> / large molecules unable to pass through <u>basement membrane</u> ;

5 less than 69 000 RMM ;

6 molecules pass between gaps in <u>podocytes</u> ;

7 enter renal capsule ; [max 4]

[Total: 8]

7 (a) *gene*
length / section, of DNA
or
sequence of, bases / nucleotides ;

coding for a, polypeptide / protein ;

allele
different / alternative, form of a gene ; **A** variety of a gene

occupying same, locus / position (on homologous chromosomes) ; [4]

© Cambridge International Examinations 2014

(b)

individual	phenotype	genotype	
1	**B**	$I^B I^o$	;
2	**A** or **B**	$I^A I^o$ or $I^B I^o$	;
3	**B** or **A**	$I^B I^o$ or $I^A I^o$	;
4	**A**	$I^A I^o$	;

Individuals 2 and 3 ***must*** *have different phenotypes and genotypes* [4]

[Total: 8]

8 (a) **X** pointing to chloroplast ;

Y pointing to cell wall ;

Z pointing to any membrane ; [3]

(b) (i) rate on *y*-axis **and** light intensity on *x*-axis ;

all points plotted accurately ;

line of best fit ; [3]

(ii) 1 at low light intensity light is the limiting factor ;

2 at high light intensity other factors become limiting ;

3 such as, temperature / carbon dioxide <u>concentration</u> ; [3]

(c) (i) chlorophyll b **and** carotenoids ; [1]

(ii) 1 absorb light (energy) ;

2 at <u>wavelengths</u> not readily absorbed by, chlorophyll a / primary pigment ;

3 pass <u>energy</u> to, chlorophyll a / primary pigment ;

4 in reaction centre ; [max 3]

(iii) reflected ; [1]

(iv) <u>action spectrum</u> ; [1]

[Total: 15]

© Cambridge International Examinations 2014

9 (a) 1 vitamin A found in aleurone layer of rice (seeds) ;

2 white rice does not contain, aleurone layer / vitamin A / carotenoids / β carotene ;

3 genes coding for vitamin A production extracted ;

4 from, bacteria / *Erwinia uredovora* / *Pantoea ananatis* ;

5 (and) daffodils / maize ;

6 inserted into plasmids / plasmid used as a vector ;

7 promoters added ;

8 plasmids put into *Agrobacterium tumefaciens* ;

9 *Agrobacterium tumefaciens* mixed with rice embryos ;

10 (some embryos) take up bacteria and vitamin A gene ; **A** gene gun

11 grow into adult plants ;

12 produce seeds with, vitamin A / carotene ;

13 in endosperm ;

14 AVP ; e.g. *ref. to* Golden Rice™ [max 8]

(b) 1 GM seed could be difficult for farmers in developing countries to obtain ;

2 high cost of (buying) GM seed / cannot use own seed ;

3 too expensive for, people to buy / farmers to sell ;

4 might reduce efforts to relieve poverty ;

5 may not grow well in all conditions (as other traits not selected for) ;

6 *ref. to* possible, allergic reactions in humans / toxicity of more herbicide left after use / adverse effects on the immune system ;

7 under-developed countries becoming more dependent on other countries ;

8 cross-pollination with, wild plants / organic crops ;

9 new more resistant weeds / "superweeds" ;

10 *ref. to* loss of traditional varieties ;

11 loss of genetic diversity ;

12 harm to other species ; e.g. effect on rest of food chain [max 7]

[Total: 15]

© Cambridge International Examinations 2014

10 (a) 1 *ref. to* hormone treatment ;

2 results in, superovulation
or
many oocytes / many follicles, maturing at same time ;

3 oocytes harvested ;

4 detail of harvesting ;

5 mixed with sample of, sperm / male gametes ;

6 in special growth medium ;

7 wait, for three days / until 4–8 cell stage ;

8 embryos placed in uterus ;

9 *ref. to* maintenance of endometrium ; e.g. progesterone treatment

10 if sperm count very low ICSI used ;

11 sperm / sperm nucleus / sperm DNA, may be injected into oocyte ; [max 8]

(b) 1 'not natural' / technological process ;

2 *ref. to* multiple births ;

3 (possible) birth defects ;

4 cost to health service / only wealthy can access IVF ;

5 some embryos discarded ;

6 unknown effects of freezing embryos for storage ;

7 issues regarding use of stem cells ;

8 issues regarding selection of gender etc. ;

9 issues regarding, single people / gay people, having children by this method ;

10 extending age of conception of women past menopause ;

11 issues regarding, egg donation / surrogate mothers ;

12 *ref. to* psychological effects ; [max 7]

[Total: 15]

© Cambridge International Examinations 2014