CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the October/November 2015 series

9700 BIOLOGY

9700/41 Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

PAPA CAMBRIDGE

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore
AVP	alternative valid point (examples given as guidance)

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

1 **(a)** ATP **;**
pyruvate **;**
NAD **;**
ATP synthase **;**

[4]

(b) **(i)** 1980 **; ;**

Allow one mark for $\frac{5.2-0.25}{0.25}(\times 100)$ or $\frac{4.95}{0.25}(\times 100)$

[2]

(ii) ethanol evaporated **;**
other microorganism metabolises ethanol **;**

[max 1]

[Total:7]

2 **(a)** *example*:
penicillin / other named antibiotic **;**

explanation any two from:
substance made by a microorganism during stationary phase / AW **;**
A growth of microorganism has almost stopped

produced, when there is a shortage of nutrients / when population is under stress **;**

not needed for normal metabolism (of microorganism) **;** [max 3]

(b) 1 wild-type bacteria, secretes / releases, delftibactin **; I** produces

2 delftibactin makes soluble gold ions into insoluble gold **; A** precipitates gold

3 insoluble gold is not toxic **; ora**

4 insoluble gold, stays outside the bacteria / not in bacterial cytoplasm **;**

5 (so) no / fewer, soluble gold ions enter bacterium (from solution) **;**
A *D. acidovorans* for wild-type
A *Au / metallic gold / solid / gold particles / gold precipitate* for insoluble gold
A Au^{3+} */ gold ions / ions* for soluble gold [max 3]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(c) 1 without Au^{3+} numbers of wild-type and mutants similar / AW **;**

support

2 with Au^{3+} fewer mutants than wild-type **; ora**

3 with Au^{3+} fewer mutants than without Au^{3+} **; ora**

4 with Au^{3+} and (added) delftibactin more mutants than with Au^{3+} alone **; ora**

does not support

5 with Au^{3+} and (added) delftibactin fewer mutants than without Au^{3+} **; ora**

6 only one set of data / no statistical analysis **; A** no repeats [max 4]

(d) 1 grow the wild-type, bacterium / *D. acidovorans* **;**

2 in fermenter **;**

3 *ref. to* (fed) batch culture **;**

4 *ref. to* sterilised **;**

5 nutrients at start (batch) **/** nutrients at intervals (fed) **;**

6 carbon / nitrogen, sources **;**

7 *ref. to* aeration / provide oxygen **;**

8 *ref. to* constant temperature / water jacket **; A** environmental conditions kept constant

9 details of fermenter **;** e.g. paddles / stirrers

10 harvest delftibactin / downstream processing **;** [max 5]

[Total:15]

3 **(a)** 1 DNA, denatured / strands separated **;**

2 *ref. to* adding primer **;**

3 copies of genes / pieces of DNA, of different lengths produced **;**

4 *ref. to* use of DNA polymerase **; A** PCR

5 *ref. to* fluorescent dyes / radioactive probes **;**

6 *ref. to* electrophoresis / detail **;**

7 DNA / base, sequence, read / visualised **;**

8 (DNA / base sequence), can be compared **;** [max 4]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(b) 1 allopatric speciation ;

2 (due to) geographic isolation ;

3 different (winter), selection pressures / environments ;

4 sympatric speciation ;

5 (two) populations have different, features / behaviours ;

6 (two) populations do not interbreed / mates within same population ;

7 ref. reproductive isolation ;

8 (over time populations) cannot breed (as different species) ;

9 AVP ; e.g. different mating calls / mutation [max 4]

[Total:8]

4 **(a)** 1 cross between, two wild grasses / einkorn and goat grass ;

2 hybrid / offspring, sterile ;

3 chromosome doubling ;

4 due to nondisjunction ;

5 formation of, tetraploid / 4n / polyploid ;

6 diploid / 2n, gametes now formed ;

7 new cross with a, diploid / 2n, wild grass ;

8 hybrid / offspring, sterile ;

9 hybrid / offspring, triploid / 3n ;

10 chromosome doubling ;

allow mp2 ***or*** *mp8* ***not both***
allow mp3 ***or*** *mp10* ***not both*** [max 4]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(b) gibberellin / gibberellic acid **;** [1]

(c) (i) 1 gene would be present in every cell **;**

2 (when gene expressed) mRNA is in large amounts **;**

3 difficult to, isolate / identify / extract, gene **;ora** for mRNA [max 2]

(ii) *(from day 3 to day 10)*

1 activity / SUT production, in seed decreases because darkness (of bands) decreases **;**

2 activity / SUT production, in shoot increases because darkness (of bands) increases **;**

3 activity / SUT production, remains constant in root because darkness (of bands) stays the same**;** [max 2]

(d) (i) 1 (fluorescent) antibody binds with, SUT / the sucrose transporter protein **;**

2 view / photograph, tissues / sections, with a microscope **;**

3 fluorescent areas indicate presence of SUT **;** [max 2]

(ii) 1 presence of SUT in aleurone layer indicates sucrose moves (from aleurone layer to endosperm) **;**

2 hydrolysis of starch, produces glucose or maltose / does not produce sucrose **;** [2]

(iii) 1 active transport / pumping, of hydrogen ions out of companion cells **;**

2 (at source sucrose) loaded, by cotransport / with hydrogen ions (into companion cells) **;**

3 water moves into, companion cell / sieve tube (element) **;**

4 by osmosis **;**

5 idea of a hydrostatic pressure gradient **;**

6 mass flow **;** [max 3]

[Total:16]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

5 **(a)** 1 diversity of, habitats / ecosystems **;**

2 number of different species **;**

3 genetic diversity within a species **;** [max 2]

(b) **(i)** 1 less choice of mates **;**

2 could lead to inbreeding **;**

3 inbreeding depression / decrease in hybrid vigour **;**

4 decrease in, genetic variation / heterozygosity **; A** smaller gene pool

5 *ref. to* possible difficulties in finding enough food **;**

6 *idea that* small areas are more vulnerable to damage than larger ones **;**

7 more easily exposed to danger outside area **;** [max 3]

(ii) 1 educate people about the gibbons **;**

2 can research gibbons to find about their, behaviour / habitat requirements;

3 *ref. to* health care **;**

4 adequate food **;**

5 AVP **;** e.g. fundraising for conservation projects in the wild / protection from predators or hunters [max 3]

[Total:8]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

6 (a) *toxin (max 2)*

1 calcium ions do not enter presynaptic, neurone / knob **;**

2 ACh / neurotransmitter, not released into synaptic cleft **;**

3 sodium ions do not enter, neurone / axon **;**

4 no depolarisation of (postsynaptic) membrane /
no action potentials in (postsynaptic) neurone **;**

inhibitor (max 2)

5 blocks / binds to, acetylcholinesterase **;**

6 ACh / neurotransmitter, remains attached to receptors **;**

7 continuous, depolarisation of postsynaptic membrane /
action potentials in postsynaptic neurone **;**

8 stops recycling of ACh / neurotransmitter / AW **;**

[max 4]

(b) (i) convert / transduce, stimulus into a, nerve / electrical, impulse **;** **A** named stimulus [1]

(ii) receptor / generator, potential **;** [1]

(iii) 1 *idea that* the larger the intensity of stimulus
the greater the frequency of action potentials **;**

2 further detail **;** e.g. *ref. to* all-or-nothing law / all action potentials have same p.d.

3 may involve more, receptors / neurones **;** [max 2]

[Total:8]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

7 (a) (i) carbon dioxide concentration / temperature **;** [1]

(ii) 1 stomata, number / size **;**

2 number / size, of chloroplasts **;**

3 leaf surface area **/** thinness of lamina **;**

4 number / size, of intercellular airspaces **;**

5 rubisco concentration **;**

6 age / senescence **;** [max 2]

(iii) 1 respiration (rate) greater than photosynthesis (rate) **;**

2 (so) overall there is a net production of carbon dioxide / AW **;**

3 at **X**, idea that photosynthesis = respiration / compensation point **;** [max 2]

(b) (i) RuBP / ribulose bisphosphate **;** [1]

(ii) 1 grana site of light-dependent stage **;** [2]

2 ATP and reduced NADP produced **;**

(iii) **(***without ATP and reduced NADP)*

1 less / no, GP converted to TP **;**

2 less / no, RuBP / ribulose bisphosphate, can be regenerated **;**

3 light-independent stage / Calvin cycle, cannot occur (as much) **;** [max 2]

(c) chlorophyll a **;**

thylakoid **; I** grana / granum

reaction centre **;**

electron transport chain **; A** ETC [4]

[Total:14]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

8 (a) (i) C^R
C^W ; *must have same upper case letter plus different superscript (upper or lower)*
h
H ; *accept any lower case followed by upper case of same letter* [2]

(ii) C^WC^WHH ;
C^WC^WHh ;

C^RC^Whh ; [3]

(b) *artificial selection – accept **ora** for natural selection.*

1 humans, act as selection pressure / choose parents ;

2 reduced genetic variation / smaller gene pool ;

3 inbreeding depression ;

4 loss of hybrid vigour ;

5 faster ;

6 for benefit of humans / not for benefit of animals ;

7 increased homozygosity / decreased heterozygosity ;

8 increased chance that harmful recessive alleles will, come together / be expressed ;

[max 4]

[Total:9]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

9 (a) 1 synthetic hormones used **;**

2 as they do not get broken down quickly / act for longer **;**

3 oestrogen / progesterone, concentrations remain high **;**

4 inhibits secretion of, FSH / LH / GnRH **; I** stops

5 from anterior pituitary gland **;**

6 *ref. to* negative feedback **;**

7 inhibits ovulation / no ovulation **;**

8 alters cervical mucus to stop sperm **;**

9 prevents implantation / effect on endometrium **;**

10 AVP **;** e.g. taken daily for 21 days **/** stops for 7 days to allow menstruation (or) taken daily throughout month. [max 6]

(b) *biological – negative*

1 rise in blood pressure **/** increased chance of blood clots **;**

2 nausea / headaches **;**

3 increased risk of breast cancer **;**

4 increase in STDs **;**

biological – positive

5 regular / no menstruation **;**

6 reduced risk of developing, ovarian cysts / ovarian cancer / uterine cancer **;**

7 reduced risk of uterine infections **; A** pelvic

social / ethical – negative

8 (sexual freedom has led to) more marriage breakdowns **;**

9 (so more) single parent families **;**

10 increase in promiscuity **;**

11 religious / cultural, objection **;**

social / ethical – positive

12 reduction in, unwanted pregnancies / abortions **;**

13 women have control over their fertility **; A** 'bodies'

14 *ref. to* population control **;** [max 9]

[Total:15]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

10 (a) 1 lots of pollen grains made ;

2 pollen grains, small / light ;

3 pollen grains, smooth / aerodynamic ;

4 (so), easily carried by the wind / more chance of pollination ;

5 anthers are, versatile / loosely attached / attached at one point (to filaments) ;

6 anthers / stamens / androecium, on long filaments / hang out (of flower) / exposed ;

7 to release pollen (into, wind / air) ;

8 stigmas hang out (of flower) / exposed ;

9 stigmas, large surface area / hairy / feathery / branched ;

10 to catch pollen ;

11 no / small, petals / corolla / calyx / perianth / sepals ;

12 no, nectar / scent, produced ;

13 so no energy wasted ; [max 9]

(b) 1 *ref. to* outbreeding ;

2 increased genetic variation / increased genetic diversity / larger gene pool ;

3 increased heterozygosity / decreased homozygosity ;

4 less likely that harmful recessive alleles will, come together / be expressed ;

5 (increased) hybrid vigour ;

6 decreased / no, inbreeding depression ;

7 ability to, adapt to / survive in, changing (environmental) conditions ;

8 reduced susceptibility to, disease / pests ;

9 AVP ; e.g. positive effect on insects [max 6]

[Total:15]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the October/November 2015 series

9700 BIOLOGY

9700/42 Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

PAPA CAMBRIDGE

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore
AVP	alternative valid point (examples given as guidance)

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

1 **(a)** ATP **;**
pyruvate **;**
NAD **;**
ATP synthase **;**

[4]

(b) **(i)** 1980 **; ;**

Allow one mark for $\frac{5.2-0.25}{0.25}(\times 100)$ or $\frac{4.95}{0.25}(\times 100)$

[2]

(ii) ethanol evaporated **;**
other microorganism metabolises ethanol **;**

[max 1]

[Total:7]

2 **(a)** *example*:
penicillin / other named antibiotic **;**

explanation any two from:
substance made by a microorganism during stationary phase / AW **;**
A growth of microorganism has almost stopped

produced, when there is a shortage of nutrients / when population is under stress **;**

not needed for normal metabolism (of microorganism) **;** [max 3]

(b) 1 wild-type bacteria, secretes / releases, delftibactin **; I** produces

2 delftibactin makes soluble gold ions into insoluble gold **; A** precipitates gold

3 insoluble gold is not toxic **; ora**

4 insoluble gold, stays outside the bacteria / not in bacterial cytoplasm **;**

5 (so) no / fewer, soluble gold ions enter bacterium (from solution) **;**
A *D. acidovorans* for wild-type
A *Au / metallic gold / solid / gold particles / gold precipitate* for insoluble gold
A Au^{3+} */ gold ions / ions* for soluble gold [max 3]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(c) 1 without Au^{3+} numbers of wild-type and mutants similar / AW **;**

support

2 with Au^{3+} fewer mutants than wild-type **; ora**

3 with Au^{3+} fewer mutants than without Au^{3+} **; ora**

4 with Au^{3+} and (added) delftibactin more mutants than with Au^{3+} alone **; ora**

does not support

5 with Au^{3+} and (added) delftibactin fewer mutants than without Au^{3+} **; ora**

6 only one set of data / no statistical analysis **; A** no repeats [max 4]

(d) 1 grow the wild-type, bacterium / *D. acidovorans* **;**

2 in fermenter **;**

3 *ref. to* (fed) batch culture **;**

4 *ref. to* sterilised **;**

5 nutrients at start (batch) **/** nutrients at intervals (fed) **;**

6 carbon / nitrogen, sources **;**

7 *ref. to* aeration / provide oxygen **;**

8 *ref. to* constant temperature / water jacket **; A** environmental conditions kept constant

9 details of fermenter **;** e.g. paddles / stirrers

10 harvest delftibactin / downstream processing **;** [max 5]

[Total:15]

3 **(a)** 1 DNA, denatured / strands separated **;**

2 *ref. to* adding primer **;**

3 copies of genes / pieces of DNA, of different lengths produced **;**

4 *ref. to* use of DNA polymerase **; A** PCR

5 *ref. to* fluorescent dyes / radioactive probes **;**

6 *ref. to* electrophoresis / detail **;**

7 DNA / base, sequence, read / visualised **;**

8 (DNA / base sequence), can be compared **;** [max 4]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(b) 1 allopatric speciation ;

2 (due to) geographic isolation ;

3 different (winter), selection pressures / environments ;

4 sympatric speciation ;

5 (two) populations have different, features / behaviours ;

6 (two) populations do not interbreed / mates within same population ;

7 ref. reproductive isolation ;

8 (over time populations) cannot breed (as different species) ;

9 AVP ; e.g. different mating calls / mutation [max 4]

[Total:8]

4 **(a)** 1 cross between, two wild grasses / einkorn and goat grass ;

2 hybrid / offspring, sterile ;

3 chromosome doubling ;

4 due to nondisjunction ;

5 formation of, tetraploid / 4n / polyploid ;

6 diploid / 2n, gametes now formed ;

7 new cross with a, diploid / 2n, wild grass ;

8 hybrid / offspring, sterile ;

9 hybrid / offspring, triploid / 3n ;

10 chromosome doubling ;

allow mp2 ***or*** *mp8* ***not both***
allow mp3 ***or*** *mp10* ***not both*** [max 4]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(b) gibberellin / gibberellic acid **;** [1]

(c) (i) 1 gene would be present in every cell **;**

2 (when gene expressed) mRNA is in large amounts **;**

3 difficult to, isolate / identify / extract, gene **;ora** for mRNA [max 2]

(ii) *(from day 3 to day 10)*

1 activity / SUT production, in seed decreases because darkness (of bands) decreases **;**

2 activity / SUT production, in shoot increases because darkness (of bands) increases **;**

3 activity / SUT production, remains constant in root because darkness (of bands) stays the same**;** [max 2]

(d) (i) 1 (fluorescent) antibody binds with, SUT / the sucrose transporter protein **;**

2 view / photograph, tissues / sections, with a microscope **;**

3 fluorescent areas indicate presence of SUT **;** [max 2]

(ii) 1 presence of SUT in aleurone layer indicates sucrose moves (from aleurone layer to endosperm) **;**

2 hydrolysis of starch, produces glucose or maltose / does not produce sucrose **;** [2]

(iii) 1 active transport / pumping, of hydrogen ions out of companion cells **;**

2 (at source sucrose) loaded, by cotransport / with hydrogen ions (into companion cells) **;**

3 water moves into, companion cell / sieve tube (element) **;**

4 by osmosis **;**

5 idea of a hydrostatic pressure gradient **;**

6 mass flow **;** [max 3]

[Total:16]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

5 **(a)** 1 diversity of, habitats / ecosystems **;**

2 number of different species **;**

3 genetic diversity within a species **;** [max 2]

(b) **(i)** 1 less choice of mates **;**

2 could lead to inbreeding **;**

3 inbreeding depression / decrease in hybrid vigour **;**

4 decrease in, genetic variation / heterozygosity **; A** smaller gene pool

5 *ref. to* possible difficulties in finding enough food **;**

6 *idea that* small areas are more vulnerable to damage than larger ones **;**

7 more easily exposed to danger outside area **;** [max 3]

(ii) 1 educate people about the gibbons **;**

2 can research gibbons to find about their, behaviour / habitat requirements;

3 *ref. to* health care **;**

4 adequate food **;**

5 AVP **;** e.g. fundraising for conservation projects in the wild / protection from predators or hunters [max 3]

[Total:8]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

6 (a) *toxin (max 2)*

1 calcium ions do not enter presynaptic, neurone / knob **;**

2 ACh / neurotransmitter, not released into synaptic cleft **;**

3 sodium ions do not enter, neurone / axon **;**

4 no depolarisation of (postsynaptic) membrane /
no action potentials in (postsynaptic) neurone **;**

inhibitor (max 2)

5 blocks / binds to, acetylcholinesterase **;**

6 ACh / neurotransmitter, remains attached to receptors **;**

7 continuous, depolarisation of postsynaptic membrane /
action potentials in postsynaptic neurone **;**

8 stops recycling of ACh / neurotransmitter / AW **;**

[max 4]

(b) (i) convert / transduce, stimulus into a, nerve / electrical, impulse **;** **A** named stimulus [1]

(ii) receptor / generator, potential **;** [1]

(iii) 1 *idea that* the larger the intensity of stimulus
the greater the frequency of action potentials **;**

2 further detail **;** e.g. *ref. to* all-or-nothing law / all action potentials have same p.d.

3 may involve more, receptors / neurones **;** [max 2]

[Total:8]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

7 (a) (i) carbon dioxide concentration / temperature **;** [1]

(ii) 1 stomata, number / size **;**

2 number / size, of chloroplasts **;**

3 leaf surface area **/** thinness of lamina **;**

4 number / size, of intercellular airspaces **;**

5 rubisco concentration **;**

6 age / senescence **;** [max 2]

(iii) 1 respiration (rate) greater than photosynthesis (rate) **;**

2 (so) overall there is a net production of carbon dioxide / AW **;**

3 at **X**, idea that photosynthesis = respiration / compensation point **;** [max 2]

(b) (i) RuBP / ribulose bisphosphate **;** [1]

(ii) 1 grana site of light-dependent stage **;** [2]

2 ATP and reduced NADP produced **;**

(iii) **(***without ATP and reduced NADP)*

1 less / no, GP converted to TP **;**

2 less / no, RuBP / ribulose bisphosphate, can be regenerated **;**

3 light-independent stage / Calvin cycle, cannot occur (as much) **;** [max 2]

(c) chlorophyll a **;**

thylakoid **; I** grana / granum

reaction centre **;**

electron transport chain **; A** ETC [4]

[Total:14]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

8 (a) (i) $\mathbf{C^R}$
$\mathbf{C^W}$ **;** *must have same upper case letter plus different superscript (upper or lower)*
h
H ; *accept any lower case followed by upper case of same letter* [2]

(ii) $\mathbf{C^WC^WHH}$ **;**
$\mathbf{C^WC^WHh}$ **;**

$\mathbf{C^RC^Whh}$ **;** [3]

(b) *artificial selection – accept **ora** for natural selection.*

1 humans, act as selection pressure **/** choose parents **;**

2 reduced genetic variation / smaller gene pool **;**

3 inbreeding depression **;**

4 loss of hybrid vigour **;**

5 faster **;**

6 for benefit of humans / not for benefit of animals **;**

7 increased homozygosity / decreased heterozygosity **;**

8 increased chance that harmful recessive alleles will, come together / be expressed **;**

[max 4]

[Total:9]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

9 (a) 1 synthetic hormones used **;**

2 as they do not get broken down quickly / act for longer **;**

3 oestrogen / progesterone, concentrations remain high **;**

4 inhibits secretion of, FSH / LH / GnRH **; I** stops

5 from anterior pituitary gland **;**

6 *ref. to* negative feedback **;**

7 inhibits ovulation / no ovulation **;**

8 alters cervical mucus to stop sperm **;**

9 prevents implantation / effect on endometrium **;**

10 AVP **;** e.g. taken daily for 21 days **/** stops for 7 days to allow menstruation (or) taken daily throughout month. [max 6]

(b) *biological – negative*

1 rise in blood pressure **/** increased chance of blood clots **;**

2 nausea / headaches **;**

3 increased risk of breast cancer **;**

4 increase in STDs **;**

biological – positive

5 regular / no menstruation **;**

6 reduced risk of developing, ovarian cysts / ovarian cancer / uterine cancer **;**

7 reduced risk of uterine infections **; A** pelvic

social / ethical – negative

8 (sexual freedom has led to) more marriage breakdowns **;**

9 (so more) single parent families **;**

10 increase in promiscuity **;**

11 religious / cultural, objection **;**

social / ethical – positive

12 reduction in, unwanted pregnancies / abortions **;**

13 women have control over their fertility **; A** 'bodies'

14 *ref. to* population control **;** [max 9]

[Total:15]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

10 (a) 1 lots of pollen grains made ;

2 pollen grains, small / light ;

3 pollen grains, smooth / aerodynamic ;

4 (so), easily carried by the wind / more chance of pollination ;

5 anthers are, versatile / loosely attached / attached at one point (to filaments) ;

6 anthers / stamens / androecium, on long filaments / hang out (of flower) / exposed ;

7 to release pollen (into, wind / air) ;

8 stigmas hang out (of flower) / exposed ;

9 stigmas, large surface area / hairy / feathery / branched ;

10 to catch pollen ;

11 no / small, petals / corolla / calyx / perianth / sepals ;

12 no, nectar / scent, produced ;

13 so no energy wasted ; [max 9]

(b) 1 *ref. to* outbreeding ;

2 increased genetic variation / increased genetic diversity / larger gene pool ;

3 increased heterozygosity / decreased homozygosity ;

4 less likely that harmful recessive alleles will, come together / be expressed ;

5 (increased) hybrid vigour ;

6 decreased / no, inbreeding depression ;

7 ability to, adapt to / survive in, changing (environmental) conditions ;

8 reduced susceptibility to, disease / pests ;

9 AVP ; e.g. positive effect on insects [max 6]

[Total:15]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International Advanced Subsidiary and Advanced Level

MARK SCHEME for the October/November 2015 series

9700 BIOLOGY

9700/43 Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

CAMBRIDGE
International Examinations

PAPA CAMBRIDGE

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore
AVP	alternative valid point (examples given as guidance)

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

1 (a) (i) **W** = ethanal ; **A** acetaldehyde / C_2H_4O

X = carbon dioxide ; **A** CO_2

Y = reduced NAD ; **A** NADH / $NADH_2$ / $NADH^+ + H^+$ [3]

(ii) *in yeast cells – **ora** for muscle cells*

1 ethanol produced as opposed to, lactate / lactic acid ;

2 irreversible ;

3 different dehydrogenases involved /
reduction of ethanal instead of pyruvate / AW ;

4 two steps / two enzymes involved / decarboxylation /
ref. to (pyruvate) decarboxylase / CO_2 production ; [max 2]

(b) *fewer ATP molecules produced*
no / fewer, protons / H^+, move through, ATP synth(et)ase / stalked particles
or
less steep, proton / H^+, gradient ; **I** chemiosmosis

more heat energy released
H^+ gradient / electron flow / ETC, energy converted to, heat / thermal energy;

constant oxygen uptake
ETC still works / oxygen acts as final electron acceptor ;
I oxidative phosphorylation still works [3]

[Total:8]

2 (a) 1 NicVAX / vaccine, recognised as, non-self / foreign ;

2 *ref. to* antigen presenting cells ;

3 (recognised / bound, by), specific / particular / certain, B-lymphocytes ;
I correct / right

4 clonal selection ;

5 clonal expansion / mitosis / cell division, of B-lymphocytes ;

6 T-helper cells stimulate B-lymphocytes ;

7 T-helper cells release cytokine ;

8 B-lymphocytes, become / mature into, plasma cells ;

9 plasma cells, secrete / produce, antibody ;

A *B-cell for B-lymphocyte throughout* [max 5]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(b) 1 plasma cells / B-lymphocytes, extracted from (mouse) spleen ; **I** blood

2 fused with, myeloma / cancerous / tumour / malignant, cells ; **I** 'mixed with'

3 use of, a fusogen / electrofusion ; **A** EFF–AFF / detergent

4 formation of hybridoma cells ;

5 identify hybridoma cells with, specific / anti-nicotine / relevant, antibody ;

6 large-scale culture / grow in fermenter ;

7 AVP ; e.g. detail of cell identification [max 4]

(c) **(i)** increase from 0 to 30 mins
or
rapid / steep, increase from 0 to 15 mins ;

(from 30 mins) decrease then, gradual / slow / gentle, increase ; **I** steady [2]

(ii) 1 (both) antibodies reduce nicotine (concentration in the fetal circulation) ;

2 at specified time quote concentration for nicotine
and **either** Nic-IgG **or** Nic311 plus units
or
compare maximum concentrations for
nicotine = 12.5 ng cm^{-3}
and Nic-IgG = 2.0 ng cm^{-3}
and Nic311 = 5.5 ng cm^{-3} ;
units need to be quoted once only

3 lower nicotine (concentration) gives fewer adverse side-effects in the fetus ;

4 Nic-IgG, is more effective /
reduces the fetal nicotine (concentration) to a lower level, (than Nic311) ;

5 AVP ; e.g. do not know concentration of nicotine that is harmful to fetus /
idea that nicotine still present in fetal circulation [max 3]

(d) pregnancy testing / diagnosis of disease / treatment of disease / delivery of drugs / blood or tissue typing ;
I monoclonal antibodies kill pathogens [1]

[Total:15]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

3 (a) (i) 1 expose salmon to, IPN / virus ;

2 (humans) select / choose / identify, unaffected / resistant, individuals ;
A survivors

3 breed them together ;

4 repeat for several generations ; [max 3]

(ii) 1 increase in homozygosity ;

2 harmful recessive alleles may be expressed ;

3 inbreeding depression / loss of hybrid vigour ;

4 limited gene pool / decrease in genetic variation ;

5 AVP ; e.g. loss of desirable traits [max 2]

(b) (i) *accept **ora** throughout*

1 *comparative statement that* group **A,** have lower percentage mortality ;

2 after 30 days no more in group **A** die
or
rise in deaths in group **B,** throughout / until 45 days ;

3 at specified time in days quote mortality for both **A** and **B** plus % unit ;
A 'percentage mortality' for unit

4 (more) resistance / less susceptibility, (to IPN) in group **A** ;

5 *ref. to* resistance allele(s) ; **A** resistance gene **R** immunity / tolerance

6 infection spreads throughout / reservoir of infection in, group **B** ; [max 4]

(ii) another, disease / pathogen, could be present ;

by chance / random event ; e.g. pollution / temperature variation [max 1]

[Total:10]

4 (a) 1 identify females, with the recessive allele / who are carriers ;

2 if embryo has allele can choose abortion ;

3 select unaffected IVF embryo (to implant) ; **A** pre-implantation genetic diagnosis

4 women can choose not to have children ; [max 2]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(b) (i) 1 insert a, functional / normal / dominant / correct, allele ;
R remove / replace, faulty allele **I** gene

2 to obtain, functional / normal / correct, protein / polypeptide ;
A e.g. clotting factor

3 reduce the symptoms (of the disorder) ;

4 restore / modify / enhance, cellular functions ;
A e.g. enzyme reaction / clotting process / membrane transport

5 increase, quality of life / life expectancy / survival ; **A** live normal life

penalise germ-line therapy once only [max 2]

(ii) 1 caused by a recessive allele ;

2 serious / common, disorder ; [max 1]

(c) (i) 1 *F9* gene is shorter ;

2 easier to insert into, plasmid / vector / adenovirus ;

3 easier to enter nucleus ; **I** into cell

4 easier to integrate into genome ;

ora *throughout for F8 gene* [max 2]

(ii) *adenovirus advantage*
1 (double-stranded) DNA so no, reverse transcription / making cDNA;
I single-stranded to double-stranded step alone

2 high gene expression so produce more (therapeutic) protein ;

adenovirus disadvantage
3 high immune response so adenovirus may be removed before it reaches target cells ;

4 high immune response so, allergies / side effects ; [max 3]

[Total:10]

5 (a) (i) 1 diversity of, habitats / ecosystems ;

2 number of different species ;

3 genetic diversity within a species ; [max 2]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(ii) 1 maintain, food chains / food webs
or
maintain, stability / balance, in ecosystems ; **I** ecological

2 maintain, genetic diversity / genetic variation / gene pool ;

3 resources (for humans) ; e.g. biofuel / food / medicine / wood

4 aesthetic reasons / (eco)tourism ;

5 maintain, nutrient cycle / soil structure / climate stability ; [max 3]

(b) (i) *between 1970 and 1990*
1 in terrestrial, as protected areas increase, biodiversity decreases
A negative correlation / inversely proportional

2 in marine (general trend) as protected areas increase, biodiversity increases ;
A positive correlation

3 exceptions ; e.g. dip, from 1980 / till 1985 (in marine) /
rise, from 1970 / till 1975 (in terrestrial) ;

between 1990 and 2005
4 **in both habitats** as total area protected increases, biodiversity decreases ; [max 3]

(ii) 1 marine environments are difficult to, patrol / monitor ;

2 lack of public, awareness / interest ;

3 international ownership issues ; **A** example

4 difficult to, set / mark / recognise, boundaries ;

5 AVP ; e.g. problem of mobile populations [max 2]

[Total:10]

6 (a) **G** ;

C ;

J ;

B ; [4]

(b) (i) 515 (%) ;;

allow one mark for working
e.g. $\frac{14.76 - 2.40}{2.40}(\times 100)$ or $\frac{12.36}{2.40}(\times 100)$ [2]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(ii) *high protein diet*

1 hydrolysed / digested, to amino acids (in gut) ; **A** broken down

2 excess amino acids cannot be stored ;

3 deaminated (in liver) / ornithine cycle, to produce urea ;

4 more urea in blood filtered into nephron(s) ; [max 2]

[Total:8]

7 (a) (i) 1 more light absorbed by chlorophyll ;

2 short / blue, wavelengths have more energy ; **ora**
A suitable figures for **X** (in range 400–500nm)
or for **Y** (in range 600–700nm)

3 (so) greater rate of photosynthesis ; [max 2]

(ii) 1 contain chlorophyll ;

2 reflects / does not absorb, green light ; **A** reflects / does not absorb, 500–600 nm [2]

(iii) 1 absorbs light, wavelengths / colours, not absorbed by, primary pigment / reaction centre / P680 / P700 ;

2 passes (light) <u>energy</u> to, primary pigment / reaction centre / P680 / P700 ; [2]

(b) 1 decrease in rate of photosynthesis ; **A** photosynthesis stops

2 rubisco / enzyme, <u>denatured</u> ;

3 less / no, carbon dioxide, fixed / binds to RuBP ;

4 (initial) increase in transpiration ; **A** high transpiration

5 loss of turgor / wilting ;

6 ABA production ;

7 (eventually) stomata close ;

8 reduction in carbon dioxide uptake ;

9 photorespiration / rubisco binds to oxygen instead of carbon dioxide ; [max 5]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(c) rubisco / RuBP carboxylase-oxygenase **;**

thylakoids **;** **I** membranes

DNA **;**

ribosomes **;** **A** 70S **R** 80S [4]

[Total:15]

8 (a) **NNGG**
NNGg
NnGG
NnGg ;;

4 correct = 2 marks
2/3 correct = 1 mark [2]

(b) 1 test cross **;**

2 cross fly with, vestigial wing and ebony body fly
or
double / homozygous, recessive fly / nngg fly **;**

3 if some offspring have vestigial wing and / or ebony body genotype is heterozygous **;** **A** if, some offspring have recessive trait / not all offspring have dominant trait, genotype is heterozygous

4 if offspring all have normal wing and / or grey body genotype is homozygous **;**
A if offspring all have dominant trait genotype is homozygous

A *short* for vestigial *and black* for ebony *throughout* [max 3]

(c)

parental genotypes	*(white male)* $\mathbf{X^wY}$	×	*(red female)* $\mathbf{X^RX^o}$ **;**	
gametes	$\mathbf{X^w}$	**Y**	$\mathbf{X^R}$	$\mathbf{X^o}$ **;**
offspring genotypes	$\mathbf{X^RX^w}$	$\mathbf{X^oX^w}$	$\mathbf{X^RY}$	$\mathbf{X^oY}$ **;**
offspring phenotypes	red-eyed female	orange-eyed female	red-eyed male	orange-eyed male **;**

wrong symbols = 0

superscript R on Y chromosome = 0
superscripts w/o on Y chromosome = 1 (for correct line 4)

no X and Y = max 2 (for correct lines 3 and 4)

***ecf** alleles written as subscripts not superscripts = max 3*
***ecf** superscript R written as small r = max 3* [4]

[Total:9]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

9 (a) 1 germinal epithelial cells form oogonia **;** **A** primordial germ cells form oogonia

2 by mitosis **;** **A** mitosis increases number of oogonia

3 *ref. to* germinal epithelial cells / oogonia**,** are**,** diploid / 2n **;**

4 oogonia **,** grow / mature **;**

5 (oogonia) start meiosis to form primary oocytes **;**

6 meiosis stops at prophase 1 **;**

7 stage**,** 1 / 2 / 3 / 4 / 5 / 6**,** occurs in**,** embryo / fetus **;**

8 many primary oocytes in baby girl at birth **;**

9 primary oocyte completes meiosis I **;**

10 at / after**,** puberty **;** **A** correct *ref. to* each menstrual cycle / before ovulation

11 produces secondary oocyte and (first) polar body **;**

12 products (of meiosis I) are two haploid cells **;**

13 secondary oocyte undergoes meiosis II at fertilisation **;**

14 produces ovum and (second) polar body **;**

15 AVP **;** e.g. *ref. to* events occur in follicles

correct names required for all mp except mp6, mp7, mp10, mp12 and mp15 [max 9]

(b) 1 fall in concentration of progesterone **;**

2 endometrium (uterine lining) breaks down **;** **I** 'thins'

3 menstruation / period**,** occurs **;**

4 follicular / granulose, cells secrete oestrogen **;** **I** oestrogen produced

5 oestrogen concentration rises **;**

6 (oestrogen) stimulates**,** proliferation / thickening / increase in blood vessels**,** of endometrium **;**

7 corpus luteum secretes progesterone **;** **I** progesterone produced

8 progesterone concentration increases **;**

9 (progesterone) maintains endometrium **;** **I** 'thickens' [max 6]

[Total:15]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

10 (a) 1 hybrids / offspring from cross between two species, infertile / sterile ;
A AA × BB gives, sterile / infertile, AB

2 (normal) meiosis cannot occur ;

3 chromosomes do not pair up ;
A set A chromosomes, not homologous to / do not pair with, set B

4 (spontaneous) doubling of chromosome number / formation of, tetraploid / AABB (emmer wheat) ; **A** chromosome doubling
I doubling idea for mp 4 if context **not** chance occurrence but **ecf** for mp 6

5 non-disjunction (in mitosis) ; **A** in meiosis (unreduced gametes)

6 restores fertility / (AB) gametes can now form ; *must be linked to mp 4*

7 second hybridisation **and** polyploidy gives, hexaploid ;
A 4n (emmer wheat) × 2n (wild goat grass) **and** chromosome number doubling → 6n
A AABB × CC → ABC **and** doubling to AABBCC

benefits

8 hybrid vigour ;

9 large grains ;

10 high yield ;

11 beneficial characteristic / named example, introduced by parent of hybrid ;
A example e.g. shorter stems plus benefit /
grain remains attached to ear more strongly plus benefit [max 8]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE

(b) *environmental*

1 GM / genetically modified, rape may itself be, a weed / invasive ;

2 pollen transfer to / hybridisation with, wild relatives ;

3 resistant gene transfer to, non-GM crops / wild relatives ; **I** other plants

4 (resulting) hybrid offspring invasive ;

5 (intensive) use of herbicide selects for herbicide-resistant weeds ;

6 (intensive use of herbicide) reduces biodiversity ;

economic

7 problem with competition between crops and herbicide-resistant weeds ;

8 *idea of*, contamination of organic farming /
accidental mixing of GM crops with non-GM, financial consequences ;

9 high cost of / poor farmers cannot afford, GM, seeds / plants ;

10 cost of herbicide ;

11 cost of problems with pollution ;

12 cost of human health problems ; [max 7]

[Total:15]

© Cambridge International Examinations 2015

PAPA CAMBRIDGE