Cambridge International AS & A Level

Cambridge International Examinations
Cambridge International Advanced Subsidiary and Advanced Level

BIOLOGY **9700/41**

Paper 1 A Level Structured Questions **October/November 2016**

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

© UCLES 2016

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore

© UCLES 2016

Question	Answer	Mark
1(a)	*three from* 1 *ref. to* enzyme / phosphorylase / signalling **;** 2 *ref. to* aquaporins **;** 3 vesicles (containing aquaporins), move towards / fuse with, (cell surface membrane) **;** 4 *idea of* increased permeability **;** 5 water leaves (lumen into cells), by osmosis / down water potential gradient **;**	**3**
1(b)(i)	allele / gene, carried on the X chromosome **; A** sex chromosome	**1**
1(b)(ii)	*symbols* normal allele = A DI allele = a **;** *parental genotypes* $\mathbf{X^AX^a \times X^AY}$ **and** *gametes* $\mathbf{X^A \quad X^a \quad X^A \quad Y}$ **;** *offspring genotypes* $\mathbf{X^AX^A \quad X^AY \quad X^AX^a \quad X^aY}$ **;** *offspring phenotypes* female normal male normal female normal male DI **;** *in correct order*	**4**
	Total:	**8**

© UCLES 2016

Question	Answer	Mark
2(a)	*two from* 1 first product of photosynthesis is a 4-carbon compound **;** 2 oxaloacetate / malate / aspartate **;** 3 (first) CO_2 acceptor PEP **;** 4 CO_2 released (from 4-carbon compound to) enter Calvin cycle / light-independent stage **;**	**2**
2(b)(i)	*two from* 1 rate in C4 grasses higher (than C3 grasses) **; ora** 2 mean rate in C4 3.17 a.u. **and** mean rate in C3 1.65 a.u.**;** 3 more variation between C4 plants (than between C3 plants) **; ora**	**2**
2(b)(ii)	*three from* 1 fixation of carbon (dioxide) **;** 2 (catalyses) the reaction between RuBP and CO_2 / AW **;** 3 to give **two** GP **;** 4 via an unstable intermediate compound **;**	**3**
2(b)(iii)	1 PEP carboxylase has higher rate of activity in C4 plants **; ora** 2 *idea that* C4 plants can live in high, temperature / light intensities **or** C4 plants have more PEP **;** 3 rubisco has higher rate of activity in C3 plants (than in C4 plants) **;** 4 (due to) higher concentration of CO_2 **;**	**4**

© UCLES 2016

Question	Answer	Mark
2(c)	*two from* 1 C4 plants are adapted for high, light intensities / temperatures ; 2 (so) high rate of, photophosphorylation / light-dependent reaction ; 3 (so) much ATP produced ;	2
	Total:	13

Question	Answer	Mark
3(a)(i)	*two from* 1 to, separate the two strands / denature DNA ; **A** make single-stranded DNA 2 by breaking <u>hydrogen</u> bonds (between bases) ; 3 so that bases are exposed ; 4 to produce template strands for (complementary) copying ;	2
3(a)(ii)	*two from* 1 (primer) binds / anneals, to DNA by complementary base pairing ; 2 *idea of* attaching close to the specific section of DNA ; 3 (DNA) polymerase only attaches to double-stranded DNA ; 4 (primers) reduce re-annealing of separated strands ;	2

© UCLES 2016

Question	Answer	Mark
3(a)(iii)	*two from* 1 synthesises complementary DNA strands **;** 2 (*Taq* polymerase), is heat stable / works at high temperature **;** 3 (so) does not need to be added again for each cycle / needs replacing only after a number of cycles **;** **or** other polymerases need replacing regularly **;** 4 process is, more efficient / faster (than normal DNA polymerase) **;**	**2**
3(b)(i)	many mitochondria per cell but only one nucleus **;** cell, is diploid / has two copies of each chromosome (in nucleus) **;**	**2**
3(b)(ii)	**A**, **C**, **D**, **E**, **F ;**	**1**
	Total:	**9**

© UCLES 2016

Question	Answer	Mark
4(a)	*three from* 1 (overall) deltamethrin, more effective / better, (at killing mosquitoes) **;** 2 figures for malathion and deltamethrin with named site and year **R** Jamnagar in 2007 **or** mean 78.5% for malathion and 97.5% for deltamethrin **;** 3 malathion, kills higher percentage (of mosquitoes) / is more effective, than deltamethrin in Jamnagar in 2007 **;** 4 percentage of mosquitoes killed by deltamethrin decreasing in Jamnagar **;** 5 percentage of mosquitoes killed by malathion increasing (in both locations) **;**	**3**
4(b)	*four from* 1 (random) mutation / genetic variation **; A** description of mutation 2 deltamethrin acts as a selection pressure **;** 3 resistant mosquitoes have selective advantage **; ora** 4 resistant mosquitoes, survive / reproduce **; ora** 5 resistance alleles passed on **;** 6 increase in frequency of resistance allele **; ora** 7 natural / directional, selection **;**	**4**
4(c)	*two from* 1 percentage of mosquitoes killed (by malathion) increases **;** 2 (malathion) selection pressure removed / resistance to malathion is no longer a selective advantage **;**	**2**

© UCLES 2016

Question	Answer	Mark
	3 *idea of* resistance not needed ;	
4(d)	discontinuous ;	1
4(e)	p = 0.13 ; ; ; *allow max 2 for working* q^2 / frequency of non-resistant (mosquitoes) = 0.76 q = 0.87	3
	Total:	13

Question	Answer	Mark
5(a)(i)	ecosystem is, a defined area / self-contained / a functional unit ; *idea that* Italy consists of multiple, towns and agricultural fields / water bodies / forests ;	2
5(a)(ii)	*four from* 1 increase in variety of, habitats / ecosystems ; 2 increase number of species / more complex food web ; 3 increase abundance of organisms within a species ; 4 increase in genetic variation ; 5 *ref. to* succession ;	4

© UCLES 2016

Question	Answer	Mark
5(b)	*four from* 1 education / awareness, programmes ; 2 compensation scheme / incentives, (needed for farmers who have livestock preyed upon) ; 3 ban, hunting / poaching ; 4 *ref. to* population monitoring ; 5 international / cross-border, agreement / laws ; 6 *ref. to* WWF / CITES / trade agreements ; 7 *ref. to* zoos / reserves / national parks ; 8 captive breeding / sperm banks ;	**4**
	Total:	**10**

Question	Answer	Mark
6(a)(i)	high concentration of oestrogen (causes surge in LH concentration) **or** (surge in LH concentration) causes ovulation to occur ;	**1**
6(a)(ii)	progesterone concentration falls (towards end of cycle) ;	**1**

© UCLES 2016

Question	Answer	Mark
6(b)(i)	*four from* 1 (acts on) anterior pituitary gland ; 2 FSH secretion inhibited ; **I** FSH inhibited 3 Graafian / dominant, follicle does not develop ; 4 LH secretion inhibited ; **I** LH inhibited 5 ovulation prevented / AW ; 6 *ref. to* negative feedback ; 7 cervical mucus thickens ; 8 *ref. to* thin endometrium ;	**4**
6(b)(ii)	to allow menstruation to occur / *idea of* mimicking the body's natural cycle ;	**1**
6(b)(iii)	*one from* 1 no need to take contraceptive pill every day **;** 2 maintains steady concentration of hormones / no hormonal imbalance **;** 3 AVP **;** e.g. no menstruation / fewer side effects	**1**
	Total:	**8**

© UCLES 2016

Question	Answer	Mark
7(a)(i)	**A** – pointing to thin filament areas **;** **B** – pointing to overlapping areas **;**	**2**
7(a)(ii)	*four from* 1 Ca^{2+} channels open in, pre-synaptic membrane / (pre)-synaptic knob / motor end plate **;** 2 Ca^{2+} enter, pre-synaptic knob / pre-synaptic neurone / motor end plate **;** 3 vesicles contain, neurotransmitter / ACh **;** 4 (vesicles) move towards / fuse, with pre-synaptic membrane **;** 5 (ACh / neurotransmitter) released / exocytosis, **and** diffuses (across cleft) **;** 6 6. binds to receptors on sarcolemma **; A** post-synaptic membrane 7 Na^{+} channels open **and** Na^{+} enters, (muscle fibre / sarcoplasm) **; R** sarcolemma	**4**

© UCLES 2016

Question	Answer	Mark
7(b)		4

correct order	letter of event
1	**S**
2	**V**
3	**Q**
4	**U**
5	**Z**
6	**Y**
7	**W**
8	**R**
9	**X**
10	**T**

S, **V**, **Q**, **U** all above **Z ;**
S, **V**, **Q**, **U** in correct order **;**

Y, **W**, **R**, **X** between **Z** and **T ;**
Y, **W**, **R**, **X** in correct order **;**

	Total:	**10**

© UCLES 2016

Question	Answer	Mark
8(a)	gibberellin ;	1
8(b)(i)	absorbs carbon dioxide ;	1
8(b)(ii)	*three from* 1 used in, oxidative phosphorylation / ETC ; 2 final electron acceptor ; 3 proton acceptor ; 4 forms water ; 5 allows ETC to continue ; 6 *ref. to* ATP produced ;	3
8(c)(i)	equilibration / acclimatising / adjusting ;	1

© UCLES 2016

Question	Answer	Mark
8(c)(ii)	*two from* 1 act as a control **;** 2 *idea of* control eliminates effects of variables other than, the independent variable / temperature **;** 3 (changes in **A** and **C** are) due to, seeds / respiration **; ora**	**2**
8(c)(iii)	0.087 **; ;** *allow one mark for* $\frac{1.7-0.4}{15}$ $\frac{1.3}{15}$ $\frac{1.3}{20-5}$ $\frac{1.7-0.4}{20-5}$ **or** 0.08666	**2**
8(c)(iv)	*at 25°C (**ora** for 10°C)* *two from* 1 increased kinetic energy **;** 2 enzymes involved **;** 3 *idea of* more ESCs **;**	**2**
8(c)(v)	enzymes denatured **;** detail **;** e.g. change in active site (shape) / H bonds break	**2**
	Total:	**14**

© UCLES 2016

Question	Answer	Mark
9(a)	*seven from* 1 *ref. to* maintenance of constant internal environment **;** 2 blood or tissue fluid as e.g. of internal environment **;** 3 *ref. to* norm / optimum value / set point / within narrow limits **;** 4 (low) temperature **and** consequence **;** e.g. slowed metabolism / enzymes less active 5 (high) temperature **and** consequence **;** e.g. enzymes denatured 6 (low) water potential **and** consequence **;** e.g. water leaving cells / cells shrink 7 (high) water potential **and** consequence **;** e.g. water enters cells / cells burst 8 (low) blood glucose **and** consequence **;** e.g. effect on respiration 9 (high) blood glucose **and** consequence **;** e.g. water leaving cells / cells shrink 10 AVP **;** e.g. control of pH and consequence	**7**

© UCLES 2016

Question	Answer	Mark
9(b)	*eight from* 1 adrenaline binds to receptors ; 2 in, cell surface membrane / plasma membrane ; 3 receptor changes conformation ; 4 G proteins activated ; 5 adenylyl cyclase activated ; **A** adenyl cyclase 6 cyclic AMP / cAMP, made ; 7 second messenger ; 8 activates kinase (protein) ; 9 *ref. to* enzyme cascade / signal amplification ; 10 *ref. to* phosphorylase ; 11 glycogen broken to glucose / glycogenolysis ; 12 glucose diffuses, out of cells / into blood ; 13 increase in blood glucose concentration ;	**8**
	Total	**15**

© UCLES 2016

Question	Answer	Mark
10(a)	*seven from* 1 acid-growth (hypothesis) ; 2 auxin stimulates proton pumps ; 3 (in) cell surface membrane ; 4 H^+ pumped into cell wall ; 5 using energy / by active transport ; 6 pH of cell wall decreases / cell wall becomes (more) acidic ; 7 pH-dependent enzymes activated ; 8 *ref. to* expansins ; 9 bonds between cellulose microfibrils broken ; 10 *idea that* cell wall, 'loosens' / becomes more elastic / able to stretch ; 11 (more) water enters cell / turgor pressure increases ; 12 (so) cell (wall) expands ;	**7**

© UCLES 2016

Question	Answer	Mark
10(b)	*eight from* 1 plant secretes abscisic acid, in very dry conditions / at times of water stress ; **A** abscisic acid is a stress hormone 2 abscisic acid binds to receptors ; 3 on cell surface membranes of guard cells ; 4 inhibits proton pump / H^+ not pumped out of cell ; 5 high H^+ conc inside cell ; **A** *ref. to* change in charge 6 (abscisic acid) stimulates Ca^{2+} influx ; 7 Ca^{2+} acts as second messenger ; 8 encourages K^+ efflux / inhibits K^+ influx ; **A** K^+ channels open 9 water potential of cell increases ; **A** increase in solute potential 10 water moves out of cell by osmosis ; 11 volume of guard cells decreases ; 12 guard cells become flaccid ; 13 response very fast ;	**8**
	Total:	**15**

© UCLES 2016

Cambridge International AS & A Level

Cambridge International Examinations
Cambridge International Advanced Subsidiary and Advanced Level

BIOLOGY **9700/42**

Paper 1 A Level Structured Questions **October/November 2016**

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

© UCLES 2016

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore

© UCLES 2016

Question	Answer	Mark
1(a)	*three from* 1 *ref. to* enzyme / phosphorylase / signalling **;** 2 *ref. to* aquaporins **;** 3 vesicles (containing aquaporins), move towards / fuse with, (cell surface membrane) **;** 4 *idea of* increased permeability **;** 5 water leaves (lumen into cells), by osmosis / down water potential gradient **;**	**3**
1(b)(i)	allele / gene, carried on the X chromosome **; A** sex chromosome	**1**
1(b)(ii)	*symbols* normal allele = A DI allele = a **;** *parental genotypes* $\mathbf{X^AX^a \times X^AY}$ **and** *gametes* $\mathbf{X^A \quad X^a \quad X^A \quad Y}$ **;** *offspring genotypes* $\mathbf{X^AX^A \quad X^AY \quad X^AX^a \quad X^aY}$ **;** *offspring phenotypes* female normal male normal female normal male DI **;** *in correct order*	**4**
	Total:	**8**

© UCLES 2016

Question	Answer	Mark
2(a)	*two from* 1 first product of photosynthesis is a 4-carbon compound **;** 2 oxaloacetate / malate / aspartate **;** 3 (first) CO_2 acceptor PEP **;** 4 CO_2 released (from 4-carbon compound to) enter Calvin cycle / light-independent stage **;**	**2**
2(b)(i)	*two from* 1 rate in C4 grasses higher (than C3 grasses) **; ora** 2 mean rate in C4 3.17 a.u. **and** mean rate in C3 1.65 a.u.**;** 3 more variation between C4 plants (than between C3 plants) **; ora**	**2**
2(b)(ii)	*three from* 1 fixation of carbon (dioxide) **;** 2 (catalyses) the reaction between RuBP and CO_2 / AW **;** 3 to give **two** GP **;** 4 via an unstable intermediate compound **;**	**3**
2(b)(iii)	1 PEP carboxylase has higher rate of activity in C4 plants **; ora** 2 *idea that* C4 plants can live in high, temperature / light intensities **or** C4 plants have more PEP **;** 3 rubisco has higher rate of activity in C3 plants (than in C4 plants) **;** 4 (due to) higher concentration of CO_2 **;**	**4**

© UCLES 2016

Question	Answer	Mark
2(c)	*two from* 1 C4 plants are adapted for high, light intensities / temperatures ; 2 (so) high rate of, photophosphorylation / light-dependent reaction ; 3 (so) much ATP produced ;	2
	Total:	13

Question	Answer	Mark
3(a)(i)	*two from* 1 to, separate the two strands / denature DNA ; **A** make single-stranded DNA 2 by breaking hydrogen bonds (between bases) ; 3 so that bases are exposed ; 4 to produce template strands for (complementary) copying ;	2
3(a)(ii)	*two from* 1 (primer) binds / anneals, to DNA by complementary base pairing ; 2 *idea of* attaching close to the specific section of DNA ; 3 (DNA) polymerase only attaches to double-stranded DNA ; 4 (primers) reduce re-annealing of separated strands ;	2

© UCLES 2016

Question	Answer	Mark
3(a)(iii)	*two from* 1 synthesises complementary DNA strands **;** 2 (*Taq* polymerase), is heat stable / works at high temperature **;** 3 (so) does not need to be added again for each cycle / needs replacing only after a number of cycles **;** **or** other polymerases need replacing regularly **;** 4 process is, more efficient / faster (than normal DNA polymerase) **;**	**2**
3(b)(i)	many mitochondria per cell but only one nucleus **;** cell, is diploid / has two copies of each chromosome (in nucleus) **;**	**2**
3(b)(ii)	**A**, **C**, **D**, **E**, **F ;**	**1**
	Total:	**9**

© UCLES 2016

Question	Answer	Mark
4(a)	*three from* 1 (overall) deltamethrin, more effective / better, (at killing mosquitoes) **;** 2 figures for malathion and deltamethrin with named site and year **R** Jamnagar in 2007 **or** mean 78.5% for malathion and 97.5% for deltamethrin **;** 3 malathion, kills higher percentage (of mosquitoes) / is more effective, than deltamethrin in Jamnagar in 2007 **;** 4 percentage of mosquitoes killed by deltamethrin decreasing in Jamnagar **;** 5 percentage of mosquitoes killed by malathion increasing (in both locations) **;**	**3**
4(b)	*four from* 1 (random) mutation / genetic variation **; A** description of mutation 2 deltamethrin acts as a selection pressure **;** 3 resistant mosquitoes have selective advantage **; ora** 4 resistant mosquitoes, survive / reproduce **; ora** 5 resistance alleles passed on **;** 6 increase in frequency of resistance allele **; ora** 7 natural / directional, selection **;**	**4**
4(c)	*two from* 1 percentage of mosquitoes killed (by malathion) increases **;** 2 (malathion) selection pressure removed / resistance to malathion is no longer a selective advantage **;**	**2**

© UCLES 2016

Question	Answer	Mark
	3 *idea of* resistance not needed ;	
4(d)	discontinuous ;	1
4(e)	p = 0.13 ; ; ; *allow max 2 for working* q^2 / frequency of non-resistant (mosquitoes) = 0.76 q = 0.87	3
	Total:	13

Question	Answer	Mark
5(a)(i)	ecosystem is, a defined area / self-contained / a functional unit ; *idea that* Italy consists of multiple, towns and agricultural fields / water bodies / forests ;	2
5(a)(ii)	*four from* 1 increase in variety of, habitats / ecosystems ; 2 increase number of species / more complex food web ; 3 increase abundance of organisms within a species ; 4 increase in genetic variation ; 5 *ref. to* succession ;	4

© UCLES 2016

Question	Answer	Mark
5(b)	*four from* 1 education / awareness, programmes ; 2 compensation scheme / incentives, (needed for farmers who have livestock preyed upon) ; 3 ban, hunting / poaching ; 4 *ref. to* population monitoring ; 5 international / cross-border, agreement / laws ; 6 *ref. to* WWF / CITES / trade agreements ; 7 *ref. to* zoos / reserves / national parks ; 8 captive breeding / sperm banks ;	**4**
	Total:	**10**

Question	Answer	Mark
6(a)(i)	high concentration of oestrogen (causes surge in LH concentration) **or** (surge in LH concentration) causes ovulation to occur ;	**1**
6(a)(ii)	progesterone concentration falls (towards end of cycle) ;	**1**

© UCLES 2016

Question	Answer	Mark
6(b)(i)	*four from* 1 (acts on) anterior pituitary gland ; 2 FSH secretion inhibited ; **I** FSH inhibited 3 Graafian / dominant, follicle does not develop ; 4 LH secretion inhibited ; **I** LH inhibited 5 ovulation prevented / AW ; 6 *ref. to* negative feedback ; 7 cervical mucus thickens ; 8 *ref. to* thin endometrium ;	**4**
6(b)(ii)	to allow menstruation to occur / *idea of* mimicking the body's natural cycle ;	**1**
6(b)(iii)	*one from* 1 no need to take contraceptive pill every day **;** 2 maintains steady concentration of hormones / no hormonal imbalance **;** 3 AVP **;** e.g. no menstruation / fewer side effects	**1**
	Total:	**8**

© UCLES 2016

Question	Answer	Mark
7(a)(i)	**A** – pointing to thin filament areas **;** **B** – pointing to overlapping areas **;**	**2**
7(a)(ii)	*four from* 1 Ca^{2+} channels open in, pre-synaptic membrane / (pre)-synaptic knob / motor end plate **;** 2 Ca^{2+} enter, pre-synaptic knob / pre-synaptic neurone / motor end plate **;** 3 vesicles contain, neurotransmitter / ACh **;** 4 (vesicles) move towards / fuse, with pre-synaptic membrane **;** 5 (ACh / neurotransmitter) released / exocytosis, **and** diffuses (across cleft) **;** 6 6. binds to receptors on sarcolemma **; A** post-synaptic membrane 7 Na^{+} channels open **and** Na^{+} enters, (muscle fibre / sarcoplasm) **; R** sarcolemma	**4**

© UCLES 2016

Question	Answer	Mark
7(b)		4

correct order	letter of event
1	**S**
2	**V**
3	**Q**
4	**U**
5	**Z**
6	**Y**
7	**W**
8	**R**
9	**X**
10	**T**

S, **V**, **Q**, **U** all above **Z ;**
S, **V**, **Q**, **U** in correct order **;**

Y, **W**, **R**, **X** between **Z** and **T ;**
Y, **W**, **R**, **X** in correct order **;**

	Total:	**10**

© UCLES 2016

Question	Answer	Mark
8(a)	gibberellin ;	1
8(b)(i)	absorbs carbon dioxide ;	1
8(b)(ii)	*three from* 1 used in, oxidative phosphorylation / ETC ; 2 final electron acceptor ; 3 proton acceptor ; 4 forms water ; 5 allows ETC to continue ; 6 *ref. to* ATP produced ;	3
8(c)(i)	equilibration / acclimatising / adjusting ;	1

© UCLES 2016

Question	Answer	Mark
8(c)(ii)	*two from* 1 act as a control **;** 2 *idea of* control eliminates effects of variables other than, the independent variable / temperature **;** 3 (changes in **A** and **C** are) due to, seeds / respiration **; ora**	**2**
8(c)(iii)	0.087 **; ;** *allow one mark for* $\frac{1.7-0.4}{15}$ $\frac{1.3}{15}$ $\frac{1.3}{20-5}$ $\frac{1.7-0.4}{20-5}$ **or** 0.08666	**2**
8(c)(iv)	*at 25°C (**ora** for 10°C)* *two from* 1 increased kinetic energy **;** 2 enzymes involved **;** 3 *idea of* more ESCs **;**	**2**
8(c)(v)	enzymes denatured **;** detail **;** e.g. change in active site (shape) / H bonds break	**2**
	Total:	**14**

© UCLES 2016

Question	Answer	Mark
9(a)	*seven from* 1 *ref. to* maintenance of constant internal environment **;** 2 blood or tissue fluid as e.g. of internal environment **;** 3 *ref. to* norm / optimum value / set point / within narrow limits **;** 4 (low) temperature **and** consequence **;** e.g. slowed metabolism / enzymes less active 5 (high) temperature **and** consequence **;** e.g. enzymes denatured 6 (low) water potential **and** consequence **;** e.g. water leaving cells / cells shrink 7 (high) water potential **and** consequence **;** e.g. water enters cells / cells burst 8 (low) blood glucose **and** consequence **;** e.g. effect on respiration 9 (high) blood glucose **and** consequence **;** e.g. water leaving cells / cells shrink 10 AVP **;** e.g. control of pH and consequence	**7**

© UCLES 2016

Question	Answer	Mark
9(b)	*eight from* 1 adrenaline binds to receptors ; 2 in, cell surface membrane / plasma membrane ; 3 receptor changes conformation ; 4 G proteins activated ; 5 adenylyl cyclase activated ; **A** adenyl cyclase 6 cyclic AMP / cAMP, made ; 7 second messenger ; 8 activates kinase (protein) ; 9 *ref. to* enzyme cascade / signal amplification ; 10 *ref. to* phosphorylase ; 11 glycogen broken to glucose / glycogenolysis ; 12 glucose diffuses, out of cells / into blood ; 13 increase in blood glucose concentration ;	**8**
	Total	**15**

© UCLES 2016

Question	Answer	Mark
10(a)	*seven from* 1 acid-growth (hypothesis) ; 2 auxin stimulates proton pumps ; 3 (in) cell surface membrane ; 4 H^+ pumped into cell wall ; 5 using energy / by active transport ; 6 pH of cell wall decreases / cell wall becomes (more) acidic ; 7 pH-dependent enzymes activated ; 8 *ref. to* expansins ; 9 bonds between cellulose microfibrils broken ; 10 *idea that* cell wall, 'loosens' / becomes more elastic / able to stretch ; 11 (more) water enters cell / turgor pressure increases ; 12 (so) cell (wall) expands ;	**7**

© UCLES 2016

Question	Answer	Mark
10(b)	*eight from* 1 plant secretes abscisic acid, in very dry conditions / at times of water stress ; **A** abscisic acid is a stress hormone 2 abscisic acid binds to receptors ; 3 on cell surface membranes of guard cells ; 4 inhibits proton pump / H^+ not pumped out of cell ; 5 high H^+ conc inside cell ; **A** *ref. to* change in charge 6 (abscisic acid) stimulates Ca^{2+} influx ; 7 Ca^{2+} acts as second messenger ; 8 encourages K^+ efflux / inhibits K^+ influx ; **A** K^+ channels open 9 water potential of cell increases ; **A** increase in solute potential 10 water moves out of cell by osmosis ; 11 volume of guard cells decreases ; 12 guard cells become flaccid ; 13 response very fast ;	**8**
	Total:	**15**

© UCLES 2016

Cambridge International AS & A Level

Cambridge International Examinations
Cambridge International Advanced Subsidiary and Advanced Level

BIOLOGY **9700/43**

Paper 4 A Level Structured Questions **October/November 2016**

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

© UCLES 2016

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore

© UCLES 2016

Question	Answer	Mark	Guidance
1(a)	*locus* position of gene on chromosome **;** *homozygous* (has) two identical alleles (of a gene) **;**	**2**	 **I** AA / aa, dominant / recessive **I** similar

© UCLES 2016

<table>
<tr><th>Question</th><th>Answer</th><th>Mark</th><th>Guidance</th></tr>
<tr><td>1(b)</td><td>
six from
mp1 parental phenotypes yellow <u>fur</u>, black <u>nose</u> X black <u>fur</u>, black <u>nose</u> ;

mp2 parental genotypes Bbee X BbEe ;

mp3 gametes Be be X BE bE Be be ;

mp4 & mp5 offspring genotypes ; ;
<table>
<tr><td></td><td>BE</td><td>Be</td><td>bE</td><td>be</td></tr>
<tr><td>Be</td><td>BBEe</td><td>BBee</td><td>BbEe</td><td>Bbee</td></tr>
<tr><td>be</td><td>BbEe</td><td>Bbee</td><td>bbEe</td><td>bbee</td></tr>
</table>

mp6 offspring phenotypes linked to genotypes ;
<table>
<tr><td>(fur)
(nose)</td><td>black
black</td><td>yellow
black</td><td>black
black</td><td>yellow
black</td></tr>
<tr><td>(fur)
(nose)</td><td>black
black</td><td>yellow
black</td><td>brown
brown</td><td>yellow
pale</td></tr>
</table>

mp7 ratio 3 : 3 : 1 : 1 ;
</td><td>6</td><td>
if monohybrid cross ecf to max 2 for mp3 and mp4

if different letter symbols used to those given in question ecf to max 5 and R mp2

ecf for mp1 if genotypes wrong in mp2

I male and female / paternal and maternal

ecf if gametes match mp2
A paternal gametes written twice

two marks if all 6 genotypes correct
one mark if 5 genotypes correct
one mark if all correct for ecf from mp2 & mp3

phenotypes must clearly match genotypes
</td></tr>
<tr><td></td><td>Total:</td><td>8</td><td></td></tr>
</table>

© UCLES 2016

Question	Answer	Mark	Guidance
2(a)(i)	*in C4 plants* *two from* PEP joins to CO_2 / PEP carboxylase fixes CO_2 ; (first photosynthetic) product is a 4C compound ; oxaloacetate / malate / aspartate ; (4C compound) releases / provides, CO_2 for, rubisco ;	**2**	**I** photorespiration **I** *ref. to* Kranz anatomy / arrangement of cells in C4 leaf **A** binds to / reacts / combines with **A** CO_2, released / provided, for Calvin cycle / light independent reaction **I** CO_2 transported
2(a)(ii)	made up of more than one <u>polypeptide</u> ;	**1**	**A** 16 / several / multiple / many / two or more **I** because it has large and small polypeptides **R** it has more than four polypeptides
2(a)(iii)	*two from* hydrophilic / polar / charged, outside / at surface ; hydrophobic / non-polar / non-charged, inside ; globular (protein) ; *ref. to* polar interactions / hydrogen bonds, with water (molecules) ;	**2**	**I** Van der Waals **A** H bonds with water **R** ionic / covalent bonds
2(b)	*two from* no (new) CO_2 fixed / (previously) fixed carbon lost as CO_2 ; photosynthesis decreased ; less, RuBP (re)generated / available ; less, TP / glucose, will be made ; energy / ATP, used in making RuBP wasted ;	**2**	**A** Calvin cycle / light independent reaction, decreased **I** less GP **A** less GALP will be made

© UCLES 2016

Question	Answer	Mark	Guidance
2(c)	*three from* Calvin cycle / light independent reaction, stops ; no RuBP (for rubisco) ; as no, ATP ; as no reduced NADP ; as no, light dependent reaction / photophosphorylation ;	3	**A** NADPH / $NADPH_2$ **R** reduced NAD
	Total:	10	

Question	Answer	Mark	Guidance
3(a)(i)	(restriction) endonuclease / restriction enzyme ;	1	
3(a)(ii)	(DNA) ligase ;	1	
3(a)(iii)	*two from* (so) gene can be, expressed / transcribed / switched on ; (so) RNA polymerase can bind ; (so) transcription factors can bind ; to control level of expression ;	2	**I** if events stated as happening in bacteria **A** promoters / they are, needed for transcription / gene expression **I** translation
3(a)(iv)	*three from* 1 small ; 2 circles (of DNA) ; 3 contain genes (for enzymes) to enable DNA transfer to plant cells ; 4 contain, restriction sites / polylinkers ; 5 own origin of replication / can multiply independently ; 6 *ref. to* marker genes ;	3	**A** contain, vir / virulence, genes **A** can be cut by restriction enzymes e.g. antibiotic resistance genes

© UCLES 2016

Question	Answer	Mark	Guidance
3(b)	*three from* β-carotene, gene(s) come from a different species **;** **ora** β-carotene / new / inserted, gene(s) not in rice cannot breed two different species together **;** local varieties have, desired / adaptive, genes / alleles / characteristics **;** crossing them with Golden Rice combines (good / best) features **;**	**3**	**A** gene(s) for pro-vitamin A **R** genes for vitamin A **R** local varieties of Golden Rice **A** *idea that* crossing or breeding combines features of both parents, or ability to make β carotene **and** local adaptation
3(c)(i)	*idea of*, label / marker **;** to, identify / measure, vitamin A (in body) from Golden Rice **;**	**2**	**A** to track / trace
3(c)(ii)	*one from* β-carotene must be converted to vitamin A **;** absorbing β-carotene takes time **;**	**1**	**I** digestion **R** absorbing vitamin A **A** description of movement into bloodstream
	Total:	**13**	

© UCLES 2016

Question	Answer	Mark	Guidance
4(a)	*three from* Fansidar® is, more effective / better / kills more parasites, (than chloroquine) in >1 situation / overall **;** **ora** except / chloroquine better (than Fansidar®), in Kenya in 2006 **;** **ora** % figures with unit for both drugs in one location and year **;** effectiveness of Fansidar® decreases (over time) **;** effectiveness of chloroquine increases <u>in</u> <u>Kenya</u> (over time) **;**	**3**	**A** sulfadoxine-pyrimethamine *for Fansidar®*
4(b)	*two from* (in Kenya) effectiveness of / percentage killed by, chloroquine increases **;** (in Kenya) chloroquine selection pressure removed **;** AVP **;** e.g. non-resistant / chloroquine-susceptible, now have selective advantage	**2**	**A** chloroquine resistance no longer selected for **A** *idea that* chloroquine-susceptible more likely to survive / reproduce
4(c)	*four from* random / spontaneous / chance **;** mutation gives resistance (to drug) **;** natural / directional, selection **;** best-adapted / resistant / mutated, parasites, survive / reproduce **;** **ora** favourable / resistance, alleles passed on (to offspring) **;** increase in frequency of alleles for resistance **;**	**4**	**R** resistance to antibiotic *but then* ***ecf*** **A** pre-existing allele / variation (already exists) **A** resistants have <u>selective</u> advantage **A** mutated allele gives selective advantage **I** mutated allele has an advantage **A** resistant individuals pass on, their / the, alleles **A** decrease in frequency of allele for susceptibility
4(d)	<u>discontinuous</u> **;**	**1**	

© UCLES 2016

Question	Answer	Mark	Guidance
4(e)	*two from* (parasites are) haploid / not diploid **;** do not reproduce (only) sexually **;** (no need to calculate as) percentage of parasites killed = frequency of non-resistant allele **; ora** percentage of parasites surviving = frequency of resistant allele AVP **;** Hardy-Weinberg principle requires, random mating / no migration / no mutation / no selection	**2**	**A** Hardy-Weinberg assumes organisms are diploid **A** *descriptions* e.g. n / 2n, etc. **A** Hardy-Weinberg assumes organisms (only) reproduce sexually **or** that *Plasmodium* has stages that reproduce asexually **A** non-random mating / migration / mutation / selection affects, Plasmodium / parasites / allele for chloroquine resistance
	Total:	**12**	

© UCLES 2016

Question	Answer	Mark	Guidance
5(a)	*three from* *ref. to* interactions between, biotic and abiotic (components) **;** *yes* tree supports, many species / community / many interactions **;** energy flow / food web, occurs on one tree **;** *no* *idea that* tree is part of larger ecosystem / interactions occur with organisms outside tree **;** part of, savannah / larger, energy flow / food web / nutrient recycling **;**	**3**	**A** interactions between living and non-living **or** between, the community / populations of different species, and the physico-chemical environment **A** idea of, discrete / self-contained / self-sustaining, group of species / community **A** description of three-step food chain on tree
5(b)(i)	105 **;**	**1**	**A** 104.5 / 104
5(b)(ii)	genus *Acacia* **;** species (*Acacia*) *mellifera* / *nilotica* / *tortilis* **;**	**2**	**R** genus name with lowercase first letter **R** species name with uppercase first letter
5(b)(iii)	*two from* *sample sizes in Table 5.1* 1 are small **;** 2 sample size varies (between the 3 species) **; ora** 3 anomaly could be, missed / have disproportionate effect **;** 4 small(er) / decreased, sample size would be, less representative / less valid / less accurate **; ora**	**2**	**ora** *idea that* they should be the same e.g. large sample size reduces effects of anomalies **or** large sample size allows anomalies to be indentified / either maximum or minimum for *A. tortilis* could be an anomaly / high max for *A. nilotica* could be an anomaly

© UCLES 2016

Question	Answer	Mark	Guidance
5(c)	*three from* *idea of*, species, inter-related / interact (in reserve) **;** to conserve one species need to protect whole ecosystem **;** elephants / large animals, eat acacia **;** AVP **;** e.g. research raises, profile of / money for, game reserve **or** presence of research team deters elephant poachers	**3**	**A** *knock-on effects* e.g. insects (needed to) pollinate plants that elephants eat / insect competitors stunt trees so easier for elephants to reach **I** elephants eat insects
	Total:	**11**	

Question	Answer	Mark	Guidance
6(a)(i)	**C ;**	**1**	
6(a)(ii)	*one from* progesterone concentration decreases **;** oestrogen concentration decreases, near end / in **D ;**	**1**	**A** progesterone is low, at end / in **E** **A** oestrogen concentration is low, at end / in **E**
6(a)(iii)	corpus luteum **;**	**1**	
6(a)(iv)	*one from* maintain the endometrium **;** negative feedback / inhibition, of, FSH / GnRH / LH **;**	**1**	**A** maintains the uterus lining **R** maintains the, endometrium wall / uterus wall **I** thickens lining

© UCLES 2016

Question	Answer	Mark	Guidance
6(b)	*four from* inhibits (secretion of), FSH / LH / GnRH **;** from anterior pituitary gland **;** inhibits follicle, formation / development **;** inhibits ovulation **;** thick(ens) cervical mucus (to stop sperm) **;** prevents implantation **;** AVP **;** e.g. negative feedback / endometrium inhospitable	**4**	
	Total:	**8**	

Question	Answer	Mark	Guidance
7(a)	**P** = **Z** line **;** **Q** = **A** band **;**	**2**	**A** Z disc / zwischenscheibe line **I** Z band
7(b)	*five from* 1 calcium ions / Ca^{2+}, ions from sarcoplasmic reticulum **;** 2 calcium ions / Ca^{2+}, bind to troponin **;** 3 troponin changes shape **;** 4 tropomyosin moves **;** 5 from / exposing, (myosin) binding site on actin **;** 6 myosin head binds (to actin) **;** 7 myosin head tilts / power stroke occurs **;** 8 actin pulled **;**	**5**	**R** Ca^{+} *once but then* ***ecf*** **A** actin-myosin cross-bridges form

© UCLES 2016

Question	Answer	Mark	Guidance
7(c)	*three from* synthesise / produce, ATP ; (ATP needed to) synthesise acetylcholine ; (ATP needed for) movement of vesicles / exocytosis ; (ATP needed to) transport calcium ions, out of presynaptic neurone / into sarcoplasmic reticulum ; (ATP needed to) synthesise acetylcholinesterase ; (ATP needed for) Na^+(– K^+) pumps / pumping / active transport ;	3	**A** provides ATP *but* **R** releases ATP **R** *ref. to* makes / produces, energy **A** make / produce, *or description* **A** vesicle fuses with cell membrane **A** pumping of Ca^{2+} into sarcoplasmic reticulum **A** sodium(-potassium) pump **R** *if direction wrong, i.e. Na+ in or K+ out*
	Total:	10	

Question	Answer	Mark	Guidance
8(a)(i)	potassium hydroxide / sodium hydroxide (solution) ;	1	**A** KOH / NaOH **I** limewater, calcium hydroxide, soda lime, (sodium) bicarbonate or hydrogen carbonate
8(a)(ii)	*one from* must not raise temperature too high for animals ; woodlice, movement / activity ;	1	**A** high temperature / 30 °C or over, could, harm / kill / distress, woodlice
8(a)(iii)	oxidative phosphorylation ;	1	**A** electron transport chain / ETC

© UCLES 2016

Question	Answer	Mark	Guidance
8(b)(i)	<table><tr><th>temperature / ºC</th><th>difference / cm^3</th><th>rate of oxygen uptake / $cm^3\ min^{-1}$</th></tr><tr><td>15</td><td>0.18</td><td>0.012 ;</td></tr><tr><td>25</td><td>0.42</td><td>0.028 ;</td></tr></table>	**2**	**A** 0.01 **A** 0.03
8(b)(ii)	*at 25 °C (**ora** for 15 °C)* *three from* 1 increased kinetic energy ; 2 enzymes / substrates / molecules, move faster ; 3 more collisions (between enzyme and substrate) ; 4 more ESCs formed ; 5 AVP ; Q_{10} = 2	**3**	**I** optimum temperature **A** rate of collisions, higher / faster

© UCLES 2016

Question	Answer	Mark	Guidance
8(c)	*five from* *similarities* 1 reduced NAD (used) in both; 2 NAD regenerated / glycolysis can continue, in both; *differences*	**5**	

	yeast / ethanol		mammalian tissue / lactate	
3	decarboxylation	**or**	no decarboxylation	**;**
4	irreversible	**or**	reversible	**;**
5	two steps / pyruvate → ethanal → ethanol	**and**	one step / pyruvate → lactate	**;**
6	ethanal accepts H	**and**	pyruvate accepts H	**;**
7	ethanol dehydrogenase	**and**	lactate dehydrogenase	**;**

A NADH / $NADH_2$
R reduced NAD produced
A NAD^+ regenerated
A (NADH) re-oxidised to NAD / NAD^+

A CO_2 released (yeast) or not (mammals)

A description of two steps
A pyruvic acid / lactic acid

A ethanol and pyruvate, reduced / gain H^+ and e^-
R they are dehydrogenated

A alcohol dehydrogenase
R lactase dehydrogenase

© UCLES 2016

Question	Answer	Mark	Guidance
9(a)	*eight from* 1 (happens in) proximal convoluted tubule ; 2 all / 100%, glucose (reabsorbed / moves into blood) ; 3 active transport / pumping, of Na^+ out of cells into tissue fluid ; 4 Na^+ concentration decreases inside cells ; 5 therefore Na^+ enters (epithelial / tubule) cells from, lumen / filtrate ; 6 by facilitated diffusion ; 7 this is secondary active transport ; 8 Na^+ brings glucose with it ; 9 this is co-transport ; 10 (facilitated) diffusion of glucose out of cells into tissue fluid ; 11 GLUT proteins (on basolateral membranes) ; 12 *ref. to* microvilli (on lumen side / apical membrane) ; 13 to increase surface area for reabsorption ; 14 tight junctions separate proteins of front and basolateral membranes ;	**8**	**A** epithelial layer for cells of proximal convoluted tubule throughout but **R** endothelial layer / tubule wall **A** interstitial fluid / blood / capillary **I** diffusion from tissue fluid to blood **A** *ref. to* co-transporter **A** interstitial fluid / blood / capillary

© UCLES 2016

Question	Answer	Mark	Guidance
9(b)	*seven from* 1 (low blood water potential) detected by osmoreceptors ; 2 in hypothalamus ; 3 neurosecretory cells (stimulated to) produce ADH ; 4 ADH released by posterior pituitary ; 5 ADH transport in blood ; 6 (ADH) binds to receptors (on cell surface membranes) ; 7 (of) collecting duct / distal convoluted tubule ; 8 aquaporins / water transport proteins, added to membranes ; 9 increases permeability to water (of collecting duct / distal convoluted tubule) ; 10 water moves out of, filtrate / tubule lumen ; 11 by osmosis ; 12 into, interstitial fluid / tissue fluid / blood / capillaries ; 13 small volume of / concentrated, urine produced ; 14 increases water potential of blood (back to norm) ;	**7**	**I** ADH secreted into blood **A** description of vesicles with aquaporins fusing with (cell surface) membranes **R** *if in context of, proximal convoluted tubule / loop of Henle* **A** returns Ψ to normal
	Total:	**15**	

© UCLES 2016

Question	Answer	Mark	Guidance
10(a)	*eight from* 1 mechanical energy converted to electrical ; 2 *ref. to* sensory hair cell (is receptor / detects touch) ; 3 cell membrane depolarises ; 4 (if at least) <u>two</u> hairs touched (within 35 seconds) ; 5 action potential occurs ; 6 action potential / depolarisation, spreads over, leaf / lobe ; 7 *ref. to* hinge / midrib, cells ; 8 H^+, pumped out of cells / pumped into cell walls ; 9 cell wall, loosens / cross-links broken ; 10 calcium pectate dissolves (in middle lamella) ; 11 Ca^{2+} (ions) enter cells ; 12 water, enters / follows, by osmosis ; 13 cells, expand / become turgid ; 14 change from convex to concave ; 15 trap shuts, quickly / in <1s / in 0.3s ; 16 AVP; acid growth hypothesis / expansins / elastic tension ;	**8**	**A** sensory or trigger hairs **A** receptor / generator, potential **A** if only one hair touched no closure **R** nerve impulses **A** to midrib / to hinge

© UCLES 2016

Question	Answer	Mark	Guidance
10(b)	*seven from* *control* 1 gibberellin synthesis / dwarfism, controlled by gene *Le* / *le* ; 2 dominant allele / *Le*, gives, functional enzyme / active gibberellin ; **ora** 3 enzyme converts inactive to active gibberellin ; *stem elongation* 4 without GA, transcription factor / PIF, attached to DELLA protein ; 5 GA binds to receptor (complex) ; 6 causes DELLA (protein) destruction ; 7 transcription factor / PIF / RNA polymerase, binds to DNA ; 8 (growth) genes, switched on / expressed / transcribed ; 9 causes cell division ; 10 causes cell elongation ; 11 increases internode length ; 12 loosens cell walls / acid growth ; 13 so cells can expand when water enters ; 14 AVP ; e.g. interaction with auxin, *ref. to* expansins	**7**	**I** seed context throughout **A** recessive allele / *le*, gives, non- functional enzyme / non-active gibberellin **A** inhibition of transcription removed **A** breaks cross-links in cell wall
	Total:	**15**	

© UCLES 2016