Cambridge International AS & A Level

Cambridge International Examinations
Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

3617713944

BIOLOGY **9700/41**

Paper 4 A Level Structured Questions **October/November 2016**

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Section A
Answer **all** questions.

Section B
Answer **one** question.

Electronic calculators may be used.
You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.

DC (LK/AR) 108517/3
© UCLES 2016

Section A

Answer **all** the questions.

1 **(a)** Diabetes insipidus (DI) is a condition that results in excessive thirst and the excretion of large amounts of dilute urine. A main cause of DI is a deficiency of ADH.

ADH normally binds to receptor proteins on cell surface membranes of cells in the collecting ducts of nephrons.

Outline the effect of ADH on the collecting ducts.

.....

.....

.....

.....

.....

.....

.....

..... [3]

(b) An inherited form of DI may be caused by faulty membrane receptors. These receptors are coded for by a sex-linked allele.

(i) Explain the term *sex linkage*.

.....

.....

..... [1]

© UCLES 2016

(ii) Use a genetic diagram to show how parents who do not have this condition can have a child with the inherited form of DI.

symbols

.....

.....

parental genotypes

gametes

offspring genotypes

offspring phenotypes

[4]

[Total: 8]

2 Grass crops such as maize, sorghum and sugarcane are C4 plants. They are common grass crops of tropical regions.

Oats and wheat, commonly grown in temperate regions, are C3 plants. Most plants are C3 plants. They are termed 'C3' because the first product of photosynthesis is a three carbon compound.

(a) Outline how the biochemistry of C4 plants differs from that of C3 plants.

.....

.....

.....

.....[2]

(b) The C4 pathway for fixing carbon dioxide was worked out in 1966 by Hatch and Slack. During their investigation they measured the rates of fixation of carbon dioxide at high light intensities in leaves removed from both temperate and tropical grasses.

They also measured the rates of activity of two carboxylase enzymes in the leaves, ribulose bisphosphate carboxylase (rubisco) and PEP carboxylase.

All rates were measured at 30 °C.

Some of their results are shown in Table 2.1.

Table 2.1

grass crop	rate of fixation of carbon dioxide / arbitrary units	rate of activity of rubisco / arbitrary units	rate of activity of PEP carboxylase / arbitrary units
maize	3.5	0.62	17.50
sorghum	3.1	0.35	15.80
sugarcane	2.9	0.30	18.50
oats	1.6	4.50	0.33
wheat	1.7	4.70	0.29

© UCLES 2016

(i) With reference to Table 2.1, compare the rates of fixation of carbon dioxide in C3 and C4 grasses.

.....

.....

.....

.....

.....

.....[2]

(ii) Describe the role of rubisco in the Calvin cycle.

.....

.....

.....

.....

.....

.....

.....[3]

(iii) With reference to Table 2.1, suggest reasons for the differences in activity of the two carboxylase enzymes in C3 and C4 grasses.

.....

.....

.....

.....

.....

.....

.....

.....[4]

(c) It has been calculated that, to produce one molecule of glucose, the C3 pathway uses 18 molecules of ATP and the C4 pathway uses 30 molecules of ATP.

Suggest why C4 plants can afford this high cost of ATP.

.....

.....

.....

.....

.....[2]

[Total: 13]

© UCLES 2016

3 The polymerase chain reaction (PCR) is used to produce large amounts of DNA from a very small original sample. The main stages of a PCR are shown in Fig. 3.1.




Fig. 3.1

(a) (i) Explain why the DNA sample is heated to 95 °C in **step 1**.

.....

.....

.....

.....

.....[2]

(ii) Explain why primers are added in **step 2**.

.....

.....

.....

.....

.....[2]

© UCLES 2016

(iii) Explain why the enzyme *Taq* polymerase is used in **step 3**.

.....

.....

.....

.....

.....[2]

(b) After an organism dies, its DNA gradually breaks down. However, cells in bones that were buried hundreds of years ago may still yield small amounts of DNA that can be extracted, amplified using PCR and then analysed. Mitochondrial DNA (mtDNA) is often used because there are usually more than 100 copies of it in one cell, compared with only two copies of nuclear DNA.

For example, in 1994, mtDNA from bones that had been found in a grave in Russia was analysed to confirm that these were the remains of the royal family, who were known to have been killed in 1918. The mtDNA extracted from the bones was compared with the mtDNA from a living relative of the family.

The family tree of the Russian royal family and some of their relatives is shown in Fig. 3.2.




Fig. 3.2

(i) Explain why there are usually more than 100 copies of mtDNA in a cell, but only two copies of nuclear DNA.

.....

.....

.....

.....

.....[2]

(ii) All of the mitochondria in a zygote come from the egg, not the sperm.

List the **letters** of the people in the family tree in Fig. 3.2 who would be expected to have mtDNA identical to the mtDNA of the living relative, **G**.

.....

.....[1]

[Total: 9]

4 Spraying insecticide on the walls inside houses is the main method of controlling a species of *Anopheles* mosquito in rural India. A number of different insecticides have been used.

Malathion was the main insecticide used for many years. In 2005 the newer insecticide, deltamethrin, was used instead and the use of malathion was discontinued.

A laboratory study was carried out using mosquitoes collected from two sites in India. The percentage of mosquitoes killed by malathion and deltamethrin was estimated.

The results of the study are shown in Table 4.1

Table 4.1

site	year	percentage of mosquitoes killed by	
		malathion	deltamethrin
Jamnagar	2005	76	100
	2007	95	90
Bikaner	2005	66	100
	2007	77	100

(a) With reference to Table 4.1, describe the difference in effectiveness of the two insecticides.

.....

.....

.....

.....

.....

.....

.....[3]

© UCLES 2016

(b) The researchers concluded that at Jamnagar, the mosquitoes had evolved resistance to deltamethrin.

Explain how the mosquitoes evolved resistance.

.....

.....

.....

.....

.....

.....

.....

.....[4]

(c) Explain how the data in Table 4.1 show evidence that the use of malathion was discontinued after 2005.

.....

.....

.....

.....

.....

.....[2]

(d) The resistance of mosquitoes to malathion was found to be due to a difference in the shape of **one** enzyme.

Name the type of variation controlling malathion resistance in the mosquito population.

.....[1]

(e) Some students suggested that resistance to malathion could be due to a gene with two alleles. They proposed that the allele for resistance to malathion would be dominant to the allele for non-resistance.

Using this assumption, the data in Table 4.1 can be used to calculate the frequency of resistant mosquitoes and the frequency of the allele for resistance in a mosquito population.

Use the Hardy-Weinberg principle to calculate the frequency, *p*, of the allele for resistance in Jamnagar in 2005.

[3]

[Total: 13]

© UCLES 2016

5 The land area of Italy is composed of forest, grasslands (including agricultural fields), built-up areas (for example towns and cities) and inland water bodies like lakes and rivers.

Table 5.1 shows changes in the area covered by these environments over a fifteen year period.

Table 5.1

environment	**area / thousand hectares**		
	1990	**2000**	**2005**
forest	8791	9564	9951
agricultural fields and towns	20620	19847	19460
inland water bodies	723	723	723
total	30134	30134	30134

(a) (i) Explain why none of the three environments listed in Table 5.1 can be referred to as an ecosystem.

.....

.....

.....

.....

.....

.....

.....[2]

(ii) The increase in area covered by forest in Italy has occurred because farmers have cultivated less of their land or have abandoned their farms altogether.

Describe how this change in land use may affect biodiversity. You should consider the three different levels of biodiversity in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

(b) Two large mammals native to Italy are the grey wolf and the lynx. Fig. 5.1 shows a grey wolf and Fig. 5.2 shows a lynx.



Fig. 5.1



Fig. 5.2

© UCLES 2016

Some facts relevant to the survival of these large mammals in Italy are listed below.

In 1971:
- there were fewer than 100 wolves in Italy
- lynx were extinct in Italy
- wolves received protected status in Italy
- lynx were successfully re-introduced to Switzerland, which shares a border with Italy.

In 1973:
- lynx were successfully re-introduced to Slovenia, which also shares a border with Italy.

In 2014:
- the number of wolves in Italy was estimated at 800
- the number of lynx in Italy was estimated at around 25.

Suggest what actions may have been necessary at **local**, **national** and **global** levels to contribute to the successful conservation of biodiversity of Italy's large mammals.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

[Total: 10]

6 **(a)** Fig. 6.1 shows the concentration of four hormones in a woman's blood during one menstrual cycle.




Fig. 6.1

(i) With reference to Fig. 6.1, explain why there is a large increase in LH at around day 12.

.....

.....[1]

(ii) State how Fig. 6.1 shows that the woman did not become pregnant during this cycle.

.....

.....[1]

© UCLES 2016

(b) The combined oral contraceptive pill contains oestrogen and progesterone.

(i) Explain how this combined contraceptive pill works to prevent pregnancy.

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

(ii) Suggest why some women take the combined contraceptive pill for just the first 21 days of their cycles.

.....

.....[1]

(iii) Some women have a contraceptive device inserted under the skin. This releases hormones into the blood and can last for up to three years.

Suggest **one** advantage of using such a device rather than taking contraceptive pills.

.....

.....[1]

[Total: 8]

7 Fig. 7.1 shows a mammalian neuromuscular junction.




Fig. 7.1

(a) (i) On Fig. 7.1, use label lines and letters to label each of the following parts:

A – a region containing only actin
B – a region containing both actin and myosin. [2]

(ii) Outline how an action potential arriving at this neuromuscular junction can result in depolarisation of the sarcolemma.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

© UCLES 2016

(b) Table 7.1 shows some of the events occurring during muscle contraction. They are **not** listed in the correct order.

Table 7.1

event	description of event
Q	Ca^{2+} ions diffuse out of sarcoplasmic reticulum
R	myosin heads bind to actin
S	sarcolemma depolarised
T	sarcomere shortens
U	Ca^{2+} ions bind to troponin
V	transverse tubules depolarised
W	binding sites on actin exposed
X	myosin heads tilt
Y	tropomyosin moves
Z	troponin changes shape

Complete Table 7.2 to show the **correct** order of the events.
Two of the events have been completed for you.

Table 7.2

correct order	letter of event
1	.....
2	.....
3	.....
4	.....
5	**Z**
6	.....
7	.....
8	.....
9	.....
10	**T**

[4]

[Total: 10]

8 **(a)** When a dormant seed absorbs water it will start to germinate and its rate of respiration will increase.

Name the plant growth regulator involved in the initiation of germination of seeds.

.....[1]

(b) A respirometer can be used to measure the rate of respiration of germinating seeds.

Fig. 8.1 shows a respirometer.




Fig. 8.1

(i) State the role of potassium hydroxide solution in the use of a respirometer.

.....

.....[1]

(ii) As respiration takes place, oxygen is used by the seeds and the coloured liquid moves down the tube.

Describe the role of oxygen in aerobic respiration.

.....

.....

.....

.....

.....

.....

.....[3]

(c) Respirometers, as shown in Fig. 8.1, were used to investigate the effect of temperature on the rate of respiration of germinating pea seeds.

Four respirometers, **A**, **B**, **C** and **D** were set up:

- **A** and **B** in a water-bath maintained at 10 °C.
- **C** and **D** in a water-bath maintained at 25 °C.
- **A** and **C** each contained 30 germinating pea seeds.
- **B** and **D** each contained glass beads with a total volume equivalent to 30 pea seeds.

- The respirometers were left in the water-baths for 10 minutes.
- In each respirometer the position of the coloured liquid in the graduated tube was then marked (time 0 minutes).
- After 5 minutes the distance moved by the coloured liquid was measured.
- The volume of oxygen taken up was calculated for each respirometer.
- This was repeated after 10, 15 and 20 minutes.

Fig. 8.2 shows the results of the experiment.




Fig. 8.2

(i) Suggest why the respirometers were left for 10 minutes before measurements were made.

.....

.....[1]

(ii) Suggest why respirometers **B** and **D** were used in this investigation.

.....

.....

.....

.....[2]

(iii) Calculate the rate of oxygen uptake in cm^3 per minute for respirometer **C** between 5 and 20 minutes.

Give your answer to two significant figures.

Show your working.

answer ..... $cm^3\ min^{-1}$ [2]

(iv) Explain why there is an increased rate of respiration of germinating pea seeds between 10 °C and 25 °C.

.....

.....

.....

.....

.....[2]

(v) Suggest why carrying out the experiment with germinating seeds at 50 °C could result in a lower rate of respiration than at 25 °C.

.....

.....

.....

.....[2]

[Total: 14]

Section B

Answer **one** question.

9 **(a)** Using examples, outline the importance of homeostasis in a mammal. [7]

(b) Describe the main stages of cell signalling in the control of blood glucose concentration by adrenaline. [8]

[Total: 15]

10 **(a)** Explain the role of auxin in cell elongation in plants. [7]

(b) Describe the role of abscisic acid in the closure of stomata. [8]

[Total: 15]

© UCLES 2016

© UCLES 2016

© UCLES 2016

[Turn over

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Cambridge International AS & A Level

Cambridge International Examinations
Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

3335376107

BIOLOGY **9700/42**

Paper 4 A Level Structured Questions **October/November 2016**

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Section A
Answer **all** questions.

Section B
Answer **one** question.

Electronic calculators may be used.
You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of **24** printed pages and **4** lined pages.

© UCLES 2016

CAMBRIDGE International Examinations

Section A

Answer **all** the questions.

1 **(a)** Diabetes insipidus (DI) is a condition that results in excessive thirst and the excretion of large amounts of dilute urine. A main cause of DI is a deficiency of ADH.

ADH normally binds to receptor proteins on cell surface membranes of cells in the collecting ducts of nephrons.

Outline the effect of ADH on the collecting ducts.

.....

.....

.....

.....

.....

.....

.....

..... [3]

(b) An inherited form of DI may be caused by faulty membrane receptors. These receptors are coded for by a sex-linked allele.

(i) Explain the term *sex linkage*.

.....

.....

..... [1]

© UCLES 2016

(ii) Use a genetic diagram to show how parents who do not have this condition can have a child with the inherited form of DI.

symbols

.....

.....

parental genotypes

gametes

offspring genotypes

offspring phenotypes

[4]

[Total: 8]

2 Grass crops such as maize, sorghum and sugarcane are C4 plants. They are common grass crops of tropical regions.

Oats and wheat, commonly grown in temperate regions, are C3 plants. Most plants are C3 plants. They are termed 'C3' because the first product of photosynthesis is a three carbon compound.

(a) Outline how the biochemistry of C4 plants differs from that of C3 plants.

.....

.....

.....

.....[2]

(b) The C4 pathway for fixing carbon dioxide was worked out in 1966 by Hatch and Slack. During their investigation they measured the rates of fixation of carbon dioxide at high light intensities in leaves removed from both temperate and tropical grasses.

They also measured the rates of activity of two carboxylase enzymes in the leaves, ribulose bisphosphate carboxylase (rubisco) and PEP carboxylase.

All rates were measured at 30 °C.

Some of their results are shown in Table 2.1.

Table 2.1

grass crop	rate of fixation of carbon dioxide / arbitrary units	rate of activity of rubisco / arbitrary units	rate of activity of PEP carboxylase / arbitrary units
maize	3.5	0.62	17.50
sorghum	3.1	0.35	15.80
sugarcane	2.9	0.30	18.50
oats	1.6	4.50	0.33
wheat	1.7	4.70	0.29

© UCLES 2016

(i) With reference to Table 2.1, compare the rates of fixation of carbon dioxide in C3 and C4 grasses.

.....

.....

.....

.....

.....

.....[2]

(ii) Describe the role of rubisco in the Calvin cycle.

.....

.....

.....

.....

.....

.....

.....[3]

(iii) With reference to Table 2.1, suggest reasons for the differences in activity of the two carboxylase enzymes in C3 and C4 grasses.

.....

.....

.....

.....

.....

.....

.....

.....[4]

(c) It has been calculated that, to produce one molecule of glucose, the C3 pathway uses 18 molecules of ATP and the C4 pathway uses 30 molecules of ATP.

Suggest why C4 plants can afford this high cost of ATP.

.....

.....

.....

.....

.....[2]

[Total: 13]

© UCLES 2016

3 The polymerase chain reaction (PCR) is used to produce large amounts of DNA from a very small original sample. The main stages of a PCR are shown in Fig. 3.1.




Fig. 3.1

(a) (i) Explain why the DNA sample is heated to 95 °C in **step 1**.

.....

.....

.....

.....

.....[2]

(ii) Explain why primers are added in **step 2**.

.....

.....

.....

.....

.....[2]

© UCLES 2016

(iii) Explain why the enzyme *Taq* polymerase is used in **step 3**.

.....

.....

.....

.....

.....[2]

(b) After an organism dies, its DNA gradually breaks down. However, cells in bones that were buried hundreds of years ago may still yield small amounts of DNA that can be extracted, amplified using PCR and then analysed. Mitochondrial DNA (mtDNA) is often used because there are usually more than 100 copies of it in one cell, compared with only two copies of nuclear DNA.

For example, in 1994, mtDNA from bones that had been found in a grave in Russia was analysed to confirm that these were the remains of the royal family, who were known to have been killed in 1918. The mtDNA extracted from the bones was compared with the mtDNA from a living relative of the family.

The family tree of the Russian royal family and some of their relatives is shown in Fig. 3.2.




Fig. 3.2

(i) Explain why there are usually more than 100 copies of mtDNA in a cell, but only two copies of nuclear DNA.

.....

.....

.....

.....

.....[2]

(ii) All of the mitochondria in a zygote come from the egg, not the sperm.

List the **letters** of the people in the family tree in Fig. 3.2 who would be expected to have mtDNA identical to the mtDNA of the living relative, **G**.

.....

.....[1]

[Total: 9]

4 Spraying insecticide on the walls inside houses is the main method of controlling a species of *Anopheles* mosquito in rural India. A number of different insecticides have been used.

Malathion was the main insecticide used for many years. In 2005 the newer insecticide, deltamethrin, was used instead and the use of malathion was discontinued.

A laboratory study was carried out using mosquitoes collected from two sites in India. The percentage of mosquitoes killed by malathion and deltamethrin was estimated.

The results of the study are shown in Table 4.1

Table 4.1

site	year	percentage of mosquitoes killed by	
		malathion	deltamethrin
Jamnagar	2005	76	100
	2007	95	90
Bikaner	2005	66	100
	2007	77	100

(a) With reference to Table 4.1, describe the difference in effectiveness of the two insecticides.

.....

.....

.....

.....

.....

.....

.....[3]

© UCLES 2016

(b) The researchers concluded that at Jamnagar, the mosquitoes had evolved resistance to deltamethrin.

Explain how the mosquitoes evolved resistance.

.....

.....

.....

.....

.....

.....

.....

.....[4]

(c) Explain how the data in Table 4.1 show evidence that the use of malathion was discontinued after 2005.

.....

.....

.....

.....

.....

.....[2]

(d) The resistance of mosquitoes to malathion was found to be due to a difference in the shape of **one** enzyme.

Name the type of variation controlling malathion resistance in the mosquito population.

.....[1]

(e) Some students suggested that resistance to malathion could be due to a gene with two alleles. They proposed that the allele for resistance to malathion would be dominant to the allele for non-resistance.

Using this assumption, the data in Table 4.1 can be used to calculate the frequency of resistant mosquitoes and the frequency of the allele for resistance in a mosquito population.

Use the Hardy-Weinberg principle to calculate the frequency, *p*, of the allele for resistance in Jamnagar in 2005.

[3]

[Total: 13]

© UCLES 2016

5 The land area of Italy is composed of forest, grasslands (including agricultural fields), built-up areas (for example towns and cities) and inland water bodies like lakes and rivers.

Table 5.1 shows changes in the area covered by these environments over a fifteen year period.

Table 5.1

environment	**area / thousand hectares**		
	1990	**2000**	**2005**
forest	8791	9564	9951
agricultural fields and towns	20620	19847	19460
inland water bodies	723	723	723
total	30134	30134	30134

(a) (i) Explain why none of the three environments listed in Table 5.1 can be referred to as an ecosystem.

.....

.....

.....

.....

.....

.....

.....[2]

(ii) The increase in area covered by forest in Italy has occurred because farmers have cultivated less of their land or have abandoned their farms altogether.

Describe how this change in land use may affect biodiversity. You should consider the three different levels of biodiversity in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

(b) Two large mammals native to Italy are the grey wolf and the lynx. Fig. 5.1 shows a grey wolf and Fig. 5.2 shows a lynx.



Fig. 5.1



Fig. 5.2

© UCLES 2016

Some facts relevant to the survival of these large mammals in Italy are listed below.

In 1971:
- there were fewer than 100 wolves in Italy
- lynx were extinct in Italy
- wolves received protected status in Italy
- lynx were successfully re-introduced to Switzerland, which shares a border with Italy.

In 1973:
- lynx were successfully re-introduced to Slovenia, which also shares a border with Italy.

In 2014:
- the number of wolves in Italy was estimated at 800
- the number of lynx in Italy was estimated at around 25.

Suggest what actions may have been necessary at **local**, **national** and **global** levels to contribute to the successful conservation of biodiversity of Italy's large mammals.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

[Total: 10]

6 **(a)** Fig. 6.1 shows the concentration of four hormones in a woman's blood during one menstrual cycle.




Fig. 6.1

(i) With reference to Fig. 6.1, explain why there is a large increase in LH at around day 12.

.....

.....[1]

(ii) State how Fig. 6.1 shows that the woman did not become pregnant during this cycle.

.....

.....[1]

© UCLES 2016

(b) The combined oral contraceptive pill contains oestrogen and progesterone.

(i) Explain how this combined contraceptive pill works to prevent pregnancy.

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

(ii) Suggest why some women take the combined contraceptive pill for just the first 21 days of their cycles.

.....

.....[1]

(iii) Some women have a contraceptive device inserted under the skin. This releases hormones into the blood and can last for up to three years.

Suggest **one** advantage of using such a device rather than taking contraceptive pills.

.....

.....[1]

[Total: 8]

7 Fig. 7.1 shows a mammalian neuromuscular junction.




Fig. 7.1

(a) (i) On Fig. 7.1, use label lines and letters to label each of the following parts:

A – a region containing only actin
B – a region containing both actin and myosin. [2]

(ii) Outline how an action potential arriving at this neuromuscular junction can result in depolarisation of the sarcolemma.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[4]

© UCLES 2016

(b) Table 7.1 shows some of the events occurring during muscle contraction. They are **not** listed in the correct order.

Table 7.1

event	description of event
Q	Ca^{2+} ions diffuse out of sarcoplasmic reticulum
R	myosin heads bind to actin
S	sarcolemma depolarised
T	sarcomere shortens
U	Ca^{2+} ions bind to troponin
V	transverse tubules depolarised
W	binding sites on actin exposed
X	myosin heads tilt
Y	tropomyosin moves
Z	troponin changes shape

Complete Table 7.2 to show the **correct** order of the events.
Two of the events have been completed for you.

Table 7.2

correct order	letter of event
1	.....
2	.....
3	.....
4	.....
5	**Z**
6	.....
7	.....
8	.....
9	.....
10	**T**

[4]

[Total: 10]

8 **(a)** When a dormant seed absorbs water it will start to germinate and its rate of respiration will increase.

Name the plant growth regulator involved in the initiation of germination of seeds.

.....[1]

(b) A respirometer can be used to measure the rate of respiration of germinating seeds.

Fig. 8.1 shows a respirometer.




Fig. 8.1

(i) State the role of potassium hydroxide solution in the use of a respirometer.

.....

.....[1]

(ii) As respiration takes place, oxygen is used by the seeds and the coloured liquid moves down the tube.

Describe the role of oxygen in aerobic respiration.

.....

.....

.....

.....

.....

.....

.....[3]

(c) Respirometers, as shown in Fig. 8.1, were used to investigate the effect of temperature on the rate of respiration of germinating pea seeds.

Four respirometers, **A**, **B**, **C** and **D** were set up:

- **A** and **B** in a water-bath maintained at 10 °C.
- **C** and **D** in a water-bath maintained at 25 °C.
- **A** and **C** each contained 30 germinating pea seeds.
- **B** and **D** each contained glass beads with a total volume equivalent to 30 pea seeds.

- The respirometers were left in the water-baths for 10 minutes.
- In each respirometer the position of the coloured liquid in the graduated tube was then marked (time 0 minutes).
- After 5 minutes the distance moved by the coloured liquid was measured.
- The volume of oxygen taken up was calculated for each respirometer.
- This was repeated after 10, 15 and 20 minutes.

Fig. 8.2 shows the results of the experiment.




Fig. 8.2

(i) Suggest why the respirometers were left for 10 minutes before measurements were made.

.....

.....[1]

(ii) Suggest why respirometers **B** and **D** were used in this investigation.

.....

.....

.....

.....[2]

(iii) Calculate the rate of oxygen uptake in cm^3 per minute for respirometer **C** between 5 and 20 minutes.

Give your answer to two significant figures.

Show your working.

answer ..... $cm^3\ min^{-1}$ [2]

(iv) Explain why there is an increased rate of respiration of germinating pea seeds between 10 °C and 25 °C.

.....

.....

.....

.....

.....[2]

(v) Suggest why carrying out the experiment with germinating seeds at 50 °C could result in a lower rate of respiration than at 25 °C.

.....

.....

.....

.....[2]

[Total: 14]

Section B

Answer **one** question.

9 **(a)** Using examples, outline the importance of homeostasis in a mammal. [7]

(b) Describe the main stages of cell signalling in the control of blood glucose concentration by adrenaline. [8]

[Total: 15]

10 **(a)** Explain the role of auxin in cell elongation in plants. [7]

(b) Describe the role of abscisic acid in the closure of stomata. [8]

[Total: 15]

© UCLES 2016

[Turn over

© UCLES 2016

© UCLES 2016

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Cambridge International AS & A Level

Cambridge International Examinations
Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME

CENTRE NUMBER

CANDIDATE NUMBER

1777785994 6

BIOLOGY **9700/43**

Paper 4 A Level Structured Questions **October/November 2016**

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Section A
Answer **all** questions.

Section B
Answer **one** question.

Electronic calculators may be used.
You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of **21** printed pages and **3** lined pages.

© UCLES 2016

CAMBRIDGE International Examinations

Section A

Answer **all** the questions.

1 The Labrador retriever is a modern breed of dog that can have yellow, black or brown fur and pale, black or brown noses. The inheritance of fur and nose colour is the result of the interaction between genes at two different loci, the B locus and the E locus.

Fig. 1.1 shows a Labrador retriever.



Fig. 1.1

Table 1.1 shows how gene interaction results in different phenotypes.

Table 1.1

alleles at B locus	alleles at E locus	phenotype
B_	ee	yellow fur black nose
bb	ee	yellow fur pale nose
B_	E_	black fur black nose
bb	E_	brown fur brown nose

A male Labrador retriever, heterozygous at the B locus and homozygous recessive at the E locus, was mated with a female Labrador retriever heterozygous at both loci.

(a) Explain the terms *locus* and *homozygous*.

locus .....

.....

homozygous .....

..... [2]

(b) Use a genetic diagram to show the possible genotypes and phenotypes of the offspring from the mating between the two Labrador retrievers.

parental phenotypes

parental genotypes

gametes

offspring genotypes and phenotypes

[6]

[Total: 8]

© UCLES 2016

[Turn over

2 Most plants are C3 plants and are so-called because their first photosynthetic product is a three carbon compound.

The enzyme ribulose bisphosphate carboxylase/oxygenase (rubisco) catalyses the fixation of carbon dioxide in the Calvin cycle and is used by both C3 and C4 plants.

Each molecule is made up of eight large polypeptides and eight small polypeptides. Fig. 2.1 shows a side view of the molecule.




Fig. 2.1

(a) (i) Outline how the biochemistry of C4 plants differs from that of C3 plants.

.....

.....

.....

.....

.....[2]

(ii) State why rubisco is said to have quaternary structure.

.....

.....[1]

(iii) Explain what makes a molecule such as rubisco soluble.

.....

.....

.....

.....

.....[2]

© UCLES 2016

(b) The active sites of rubisco accept ribulose bisphosphate (RuBP) and **either** carbon dioxide **or** oxygen and can catalyse the two reactions shown below.

either

$RuBP + CO_2 \longrightarrow$ unstable intermediate compound $\longrightarrow$ 2GP (PGA)

or

$RuBP + 2O_2 \longrightarrow$ unstable intermediate compound $\longrightarrow$ GP (PGA) + $2CO_2$

Explain the consequences to the plant of the reaction involving oxygen.

.....

.....

.....

.....

.....[2]

(c) In the absence of light, rubisco changes shape from an active form to an inactive form.

Explain why rubisco does **not** need to be in an active form in the absence of light.

.....

.....

.....

.....

.....

.....[3]

[Total: 10]

© UCLES 2016

[Turn over

3 Vitamin A deficiency is a major health problem in parts of the world where children have a limited diet. Rice enhanced with pro-vitamin A has been produced through genetic engineering. This new rice, called Golden Rice, contains large amounts of β-carotene, which is used in the human body to synthesise vitamin A. From this Golden Rice, newer varieties of Golden Rice have been developed by selective breeding.

Fig. 3.1 shows how Golden Rice was originally produced by genetic engineering.




Fig. 3.1

© UCLES 2016

(a) (i) Name the types of enzyme used in **step 1** and **step 2**.

.....[1]

(ii) Name the enzyme used in **step 3**.

.....[1]

(iii) Explain why promoters were introduced along with the genes for β-carotene in **step 3**.

.....

.....

.....

.....

.....[2]

(iv) Describe the properties of plasmids that make them suitable for their roles in the production of Golden Rice.

.....

.....

.....

.....

.....

.....

.....

.....[3]

(b) Rice is an important food crop in many different countries. Farmers in different parts of the world have developed rice varieties that grow well in the local climate and soil conditions.

Selective breeding programmes have been carried out in which Golden Rice was interbred with local rice varieties to produce varieties of Golden Rice that grow well in different localities.

Explain why the original Golden Rice had to be developed by genetic engineering, but locally-adapted varieties of Golden Rice could be developed by selective breeding.

.....

.....

.....

.....

.....

.....

.....

.....[3]

(c) An investigation was carried out to check that β-carotene from Golden Rice can be converted to vitamin A in the body.

Golden Rice plants were grown using water whose molecules contained deuterium instead of ordinary hydrogen. Deuterium is an isotope of hydrogen that contains a neutron as well as a proton in its nucleus. The β-carotene synthesised in these rice plants contained deuterium.

Volunteers ate a measured dose of rice taken from these Golden Rice plants. The concentrations in the blood of vitamin A containing deuterium were measured on the day before they ate the rice, and then over the next 6 days.

Fig. 3.2 shows the results.

© UCLES 2016




Fig. 3.2

(i) Explain why the Golden Rice was grown using water containing deuterium.

.....

.....

.....

.....

.....[2]

(ii) Suggest why it took several hours after the Golden Rice had been eaten for the maximum concentration of vitamin A containing deuterium to be reached.

.....

.....

.....[1]

[Total: 13]

4 Drug therapy is the main method of treating cases of malaria. A number of different drugs have been used to kill a species of the *Plasmodium* parasite that causes malaria.

Chloroquine was the main drug used in Africa for many years. In 1996 the newer drug, sulfadoxine-pyrimethamine (Fansidar®), was used instead and the use of chloroquine was discontinued.

A study was carried out to estimate the percentage of parasites that were killed by the two different drugs in two countries in Africa.

The results of the study are shown in Table 4.1.

Table 4.1

country	year	percentage of parasites killed by	
		chloroquine	sulfadoxine-pyrimethamine
Kenya	1996	5	85
	2006	38	5
Uganda	1996	0	88
	2006	0	5

(a) With reference to Table 4.1, describe the difference in effectiveness of the two drugs.

.....

.....

.....

.....

.....

.....

.....[3]

(b) Explain how the data in Table 4.1 show evidence that the use of chloroquine was discontinued after 1996.

.....

.....

.....

.....

.....[2]

© UCLES 2016

(c) The researchers concluded that in both Kenya and Uganda the parasite had evolved resistance to sulfadoxine-pyrimethamine.

Explain how the parasites evolved resistance.

.....

.....

.....

.....

.....

.....

.....

.....[4]

(d) The resistance of *Plasmodium* parasites to chloroquine was found to be due to a difference in the shape of one specific type of cell surface membrane protein.

Name the type of variation controlling chloroquine resistance in the *Plasmodium* population.

.....[1]

(e) The life cycle of *Plasmodium* is very complex, with a number of stages. The stages that infect human beings are haploid.

Suggest why the Hardy-Weinberg principle **cannot** be used to calculate the frequency of the allele for chloroquine resistance.

.....

.....

.....

.....

.....

.....[2]

[Total: 12]

© UCLES 2016

[Turn over

5 Researchers measured insect biodiversity on *Acacia* trees in the African savannah using the following method:

- insecticide was sprayed into each tree
- this killed the insects, which fell onto a sheet below the tree
- the dead insects were collected, identified and counted.

(a) The researchers considered each tree to be a small, distinct ecosystem.

Discuss whether or not an individual tree can be described as a small, distinct ecosystem.

.....

.....

.....

.....

.....

.....

.....

.....[3]

(b) Table 5.1 shows summary statistics for some of the trees sampled in this study. The leaf canopy area is a measure of the size of the tree and the extent of its leaf cover.

Table 5.2 shows the diversity and abundance of some different taxonomic groups of insects in the study.

Table 5.1

tree species	**number of trees sampled**	**total leaf canopy area sampled / m^2**	**number of insect species**		
			on the single tree with the smallest diversity	**on the single tree with the largest diversity**	**mean for all trees sampled**
Acacia mellifera	4	6.28	35	79	62
Acacia nilotica	12	23.72	65	188	98
Acacia tortilis	2	4.00	84	125	.....

© UCLES 2016

Table 5.2

taxon	number of species	total number of individuals
Coleoptera (beetles)	113	2 197
Diptera (flies)	58	1 029
Formicidae (ants)	14	7 467
Hemiptera (bugs)	121	11 875

(i) Complete Table 5.1 by calculating the mean number of insect species for *Acacia tortilis*. [1]

(ii) Select, from Tables 5.1 and 5.2, a name to fit the following taxonomic groups:

a genus .....

a species .....
[2]

(iii) Comment on the effects of sample size on the quality and accuracy of the data in Table 5.1.

.....

.....

.....

.....

.....[2]

(c) This study was carried out in Mkomazi Game Reserve in Tanzania.

Suggest how research into insect diversity on *Acacia* trees is relevant to the conservation of bigger animals in the reserve, such as elephants.

.....

.....

.....

.....

.....

.....

.....[3]

[Total: 11]

© UCLES 2016

[Turn over

6 **(a)** Fig. 6.1 shows the concentration of two hormones, oestrogen and progesterone, in a woman's blood during one menstrual cycle.




Fig. 6.1

(i) With reference to Fig. 6.1, state the letter of the stage of the cycle during which ovulation occurs.

.....[1]

(ii) State how Fig. 6.1 shows that the woman did not become pregnant during this cycle.

.....

.....[1]

(iii) Name the ovarian structure that secretes progesterone after ovulation.

.....[1]

(iv) State the role of progesterone during stage **D**.

.....

.....

.....[1]

© UCLES 2016

(b) The combined contraceptive pill contains oestrogen and progesterone.

Explain how this combined contraceptive pill works to prevent pregnancy.

.....

.....

.....

.....

.....

.....

.....

.....[4]

[Total: 8]

7 **(a)** Fig. 7.1 is an electron micrograph of a section of striated muscle.




Fig. 7.1

Name structure **P** and the region represented by **Q**.

P .....

Q .....

[2]

(b) Describe the role of calcium ions (Ca^{2+} ions) in the shortening of a sarcomere.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[5]

(c) A motor end plate of a neuromuscular junction is part of a modified cholinergic synapse.

Explain why mitochondria are present in the motor end plate of a neuromuscular junction.

.....

.....

.....

.....

.....

.....

.....

.....[3]

[Total: 10]

8 **(a)** A respirometer can be used to measure the respiration rate of small invertebrates such as the common woodlouse, *Oniscus asellus*.

Fig. 8.1 shows a common woodlouse.




Fig. 8.1

Fig. 8.2 shows a respirometer.




Fig. 8.2

(i) Name solution **X**.

.....[1]

(ii) The respirometer can be used to measure the effect of temperature on the rate of respiration of organisms.

Suggest **one** factor that would need to be taken into account when using woodlice rather than germinating seeds.

.....

.....[1]

© UCLES 2016

(iii) As respiration takes place, oxygen is used by the woodlice and the coloured liquid moves down the graduated tube.

Name the stage of aerobic respiration where oxygen is used.

.....[1]

(b) A respirometer as shown in Fig. 8.2 was used to investigate the effect of temperature on the rate of respiration of woodlice.

- A student set up a respirometer containing 5 woodlice.
- The respirometer was placed in a water-bath maintained at 15 °C.
- The respirometer was left for 10 minutes to equilibrate.
- After a further 15 minutes the distance moved by the coloured liquid was measured.
- The volume of oxygen used by the woodlice was then calculated.
- The experiment was repeated, using the same woodlice and respirometer, at 25 °C.

(i) The results are shown in Table 8.1.

Table 8.1

temperature /°C	volume of oxygen used /cm^3	rate of oxygen uptake /$cm^3 min^{-1}$
15	0.18	.....
25	0.42	.....

Complete Table 8.1 by calculating the rates of oxygen uptake at 15 °C and 25 °C.

[2]

(ii) Explain the difference in the rates of oxygen uptake at 15 °C and 25 °C.

.....

.....

.....

.....

.....

.....

.....[3]

(c) In anaerobic conditions, the pyruvate formed in glycolysis is converted to ethanol in yeast cells and to lactate in mammalian tissue.

Compare the pathways by which pyruvate is converted to ethanol or to lactate.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....[5]

[Total: 13]

Section B

Answer **one** question.

9 **(a)** Explain how glucose is reabsorbed into the blood from a kidney nephron. [8]

(b) Describe the role of ADH when the water potential of blood decreases. [7]

[Total: 15]

10 **(a)** Describe the response of the Venus fly trap to touch. [8]

(b) Explain the control of gibberellin synthesis **and** outline how gibberellin stimulates stem elongation. [7]

[Total: 15]

© UCLES 2016

[Turn over

© UCLES 2016

© UCLES 2016

[Turn over

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.