

Cambridge International AS & A Level

PHYSICS**9702/51**

Paper 5 Planning, Analysis and Evaluation

October/November 2025

MARK SCHEME

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **11** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	benefit of the doubt given
	correct awarding one mark from additional detail 1. similar numbered ticks are used for additional detail 2, 3, 4 etc.
	correct point or mark awarded
	defining the problem mark
	error carried forward applied
	error in number of significant figures
	incorrect or insufficient point ignored while marking the rest of the response
	incorrect point or mark not awarded
	incorrect unit
	information missing or insufficient for credit

PUBLISHED

Annotation	Meaning
MO	methods of data collection mark
SEEN	point has been noted, but no credit has been given or blank page seen
R	repeat of point previously awarded mark

PUBLISHED

Question	Answer	Marks
1	Defining the problem	
	vary r and measure v or r is the independent variable and v is the dependent variable	1
	keep x <u>constant</u>	1
	Methods of data collection	
	labelled diagram of workable experiment including: - one end of spring resting against block clamped to bench using G-clamp - light gate positioned at P - light gate connected to timer - apparatus shown on bench - labels for light gate and P and at least one other label from bench, block, stand, spring, ball, timer	1
	method to determine r , e.g. use calipers or micrometer to measure diameter d and $r = d / 2$	1
	description of method to determine v , use diameter of ball (to interrupt beam) $\div$ measured time at light gate positioned at P	1
	instrument to determine x , e.g. rule(r) or calipers	1
	Method of Analysis	
	plot a graph of $(2 \lg v)$ or $(\lg v^2)$ against $\lg r$ or plot a graph of $(\lg v)$ against $(\lg r)$ or equivalent, e.g. $(\ln v)$ against $(\ln r)$	1
	$n = -\text{gradient}$ for $(2 \lg v)$ or $(\lg v^2)$ against $\lg r$ or $n = -2 \times \text{gradient}$ for $(\lg v)$ against $\lg r$	1

PUBLISHED

Question	Answer	Marks
1	$Y = \frac{\rho \times 10^{y\text{-intercept}}}{kx^2} \quad \text{for } (2 \lg v) \text{ or } (\lg v^2) \text{ against } \lg r$ or $Y = \frac{\rho \times 10^{2 \times y\text{-intercept}}}{kx^2} \quad \text{for } (\lg v) \text{ against } \lg r$	1
	Additional detail including safety considerations	6
	D1 precaution to <u>prevent ball leaving bench</u> , e.g. screens around apparatus / cushions on bench (to stop the ball)	
	D2 keep k and ρ constant	
	D3 description of method to determine k , e.g. add mass to spring and $k = mg / \text{extension}$ or use newton meter to measure force applied to spring and $k = \text{force} / \text{extension}$ or take several readings of force and extension, plot a force–extension graph and $k = \text{gradient}$	
	D4 description of experimental method to determine ρ , e.g. measure mass of ball using a balance and $\rho = \frac{m}{\frac{4}{3}\pi r^3}$	
	D5 repeat measurements of <u>diameter</u> or <u>d</u> in different directions <u>and</u> determine the average value of d	
	D6 method to keep x constant, e.g. use a pin / ruler / card to indicate the starting point each time <u>to keep x constant</u>	
	D7 $x = \text{original length of spring} - \text{compressed length of spring}$	
	D8 adjust (vertical) position of light gate so that the diameter of (each) ball cuts the beam	
	D9 repeat experiment for the same value of r and determine the average v	

Question	Answer	Marks
1	D10 relationship valid <u>if</u> a straight line is produced (with y-intercept = $\lg\left(\frac{Ykx^2}{\rho}\right)$ or $\frac{1}{2}\lg\left(\frac{Ykx^2}{\rho}\right)$). Do not accept line through the origin.	

Question	Answer	Marks							
2(a)	gradient = $H\lambda_0$ y-intercept = λ_0	1							
2(b)	<table><tr><td>$\frac{d}{c} / 10^{15} \text{ s}$</td></tr><tr><td>$(1.6 \text{ or } 1.60) \pm 0.40$</td></tr><tr><td>$(3.47 \text{ or } 3.467) \pm 0.40$</td></tr><tr><td>$(4.83 \text{ or } 4.833) \pm 0.40$</td></tr><tr><td>$(6.00 \text{ or } 6.000) \pm 0.40$</td></tr><tr><td>$(9.50 \text{ or } 9.500) \pm 0.40$</td></tr><tr><td>$(12.5 \text{ or } 12.50) \pm 0.40$</td></tr></table> Values of $\frac{d}{c}$ correct as shown above.	$\frac{d}{c} / 10^{15} \text{ s}$	$(1.6 \text{ or } 1.60) \pm 0.40$	$(3.47 \text{ or } 3.467) \pm 0.40$	$(4.83 \text{ or } 4.833) \pm 0.40$	$(6.00 \text{ or } 6.000) \pm 0.40$	$(9.50 \text{ or } 9.500) \pm 0.40$	$(12.5 \text{ or } 12.50) \pm 0.40$	1
	$\frac{d}{c} / 10^{15} \text{ s}$								
$(1.6 \text{ or } 1.60) \pm 0.40$									
$(3.47 \text{ or } 3.467) \pm 0.40$									
$(4.83 \text{ or } 4.833) \pm 0.40$									
$(6.00 \text{ or } 6.000) \pm 0.40$									
$(9.50 \text{ or } 9.500) \pm 0.40$									
$(12.5 \text{ or } 12.50) \pm 0.40$									
	Uncertainties in $\frac{d}{c}$ correct as shown above.	1							

PUBLISHED

Question	Answer	Marks
2(c)(i)	Six points from (b) plotted correctly. Must be within half a small square. Diameter of points must be less than half a small square.	1
	Error bars in $\frac{d}{c}$ plotted correctly. All error bars must be plotted. Total length of bar must be accurate to less than half a small square and symmetrical.	1
2(c)(ii)	Straight line of best fit drawn. Thickness of the line must be less than half a small square. Do not accept line from top point to bottom point. Line must pass between (2.5, 660.0) and (2.9, 660.0) and between (11.2, 676.0) and (11.6, 676.0).	1
	Worst acceptable line drawn (steepest or shallowest possible line that passes through all the error bars). Thickness of the line must be less than half a small square. All error bars must be plotted.	1
2(c)(iii)	Gradient determined with clear substitution of data points into $\Delta y / \Delta x$. Distance between data points must be greater than half the length of the drawn line.	1
	Gradient determined of worst acceptable line with clear substitution of data points into $\Delta y / \Delta x$. uncertainty = (gradient of line of best fit – gradient of worst acceptable line) or uncertainty = $\frac{1}{2}$ (steepest worst line gradient – shallowest worst line gradient)	1
2(c)(iv)	y-intercept determined by substitution of correct point with consistent power of ten in m and x and y into $y = mx + c$.	1
	y-intercept of worst acceptable line determined by substitution into $y = mx + c$. uncertainty = y-intercept of line of best fit – y-intercept of worst acceptable line or uncertainty = $\frac{1}{2}$ (steepest worst line y-intercept – shallowest worst line y-intercept) Do not accept ECF from false origin method.	1

PUBLISHED

Question	Answer	Marks
2(d)	λ_0 determined using y-intercept and λ_0 given to 3 or 4 significant figures and H given to 2, 3 or 4 significant figures. $\lambda_0 = \text{y-intercept}$	1
	H determined using gradient and λ_0 and H given with SI units with appropriate powers of ten. $H = \frac{\text{gradient}}{\text{y-intercept}}$ or $H = \frac{\text{gradient}}{\lambda_0}$ Unit of λ_0 : m, nm, μm Unit of H : s^{-1}	1
2(e)	Value of T determined to a minimum of two significant figures from (d) and correct power of ten. $T = \frac{1}{H}$	1
	Absolute uncertainty determined with correct substitution. $\Delta T = \left(\frac{\Delta \text{y-intercept}}{\text{y-intercept}} + \frac{\Delta \text{gradient}}{\text{gradient}} \right) \times T$ or $\Delta T = \left(\frac{\text{max } \lambda_0}{\text{min gradient}} \right) - T \quad \text{or} \quad \Delta T = \left(\frac{\text{max y-intercept}}{\text{min gradient}} \right) - T$ or $\Delta T = \left(\frac{\text{min } \lambda_0}{\text{max gradient}} \right) - T \quad \text{or} \quad \Delta T = \left(\frac{\text{min y-intercept}}{\text{max gradient}} \right) - T$	1

Cambridge International AS & A Level

PHYSICS**9702/52**

Paper 5 Planning, Analysis and Evaluation

October/November 2025

MARK SCHEME

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	benefit of the doubt given
	correct awarding one mark from additional detail 1. similar numbered ticks are used for additional detail 2, 3, 4 etc.
	correct point or mark awarded
	defining the problem mark
	error carried forward applied
	error in number of significant figures
	incorrect or insufficient point ignored while marking the rest of the response
	incorrect point or mark not awarded
	incorrect unit
	information missing or insufficient for credit

PUBLISHED

Annotation	Meaning
MO	methods of data collection mark
SEEN	point has been noted, but no credit has been given or blank page seen
R	repeat of point previously awarded mark

Question	Answer	Marks
1	Defining the problem	
	vary v and measure I or v is the independent variable and I is the dependent variable	1
	keep A and R <u>constant</u>	1
	Methods of data collection	
	labelled diagram of workable experiment including: - fan positioned in line with the turbine so that blades of both fan and turbine overlap - fan on bench - fan labelled and one other label from bench, turbine, blade(s) (of turbine), terminals, L	1
	workable circuit diagram showing resistor connected to an ammeter in series with the terminals of the turbine using correct circuit symbols	1
	method to vary v , e.g. change speed of fan / change distance between fan and blades / vary current in or p.d. across fan	1
	method to determine temperature T , e.g. use a thermometer	1
	Method of Analysis	
	plot a graph of I^2 against v^3 or equivalent (e.g. $\lg I$ against $\lg v$ or $2 \ln I$ against $\ln v$)	1
	relationship valid <u>if</u> a straight line is produced passing through the origin (For $\lg I$ against $\lg v$: relationship valid <u>if</u> a straight line <u>with gradient = 1.5</u> is produced)	1
	$Q = \frac{2TR \times \text{gradient}}{AP}$ (For $\lg I$ against $\lg v$: $Q = \frac{2TR \times 10^{2 \times y\text{-intercept}}}{AP}$)	1

PUBLISHED

Question	Answer	Marks
1	Additional detail including safety considerations	6
	D1 precaution with reason linked to (moving) fan blades / turbine blades, e.g. keep away from the fan to avoid (moving) blades or use a screen around the fan / turbine to avoid (moving) blades or precaution with reason linked to prevent air / dust particles in eye, e.g. use goggles to avoid air stream (into eye)	
	D2 clamp turbine / fan <u>to bench</u>	
	D3 keep P and T <u>constant</u>	
	D4 $T = t + 273$	
	D5 method to determine A : use a rule(r) / calipers to measure L and $A = \pi L^2$	
	D6 repeat measurements of L in different positions / different blades and average	
	D7 method to measure v , e.g. use an anemometer or <u>air speed</u> meter or method to measure P , e.g. use a manometer or barometer or <u>pressure</u> gauge	
	D8 wait for steady / constant air flow / movement of blades / current	
	D9 method to determine R , e.g.: separate circuit showing ohmmeter connected to R only or terminals of turbine connected correctly to resistor and ammeter and voltmeter across resistor and $R = V / I$ or separate workable circuit with power supply resistor, ammeter and voltmeter across R and $R = V / I$	
	D10 method to check temperature / pressure is constant, e.g. measure temperature / pressure several times / before and after	

PUBLISHED

Question	Answer	Marks														
2(a)	gradient = n y-intercept = $\lg \frac{2\pi}{k}$	1														
2(b)	<table><tr><th>$\lg (r / 10^8 \text{ m})$</th><th>$\lg (T / 10^3 \text{ s})$</th></tr><tr><td>0.152 or 0.1523</td><td>$(1.72 \text{ or } 1.716) \pm 0.04$</td></tr><tr><td>0.270 or 0.2695</td><td>$(1.91 \text{ or } 1.908) \pm 0.03$</td></tr><tr><td>0.377 or 0.3766</td><td>$(2.08 \text{ or } 2.079 \text{ or } 2.0792) \pm 0.04$</td></tr><tr><td>0.470 or 0.4698</td><td>$(2.23 \text{ or } 2.230 \text{ or } 2.2304) \pm 0.03$</td></tr><tr><td>0.576 or 0.5763</td><td>$(2.38 \text{ or } 2.380 \text{ or } 2.3802) \pm 0.04$</td></tr><tr><td>0.723 or 0.7226</td><td>$(2.59 \text{ or } 2.591 \text{ or } 2.5911) \pm 0.03$</td></tr></table> Values of $\lg (r / 10^8 \text{ m})$ and $\lg (T / 10^3 \text{ s})$ correct as shown above. Uncertainties in $\lg (T / 10^3 \text{ s})$ correct as shown above.	$\lg (r / 10^8 \text{ m})$	$\lg (T / 10^3 \text{ s})$	0.152 or 0.1523	$(1.72 \text{ or } 1.716) \pm 0.04$	0.270 or 0.2695	$(1.91 \text{ or } 1.908) \pm 0.03$	0.377 or 0.3766	$(2.08 \text{ or } 2.079 \text{ or } 2.0792) \pm 0.04$	0.470 or 0.4698	$(2.23 \text{ or } 2.230 \text{ or } 2.2304) \pm 0.03$	0.576 or 0.5763	$(2.38 \text{ or } 2.380 \text{ or } 2.3802) \pm 0.04$	0.723 or 0.7226	$(2.59 \text{ or } 2.591 \text{ or } 2.5911) \pm 0.03$	1
$\lg (r / 10^8 \text{ m})$	$\lg (T / 10^3 \text{ s})$															
0.152 or 0.1523	$(1.72 \text{ or } 1.716) \pm 0.04$															
0.270 or 0.2695	$(1.91 \text{ or } 1.908) \pm 0.03$															
0.377 or 0.3766	$(2.08 \text{ or } 2.079 \text{ or } 2.0792) \pm 0.04$															
0.470 or 0.4698	$(2.23 \text{ or } 2.230 \text{ or } 2.2304) \pm 0.03$															
0.576 or 0.5763	$(2.38 \text{ or } 2.380 \text{ or } 2.3802) \pm 0.04$															
0.723 or 0.7226	$(2.59 \text{ or } 2.591 \text{ or } 2.5911) \pm 0.03$															
2(c)(i)	Six points from (b) plotted correctly. Must be within half a small square. Diameter of points must be less than half a small square.	1														
	Error bars in $\lg (T / 10^3 \text{ s})$ plotted correctly. All error bars must be plotted. Total length of bar must be accurate to less than half a small square and symmetrical.	1														

PUBLISHED

Question	Answer	Marks
2(c)(ii)	Straight line of best fit drawn. Thickness of the line must be less than half a small square. Do not accept line from top point to bottom point. Line must pass between (0.19, 1.80) and (0.21, 1.80) and between (0.645, 2.50) and (0.66, 2.50).	1
	Worst acceptable line drawn (steepest or shallowest possible line that passes through all the error bars). Thickness of the line must be less than half a small square. All error bars must be plotted.	1
2(c)(iii)	Gradient determined with clear substitution of data points into $\Delta y / \Delta x$. Distance between data points must be greater than half the length of the drawn line.	1
	Gradient determined of worst acceptable line with clear substitution of data points into $\Delta y / \Delta x$. uncertainty = (gradient of line of best fit – gradient of worst acceptable line) or uncertainty = $\frac{1}{2}$ (steepest worst line gradient – shallowest worst line gradient)	1
2(c)(iv)	y-intercept determined by substitution of correct point with consistent powers of ten into $y = mx + c$.	1
	y-intercept of worst acceptable line determined by substitution into $y = mx + c$. uncertainty = y-intercept of line of best fit – y-intercept of worst acceptable line or uncertainty = $\frac{1}{2}$ (steepest worst line y-intercept – shallowest worst line y-intercept) Do not accept ECF from false origin method.	1

Question	Answer	Marks
2(d)	Value of n determined using gradient and n and k given to 2 or 3 significant figures. $n = \text{gradient} = \text{(c)(iii)}$	1
	Value of k determined using y -intercept. Correct method must be seen. $k = \frac{2\pi}{10^{y\text{-intercept}}} = \frac{2\pi}{10^{\text{(c)(iv)}}$	1
	Absolute uncertainties in n and k determined. Absolute uncertainty in $n = \text{absolute uncertainty in gradient}$ and $\Delta k = \frac{2\pi}{10^{y\text{-intercept}}} - \frac{2\pi}{10^{\text{WAL } y\text{-intercept}}}$ Correct method must be seen.	1
2(e)	r determined to a minimum of 2 significant figures from (c)(iii) and (c)(iv) or (d) with correct substitution and correct power of ten. $r = 10^{\frac{\lg 1380 - y\text{-intercept}}{\text{gradient}}} \times 10^8$ or $r = \sqrt[n]{\frac{k \times 1380}{2\pi}} \times 10^8$	1

Cambridge International AS & A Level

PHYSICS**9702/53**

Paper 5 Planning, Analysis and Evaluation

October/November 2025

MARK SCHEME

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	benefit of the doubt given
	correct awarding one mark from additional detail 1. similar numbered ticks are used for additional detail 2, 3, 4 etc.
	correct point or mark awarded
	defining the problem mark
	error carried forward applied
	error in number of significant figures
	incorrect or insufficient point ignored while marking the rest of the response
	incorrect point or mark not awarded
	incorrect unit
	information missing or insufficient for credit

Annotation	Meaning
MO	methods of data collection mark
SEEN	point has been noted, but no credit has been given or blank page seen
R	repeat of point previously awarded mark

PUBLISHED

Question	Answer	Marks
1	Defining the problem	
	vary r and measure v or r is the independent variable and v is the dependent variable	1
	keep x <u>constant</u>	1
	Methods of data collection	
	labelled diagram of workable experiment including: - one end of spring resting against block clamped to bench using G-clamp - light gate positioned at P - light gate connected to timer - apparatus shown on bench - labels for light gate and P and at least one other label from bench, block, stand, spring, ball, timer	1
	method to determine r , e.g. use calipers or micrometer to measure diameter d and $r = d / 2$	1
	description of method to determine v , use diameter of ball (to interrupt beam) $\div$ measured time at light gate positioned at P	1
	instrument to determine x , e.g. rule(r) or calipers	1
	Method of Analysis	
	plot a graph of $(2 \lg v)$ or $(\lg v^2)$ against $\lg r$ or plot a graph of $(\lg v)$ against $(\lg r)$ or equivalent, e.g. $(\ln v)$ against $(\ln r)$	1
	$n = -\text{gradient}$ for $(2 \lg v)$ or $(\lg v^2)$ against $\lg r$ or $n = -2 \times \text{gradient}$ for $(\lg v)$ against $\lg r$	1

PUBLISHED

Question	Answer	Marks
1	$Y = \frac{\rho \times 10^{y\text{-intercept}}}{kx^2}$ for (2 lg v) or (lg v ²) against lg r or $Y = \frac{\rho \times 10^{2 \times y\text{-intercept}}}{kx^2}$ for (lg v) against lg r	1
	Additional detail including safety considerations	6
	D1 precaution to <u>prevent ball leaving bench</u> , e.g. screens around apparatus / cushions on bench (to stop the ball)	
	D2 keep <i>k</i> and ρ constant	
	D3 description of method to determine <i>k</i> , e.g. add mass to spring and $k = mg / \text{extension}$ or use newton meter to measure force applied to spring and $k = \text{force} / \text{extension}$ or take several readings of force and extension, plot a force–extension graph and $k = \text{gradient}$	
	D4 description of experimental method to determine ρ , e.g. measure mass of ball using a balance and $\rho = \frac{m}{\frac{4}{3}\pi r^3}$	
	D5 repeat measurements of <u>diameter</u> or <u>d</u> in different directions <u>and</u> determine the average value of <i>d</i>	
	D6 method to keep <i>x</i> constant, e.g. use a pin / ruler / card to indicate the starting point each time <u>to keep x constant</u>	
	D7 $x = \text{original length of spring} - \text{compressed length of spring}$	
	D8 adjust (vertical) position of light gate so that the diameter of (each) ball cuts the beam	
	D9 repeat experiment for the same value of <i>r</i> and determine the average <i>v</i>	

Question	Answer	Marks
1	D10 relationship valid <u>if</u> a straight line is produced (with y-intercept = $\lg\left(\frac{Ykx^2}{\rho}\right)$ or $\frac{1}{2}\lg\left(\frac{Ykx^2}{\rho}\right)$). Do not accept line through the origin.	

Question	Answer	Marks							
2(a)	gradient = $H\lambda_0$ y-intercept = λ_0	1							
2(b)	<table><tr><td>$\frac{d}{c} / 10^{15} \text{ s}$</td></tr><tr><td>(1.6 or 1.60) $\pm$ 0.40</td></tr><tr><td>(3.47 or 3.467) $\pm$ 0.40</td></tr><tr><td>(4.83 or 4.833) $\pm$ 0.40</td></tr><tr><td>(6.00 or 6.000) $\pm$ 0.40</td></tr><tr><td>(9.50 or 9.500) $\pm$ 0.40</td></tr><tr><td>(12.5 or 12.50) $\pm$ 0.40</td></tr></table> Values of $\frac{d}{c}$ correct as shown above.	$\frac{d}{c} / 10^{15} \text{ s}$	(1.6 or 1.60) $\pm$ 0.40	(3.47 or 3.467) $\pm$ 0.40	(4.83 or 4.833) $\pm$ 0.40	(6.00 or 6.000) $\pm$ 0.40	(9.50 or 9.500) $\pm$ 0.40	(12.5 or 12.50) $\pm$ 0.40	1
$\frac{d}{c} / 10^{15} \text{ s}$									
(1.6 or 1.60) $\pm$ 0.40									
(3.47 or 3.467) $\pm$ 0.40									
(4.83 or 4.833) $\pm$ 0.40									
(6.00 or 6.000) $\pm$ 0.40									
(9.50 or 9.500) $\pm$ 0.40									
(12.5 or 12.50) $\pm$ 0.40									
	Uncertainties in $\frac{d}{c}$ correct as shown above.	1							

PUBLISHED

Question	Answer	Marks
2(c)(i)	Six points from (b) plotted correctly. Must be within half a small square. Diameter of points must be less than half a small square.	1
	Error bars in $\frac{d}{c}$ plotted correctly. All error bars must be plotted. Total length of bar must be accurate to less than half a small square and symmetrical.	1
2(c)(ii)	Straight line of best fit drawn. Thickness of the line must be less than half a small square. Do not accept line from top point to bottom point. Line must pass between (2.5, 660.0) and (2.9, 660.0) and between (11.2, 676.0) and (11.6, 676.0).	1
	Worst acceptable line drawn (steepest or shallowest possible line that passes through all the error bars). Thickness of the line must be less than half a small square. All error bars must be plotted.	1
2(c)(iii)	Gradient determined with clear substitution of data points into $\Delta y / \Delta x$. Distance between data points must be greater than half the length of the drawn line.	1
	Gradient determined of worst acceptable line with clear substitution of data points into $\Delta y / \Delta x$. uncertainty = (gradient of line of best fit – gradient of worst acceptable line) or uncertainty = $\frac{1}{2}$ (steepest worst line gradient – shallowest worst line gradient)	1
2(c)(iv)	y-intercept determined by substitution of correct point with consistent power of ten in m and x and y into $y = mx + c$.	1
	y-intercept of worst acceptable line determined by substitution into $y = mx + c$. uncertainty = y-intercept of line of best fit – y-intercept of worst acceptable line or uncertainty = $\frac{1}{2}$ (steepest worst line y-intercept – shallowest worst line y-intercept) Do not accept ECF from false origin method.	1

PUBLISHED

Question	Answer	Marks
2(d)	λ_0 determined using y-intercept and λ_0 given to 3 or 4 significant figures and H given to 2, 3 or 4 significant figures. $\lambda_0 = \text{y-intercept}$	1
	H determined using gradient and λ_0 and H given with SI units with appropriate powers of ten. $H = \frac{\text{gradient}}{\text{y-intercept}}$ or $H = \frac{\text{gradient}}{\lambda_0}$ Unit of λ_0 : m, nm, μm Unit of H : s^{-1}	1
2(e)	Value of T determined to a minimum of two significant figures from (d) and correct power of ten. $T = \frac{1}{H}$	1
	Absolute uncertainty determined with correct substitution. $\Delta T = \left(\frac{\Delta \text{y-intercept}}{\text{y-intercept}} + \frac{\Delta \text{gradient}}{\text{gradient}} \right) \times T$ or $\Delta T = \left(\frac{\text{max } \lambda_0}{\text{min gradient}} \right) - T \quad \text{or} \quad \Delta T = \left(\frac{\text{max y-intercept}}{\text{min gradient}} \right) - T$ or $\Delta T = \left(\frac{\text{min } \lambda_0}{\text{max gradient}} \right) - T \quad \text{or} \quad \Delta T = \left(\frac{\text{min y-intercept}}{\text{max gradient}} \right) - T$	1

Cambridge International AS & A Level

PHYSICS**9702/54**

Paper 5 Planning, Analysis and Evaluation

October/November 2025

MARK SCHEME

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **12** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	benefit of the doubt given
	correct awarding one mark from additional detail 1. similar numbered ticks are used for additional detail 2, 3, 4 etc.
	correct point or mark awarded
	defining the problem mark
	error carried forward applied
	error in number of significant figures
	incorrect or insufficient point ignored while marking the rest of the response
	incorrect point or mark not awarded
	incorrect unit
	information missing or insufficient for credit

Annotation	Meaning
MO	methods of data collection mark
SEEN	point has been noted, but no credit has been given or blank page seen
R	repeat of point previously awarded mark

PUBLISHED

Question	Answer	Marks
1	Defining the problem	
	vary m and measure f or m is the independent variable and f is the dependent variable	1
	keep f_0 <u>constant</u>	1
	Methods of data collection	
	labelled diagram of workable experiment including: • turntable base and motor on bench • two labels from turntable, motor, belt, C, putty, bench, release mechanism	1
	workable circuit showing terminals of motor connected to (d.c.) supply	1
	method to measure time to determine f and f_0 , e.g. use a stopwatch to measure $(n)t$ and method to measure m , e.g. use a (top-pan) balance	1
	measure the time t for n revolutions and $T = t/n$ and $f = 1/T$ or $f = n/t$	1
	Method of Analysis	
	plots a graph of $\frac{1}{f}$ against m or equivalent Do not accept logarithms.	1

Question	Answer		Marks
1	$\frac{1}{f}$ against m	m against $\frac{1}{f}$	1
	$K = \frac{r^2}{f_0 \times \text{gradient}}$	$K = \frac{r^2 \times \text{gradient}}{f_0}$	
	$\frac{1}{f}$ against m	m against $\frac{1}{f}$	1
	$\beta = f_0 \times y\text{-intercept}$	$\beta = -\frac{f_0 \times y\text{-intercept}}{\text{gradient}}$ or $\beta = -\frac{r^2 \times y\text{-intercept}}{K}$	

PUBLISHED

Question	Answer	Marks
1	Additional detail including safety considerations	6
	D1 precaution linked to <u>putty</u> leaving turntable, e.g. screens around apparatus / cushions to prevent putty from leaving bench	
	D2 keep r <u>constant</u>	
	D3 use rule(r) to measure r	
	D4 stand and fixed point located above P (to ensure r is constant)	
	D5 method to ensure putty is dropped at (constant) distance r , e.g.; fixed location above the turntable to drop putty to keep r constant or draw a circle of radius r on the turntable	
	D6 method to keep f_0 constant, e.g. adjust the rheostat to keep the current in the motor constant / check ammeter	
	D7 clamp motor and/or turntable (base) <u>to bench</u>	
	D8 lubricate the turntable to reduce friction	
	D9 repeat experiment for the same value of m and determine the average f	
	D10 relationship valid <u>if</u> a straight line is produced (with y-intercept = $\frac{\beta}{f_0}$) Do not accept line through the origin.	

PUBLISHED

Question	Answer	Marks														
2(a)	gradient = $D\lambda$	1														
2(b)	<table><tr><td>$\frac{1}{s} / \text{mm}^{-1}$</td><td>$y / \text{mm}$</td></tr><tr><td>5.6 or 5.56</td><td>3.30</td></tr><tr><td>4.8 or 4.76</td><td>2.89</td></tr><tr><td>4.2 or 4.17</td><td>2.51</td></tr><tr><td>3.7 or 3.70</td><td>2.26</td></tr><tr><td>3.2 or 3.23</td><td>1.96</td></tr><tr><td>2.6 or 2.63</td><td>1.59</td></tr></table>	$\frac{1}{s} / \text{mm}^{-1}$	y / mm	5.6 or 5.56	3.30	4.8 or 4.76	2.89	4.2 or 4.17	2.51	3.7 or 3.70	2.26	3.2 or 3.23	1.96	2.6 or 2.63	1.59	1
	$\frac{1}{s} / \text{mm}^{-1}$	y / mm														
	5.6 or 5.56	3.30														
4.8 or 4.76	2.89															
4.2 or 4.17	2.51															
3.7 or 3.70	2.26															
3.2 or 3.23	1.96															
2.6 or 2.63	1.59															
	Values of $\frac{1}{s}$ and y correct as shown above.															
	Uncertainties in $\frac{1}{s}$ from ± 0.3 to ± 0.07 .	1														
2(c)(i)	Six points from (b) plotted correctly. Must be within half a small square. Diameter of points must be less than half a small square.	1														
	Error bars in $\frac{1}{s}$ plotted correctly. All error bars must be plotted. Total length of bar must be accurate to less than half a small square and symmetrical.	1														

PUBLISHED

Question	Answer	Marks
2(c)(ii)	Straight line of best fit drawn. Thickness of the line must be less than half a small square. Do not accept line from top point to bottom point. Line must pass between (2.90, 1.80) and (3.00, 1.80) and between (5.30, 3.20) and (5.40, 3.20).	1
	Worst acceptable line drawn (steepest or shallowest possible line that passes through all the error bars). Thickness of the line must be less than half a small square. All error bars must be plotted.	1
2(c)(iii)	Gradient determined with clear substitution of data points into $\Delta y / \Delta x$. Distance between data points must be greater than half the length of the drawn line.	1
	Gradient determined of worst acceptable line with clear substitution of data points into $\Delta y / \Delta x$. uncertainty = (gradient of line of best fit – gradient of worst acceptable line) or uncertainty = $\frac{1}{2}$ (steepest worst line gradient – shallowest worst line gradient)	1
2(d)	$(0.921 \pm 0.008) \text{ (m)}$	1
2(e)(i)	λ determined using gradient and λ given to 2 or 3 significant figures. $\lambda = \frac{\text{gradient}}{D}$	1
	λ determined using gradient and λ given with SI units with appropriate power of ten. $\lambda = \frac{\text{gradient}}{D}$ Unit of λ : m or mm.	1

PUBLISHED

Question	Answer	Marks
2(e)(ii)	Percentage uncertainty in λ determined with clear method shown. $\% \text{uncertainty} = \left(\frac{\Delta \text{gradient}}{\text{gradient}} + \frac{\Delta D}{D} \right) \times 100$ or correct substitution for max/min methods.	1
2(f)	s determined to a minimum of 2 significant figures from (c)(iii) or (d) and (e)(i) with correct substitution and correct power of ten. $s = \frac{\text{gradient}}{0.005 \text{ (m)}}$ or $s = \frac{D \times \lambda}{0.005 \text{ (m)}} = \frac{(\mathbf{d}) \times (\mathbf{e})(\mathbf{i})}{0.005 \text{ (m)}}$	1
	Absolute uncertainty determined with correct substitution. For use of gradient from (c)(iii): $\Delta s = \left(\frac{\Delta \text{gradient}}{\text{gradient}} + \frac{0.005}{0.500} \right) \times s$ or correct substitution for max/min methods. For use of D and λ from (d) and (e)(i): $\Delta s = \left(\frac{\Delta D}{D} + \frac{\Delta \lambda}{\lambda} + \frac{0.005}{0.500} \right) \times s$ or correct substitution for max/min methods: $\Delta s = \left(\frac{\max D \times \max \lambda}{\min y} \right) - s \quad \text{or} \quad \Delta s = s - \left(\frac{\min D \times \min \lambda}{\max y} \right)$	1