Cambridge Assessment International Education

Cambridge International AS & A Level

BIOLOGY **9700/31**

Paper 3 Advanced Practical Skills 1 **May/June 2022**

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© UCLES 2022

[Turn over

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© UCLES 2022

GENERIC MARKING PRINCIPLE 5: Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).
GENERIC MARKING PRINCIPLE 6: Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
underline	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument

© UCLES 2022

Question	Answer	Marks
1(a)(i)	1. correct concentrations (5.0, 2.5, 1.25, 0.625) and % at least once ; 2. shows transfer of 10(cm^3) to each beaker from the previous beaker ; 3. shows 10 (cm^3) of water added to each beaker ;	**3**
1(a)(ii)	1. *heading for independent variable:* percentage concentration of molecule **R** (before heading for dependent variable) and no units in body of table ; 2. *heading dependent variable:* number of drops ; 3. results recorded for all concentrations ; 4. number of drops recorded for the highest concentration of **R** is fewer than for the lowest concentration of **R** ; 5. results recorded as whole drops ;	**5**
1(a)(iii)	identifies two errors, e.g. drop size varies, difficult to judge endpoint ; ;	**2**
1(a)(iv)	*any **one** improvement and must be linked to an error in **1(a)(iii)**, e.g.:* 1. (drop size varies) measure the volume used instead of the number of drops ; 2. (difficult to judge endpoint) use a colorimeter ;	**1**
1(a)(v)	records a number for **U** that is less than that recorded for 10% and more than that recorded for the lowest concentration ;	**1**
1(a)(vi)	correctly labels scale bar with different concentrations of molecule **R** ; *concentrations must match to those listed in **1(a)(ii)***	**1**
1(a)(vii)	estimates the correct concentration of **R** in **U** by placing **U** in the correct position on the scale bar ;	**1**
1(b)(i)	1. *x*-axis: plant extract and bars labelled **B**, **C**, **D**, **E** and **F** and *y*-axis: time / s ; 2. *x*-axis: even width of bars and scale on *y*-axis: 10 seconds to 2 cm, labelled at least each 2 cm ; 3. correct plotting of all five bars ; 4. five separate bars drawn and with horizontal and vertical lines joined precisely ;	**4**
1(b)(ii)	plant extract **F** ;	**1**

© UCLES 2022

Question	Answer	Marks
1(c)(i)	1 22 μg cm^{-2} ;	1
1(c)(ii)	*any **two** from:* 1. prevents formation of cell, wall / membrane ; 2. cell / bacterial, lysis **or** cells / bacteria, burst ; 3. inhibits, transcription / translation / protein synthesis ; 4. inhibits cell division ; 5. acts as an enzyme inhibitor ; 6. inhibits DNA, replication / synthesis ;	2

Question	Answer	Marks
2(a)(i)	1. uses most of the available space and no shading ; 2. whole leaf section drawn and no cells drawn ; 3. correct shape of the leaf ; 4. draws stomata opening into an air space ; 5. label line and label to epidermis ;	5
2(a)(ii)	*any **one** from:* 1. cuticle ; 2. few stomata ;	1
2(a)(iii)	1. uses most of the available space and all lines sharp and continuous ; 2. draws only four whole cells and each cell touches at least one other cell ; 3. cell wall drawn as two lines around each cell and three lines where cells touch ; 4. draws inclusions in at least two cells ; 5. label line and label to one cell wall ;	5

© UCLES 2022

<table>
<tr><th>Question</th><th>Answer</th><th>Marks</th></tr>
<tr><td>2(b)</td><td>1. three correct differences
any three from e.g.:

<table>
<tr><th>feature</th><th>J1</th><th>Fig. 2.1</th></tr>
<tr><td>vascular tissue</td><td>smaller in proportion to the whole leaf</td><td>larger in proportion to the whole leaf ;</td></tr>
<tr><td>air spaces</td><td>more</td><td>fewer ;</td></tr>
<tr><td>shape of leaf</td><td>triangle</td><td>elongated ;</td></tr>
<tr><td>stomata</td><td>fewer</td><td>more ;</td></tr>
</table></td><td>3</td></tr>
<tr><td>2(c)</td><td>1. measures and records the correct length of the scale bar ;
2. shows the length of scale bar divided by 950 ;
3. shows the length of line X–Y divided by the answer to mp2 ;
4. records the correct width of the leaf <u>and</u> units ;</td><td>4</td></tr>
</table>

© UCLES 2022

Cambridge Assessment International Education

Cambridge International AS & A Level

BIOLOGY **9700/32**

Paper 3 (Advanced Practical Skills 1) **May/June 2022**

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© UCLES 2022

[Turn over

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© UCLES 2022

GENERIC MARKING PRINCIPLE 5: Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).
GENERIC MARKING PRINCIPLE 6: Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2022

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	'List rule' guidance For questions that require ***n*** responses (e.g. State **two** reasons …): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked *ignore* in the mark scheme should not count towards ***n***. • Incorrect responses should not be awarded credit but will still count towards ***n***. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

© UCLES 2022

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
underline	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point

© UCLES 2022

Question	Answer	Marks
1(a)(i)	1 correct concentrations (0.1, 0.01, 0.001, 0.0001) and mol dm^{-3} at least once ; 2 shows transfer of 1 (cm^3) to each beaker from the previous beaker ; 3 shows 9 (cm^3) of water added to each beaker ;	**3**
1(a)(ii)	1 *heading for independent variable:* ascorbic acid concentration / mol dm^{-3} (before heading for dependent variable) and no units in body of table ; *2 heading dependent variable:* volume / cm^3 and no units in body of table ; 3 results for all concentrations ; 4 volume of gas recorded for the lowest concentration of ascorbic acid greater than for the highest concentration of ascorbic acid ; 5 results recorded to an appropriate degree of accuracy ; 6 correct calculation of total volume ;	**6**
1(a)(iii)	selects greatest volume from results in **(a)(ii)** ; calculates correct rate of gas production ;	**2**
1(a)(iv)	*any **two** from:* 1 repeat, to identify anomalous results or calculate a mean ; 2 use a syringe with smaller divisions ; 3 method to standard the size of the potato discs ; 4 standardise the time between adding hydrogen peroxide and putting the bung on the test-tube ;	**2**
1(b)(i)	temperatures recorded to 0.5 °C ; records the correct rise in temperature ;	**2**
1(b)(ii)	*yes:* rate of reaction is affected by change in temperature and reason **or** *no:* rate of reaction is not affected by change in temperature and reason ;	**1**

© UCLES 2022

Question	Answer	Marks
1(c)(i)	1 *x*-axis: ascorbic acid daily dose / mg and *y*-axis: maximum ascorbic acid concentration in blood plasma / μmol dm^{-3} ; 2 scale on *x*-axis: 20 mg to 2 cm and labelled at least every 2 cm and scale on *y*-axis: 200 μmol dm^{-3} to 2 cm and labelled at least every 2 cm ; 3 correct plotting of all five points using small crosses or dots in circles ; 4 five plots joined with thin line passing through all points ;	**4**
1(c)(ii)	*0 mg / day* some ascorbic acid is already present in blood / obtained from other foods in the diet / produced by the body ; *500 to 1000 mg / day* maximum rate of absorption (75 μmol dm^{-3}) is reached at a dose of 500 mg / day so the concentration does not increase with higher doses ;	**2**

Question	Answer	Marks
2(a)(i)	1 minimum size and no shading ; 2 correct section of the stem drawn and no cells drawn ; 3 draws a layer of vascular bundles under the epidermis ; 4 correct position of vascular tissue and air spaces ; 5 label line and label to epidermis ;	**5**
2(a)(ii)	1 minimum size and all lines sharp and continuous ; 2 draws only four whole xylem vessel elements and each xylem vessel element touches at least two other xylem vessel elements ; 3 two lines around each xylem vessel element and three lines where xylem vessel elements touch ; 4 correct shape of xylem vessel elements ; 5 label line and label to one xylem vessel element wall ;	**5**
2(b)(i)	1 shows division of 1 mm by 17 ; 2 answer with correct number of significant figures ; 3 appropriate units ;	**3**

<table>
<tr><th>Question</th><th>Answer</th><th>Marks</th></tr>
<tr><td>2(b)(ii)</td><td>74 eyepiece graticule units ;
shows multiplication of answer from 2(b)(i) by eyepiece graticule units ;</td><td>2</td></tr>
<tr><td>2(b)(iii)</td><td>three correct differences ;

any three from, e.g.:
<table>
<tr><th>feature</th><th>K1</th><th>Fig. 2.3.</th></tr>
<tr><td>shape</td><td>triangular</td><td>round ;</td></tr>
<tr><td>vascular bundle distribution</td><td>scattered and at edge</td><td>at edge ;</td></tr>
<tr><td>vascular bundle shape</td><td>circular</td><td>oval ;</td></tr>
<tr><td>vascular bundle number</td><td>more</td><td>fewer ;</td></tr>
</table></td><td>3</td></tr>
</table>

© UCLES 2022

Cambridge Assessment International Education

Cambridge International AS & A Level

BIOLOGY **9700/33**

Paper 3 (Advanced Practical Skills 1) **May/June 2022**

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© UCLES 2022

[Turn over

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© UCLES 2022

GENERIC MARKING PRINCIPLE 5: Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).
GENERIC MARKING PRINCIPLE 6: Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2022

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	'List rule' guidance For questions that require ***n*** responses (e.g. State **two** reasons …): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked *ignore* in the mark scheme should not count towards ***n***. • Incorrect responses should not be awarded credit but will still count towards ***n***. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

© UCLES 2022

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
underline	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point

© UCLES 2022

Question	Answer	Marks
1(a)(i)	oxygen is released (causing the discs to rise) **;**	**1**
1(a)(ii)	1 *heading for independent variable:* pH and before heading for dependent variable **;** 2 *heading for dependent variable:* time / seconds and no units in the body of the table **;** 3 records three times for each pH **;** 4 records a mean time for each pH **;** 5 results recorded as whole seconds **;**	**5**
1(a)(iii)	states / ticks, whether supports **or** does not support hypothesis and correct explanation of trend according to candidate's results **;**	**1**
1(a)(iv)	pH **;**	**1**
1(a)(v)	use boiled enzyme **;**	**1**
1(a)(vi)	states a suitable reason **;** e.g. contaminated with enzyme states how to reduce this source of error **;** e.g. use fresh hydrogen peroxide for each test	**2**
1(a)(vii)	use pH values either side of the optimum pH according to the results / AW **;**	**1**
1(b)(i)	room temperature stated and °C **;**	**1**
1(b)(ii)	states two temperatures between room temperature and 50 °C and at least 5 °C apart **;**	**1**
1(b)(iii)	states the pH that gave the shortest time according to the candidate's results **;**	**1**
1(b)(iv)	records a time for **T1** and a time for **T2** **;**	**1**
1(b)(v)	*any **three** from*: 1 correct reference to increase in kinetic energy **;** 2 more effective collisions **;** 3 more enzyme substrate complexes **;** 4 active site changes shape **;** 5 enzyme denatured **;** 6 fewer enzyme substrate complexes **;**	**3**

© UCLES 2022

Question	Answer	Marks
2(a)(i)	1 uses most of the available space and draws at least two layers of tissue ; 2 draws whole leaf and no cells ; 3 draws tissues in at least three layers ; 4 draws correct proportion of vascular bundle in relation to the depth of the leaf ; 5 label line and label to identify a trichome ;	**5**
2(a)(ii)	1 uses most of the available space and all the lines sharp and continuous ; 2 draws only four cells and each cell touching at least two of the other cells ; 3 draws chloroplasts in palisade cells ; 4 cell wall drawn as two lines and three lines where the cells touch ; 5 label line and label to a chloroplast ;	**5**
2(b)(i)	measures the lengths of the epidermal cells of the leaf within range and units ; shows the five lengths added up and divided by 5 ;	**2**
2(b)(ii)	shows the length of the scale bar divided by 8 μm and shows the division of the mean length of lines by the magnification : answer to the correct degree of accuracy ;	**2**
2(c)(i)	1 *x*-axis: percentage shade and *y*-axis: mean specific leaf area / $cm^2\ g^{-1}$; 2 scale on *x*-axis: 20 to 2 cm and labelled at least every 2 cm and scale on *y*-axis: 20 to 2 cm and labelled at least every 2 cm and 100 or 110 at the origin ; 3 points plotted accurately with a small cross or a small dot in a circle ; 4 points connected plot to plot or connected with a curved line ;	**4**
2(c)(ii)	describes the trend ; e.g. as the percentage shade increases the mean specific leaf area increases uses the data in Table 2.1 ;	**2**
2(c)(iii)	states the correct mean specific leaf area in 30% shade using graph ;	**1**

© UCLES 2022

Cambridge Assessment International Education

Cambridge International AS & A Level

BIOLOGY **9700/34**

Paper 3 (Advanced Practical Skills 2) **May/June 2022**

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© UCLES 2022

[Turn over

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© UCLES 2022

GENERIC MARKING PRINCIPLE 5: Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).
GENERIC MARKING PRINCIPLE 6: Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2022

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	'List rule' guidance For questions that require ***n*** responses (e.g. State **two** reasons …): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked *ignore* in the mark scheme should not count towards ***n***. • Incorrect responses should not be awarded credit but will still count towards ***n***. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

© UCLES 2022

6	Calculation specific guidance Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'. For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values. For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme. Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.
7	Guidance for chemical equations Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme. State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
underline	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point

© UCLES 2022

Question	Answer	Marks
1(a)(i)	1 0.5%, 0.25%, 0.125%, 0.0625% (labels under the correct sequence of beakers) ; 2 shows transfer of 10 cm^3 to each of the four beakers ; 3 shows addition of 10 cm^3 to each of the four beakers ;	**3**
1(a)(ii)	1 *heading for independent variable:* concentration of reducing sugar and percentage (concentration) or % ; 2 *heading for dependent variable:* time and s or seconds and no units in the body of the table ; 3 records times for each concentration ; 4 results record the correct trend ; 5 results recorded as whole seconds ;	**5**
1(a)(iii)	difficult to judge the time to the first colour change ;	**1**
1(a)(iv)	repeat experiment three times and calculate the mean ;	**1**
1(a)(v)	records time for **U** and units ;	**1**
1(a)(vi)	estimates concentration of reducing sugars in **U** from results in **(a)(ii)** and **(a)(v)** ; reference to sucrose being hydrolysed to fructose and glucose so only half of reducing sugars is fructose ;	**2**
1(b)(i)	1 x-axis: concentration of sucrose solution / mol dm^{-3} and *y*-axis : change in mass / g ; 2 scale on x-axis: 0.2 to 2 cm, labelled at least every 2 cm and *y*-axis: 0.2 to 2 cm, labelled at least every 2 cm ; 3 correct plotting of all points using small crosses or small dots in circles ; 4 plots joined with the lines passing through all points and line is either a smooth curve or joined plot to plot ;	**4**

© UCLES 2022

Question	Answer	Marks
1(b)(ii)	1 the potato piece in 0.4 mol dm^{-3} stayed the same mass because the water potential in the cells was equal to the solution ; 2 the potato piece in 1.0 mol dm^{-3} lost mass because the water potential in the cells was higher than the surrounding solution so water moved out of the cells ; 3 correct reference to osmosis ; *must have difference and explanation for mp1 and mp2*	**3**

Question	Answer	Marks
2(a)(i)	1 uses most of the available space and draws at least two layers of tissue ; 2 draws whole root and no cells ; 3 draws at least two layers around the vascular tissue in the centre of the root ; 4 label line and label to the epidermis ;	**4**
2(a)(ii)	1 uses most of the available space and all the lines sharp and continuous ; 2 draws only four cells and each cell touching at least two other cells ; 3 cell wall drawn as two lines and three lines where cells touch ; 4 correct proportions of the cells ; 5 label line and label to one cell wall ;	**5**
2(b)	records only differences ; *any **three** correct differences from e.g.:*	**4**

feature	M1	Fig. 2.1.
epidermis	thinner	thicker ;
cortex	wider	narrower ;
endodermis	present	absent ;
central tissue	parenchyma cells	xylem vessels ;

© UCLES 2022

Question	Answer	Marks
2(c)(i)	1 correct measurement of the scale bar and correct measurement of the line **X**–**Y** ; 2 to find the magnification, shows the length of the scale bar divided by 3.4 and shows the length of the line **X**–**Y** divided by the figure for the magnification ; 3 correct answer with the appropriate units ;	**3**
2(c)(ii)	shows the diameter of the root divided by 2 ; records the answer to area in μm^2 or mm^2 or cm^2 ;	**2**
2(c)(iii)	the root section is not a true circle /AW ;	**1**
2(c)(iv)	take more measurements of the diameter at different points and calculate the mean ;	**1**

© UCLES 2022

Cambridge Assessment International Education

Cambridge International AS & A Level

BIOLOGY **9700/35**

Paper 3 (Advanced Practical Skills 1) **May/June 2022**

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© UCLES 2022

[Turn over

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© UCLES 2022

GENERIC MARKING PRINCIPLE 5: Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).
GENERIC MARKING PRINCIPLE 6: Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	‘List rule’ guidance For questions that require ***n*** responses (e.g. State **two** reasons …): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked *ignore* in the mark scheme should not count towards ***n***. • Incorrect responses should not be awarded credit but will still count towards ***n***. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

© UCLES 2022

6	Calculation specific guidance Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'. For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values. For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme. Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.
7	Guidance for chemical equations Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme. State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
underline	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point

© UCLES 2022

Question	Answer	Marks
1(a)	colours recorded for each concentration ; for 60 mmol dm^{-3} red / orange and for 0.6 mmol dm^{-3}, blue / blue-green ;	**1**
1(b)(i)	1 0.1%, 0.01%, 0.001%, 0.0001% (labels under correct sequence of beakers) ; 2 shows transfer of 1 cm^3 to each of the four beakers ; 3 shows addition of 9 cm^3 to each of the four beakers ;	**3**
1(b)(ii)	records room temperature and °C ;	**1**
1(b)(iii)	1 *heading for independent variable:* concentration of invertase and percentage ; 2 *heading for dependent variable:* colour of observation ; 3 records colours for each concentration ; 4 results record the correct trend ;	**4**
1(b)(iv)	correct concentration for 1% invertase according to candidates results ; correct concentration for lowest concentration of invertase according to candidates results ;	**2**
1(b)(v)	as invertase concentration increases, more reducing sugar is produced ;	**1**
1(b)(vi	*any **three** from*: 1 more invertase concentrations would show presence of reducing sugar ; 2 enzymes closer to optimum ; 3 increases rate of reaction ; 4 more kinetic energy ; 5 more enzyme substrate complexes ; *if temperature raised beyond optimum for enzyme* 6 fewer invertase concentrations would show presence of reducing sugar ; 7 active site changes shape ; 8 enzyme denatured ; 9 fewer enzyme substrate complexes ;	**3**

© UCLES 2022

Question	Answer	Marks
1(b)(vii)	1 *error:* subjective colour scale ; 2 *improvement:* use colour standards ; 3 *error:* different lengths of time for each concentration ; 4 *improvement:* carry out each test separately ;	**4**

Question	Answer	Marks
2(a)(i)	1 uses most of the available space and draws at least three layers of tissue ; 2 draws only the region of stem indicated and no cells ; 3 draws tissues on both sides of the projection ; 4 draws region of tissue at the tip of the projection ; 5 label line and label to identify the epidermis ;	**5**
2(a)(ii)	1 uses most of the available space and all the lines sharp and continuous ; 2 draws only four cells and each cell touching at least one other cells ; 3 cell wall drawn as two lines and three lines where the cells touch ; 4 correct proportions of the cells ; 5 label line and label to identify the cell wall ;	**5**
2(b)(i)	circle drawn around 389 ;	**1**
2(b)(ii)	shows the addition of the three distances (seed length 10.0 mm) and division by 3 : answer to the correct degree of accuracy ;	**2**
2(b)(iii)	1 *x*-axis: seed length / mm and *y*-axis : mean distance travelled / m ; 2 scale on *x*-axis: 5 to 2 cm, labelled at least every 2 cm and scale on *y*-axis: 4 to 2 cm and labelled at least every 2 cm, with 200 at the origin ; 3 correct plotting of all points using small crosses or small dots in circles ; 4 five points joined with thin line passing through all points and line is either a smooth curve or joined plot to plot ;	**4**

© UCLES 2022

Question	Answer	Marks
2(b)(ii)	1 measurement of **X**–**Y** within range and units **;** 2 shows measurement of **X**–**Y** divided by 55 **;** 3 correct answer and units **;**	**3**

© UCLES 2022