



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Advanced Subsidiary Level and Advanced Level

CHEMISTRY

9701/31

Paper 31 Advanced Practical Skills

May/June 2008

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.



The Supervisor's attention is drawn to the form on page 7 which must be completed and returned with the scripts.

If you have any problems or queries regarding these instructions, please contact CIE

by e-mail: International@cie.org.uk

by phone: +44 1223 553554

by fax: +44 1223 553558

stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of **8** printed pages.



Safety

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Only those tests described in the question paper should be attempted. Please also see under 'Apparatus' on the use of pipette fillers, safety goggles and plastic gloves.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn in particular, to certain materials used in the examination. The following codes are used where relevant.

C = corrosive substance

F = highly flammable substance

H = harmful or irritating substance

O = oxidising substance

T = toxic substance

N = dangerous for the environment

The attention of Supervisors is drawn to any local regulations relating to safety, first-aid and disposal of chemicals.

'Hazard Data Sheets', relating to materials used in this examination, should be available from your chemical supplier.

Before the Examination

1 Access to the question paper is NOT permitted in advance of the examination.

2 Preparation of materials

Where quantities are specified for each candidate, they are sufficient for the experiments described in the question paper to be completed.

In preparing materials, the bulk quantity for each substance should be increased by 25% as spare material should be available to cover accidental loss. More material may be supplied if requested by candidates, without penalty.

All solutions should be bulked and mixed thoroughly before use to ensure uniformity.

Every effort should be made to keep the concentrations accurate to within one part in two hundred of those specified.

Supervisors are asked to carry out any confirmatory tests given on pages 4 and 5 to ensure the materials supplied are appropriate.

If the concentrations differ slightly from those specified, the Examiners will make the necessary allowance. They should be informed of the exact concentrations.

3 Labelling of materials

Materials must be labelled as specified in these instructions. Materials with an **FA** code number should be so labelled **without** the identities being included on the label. Where appropriate the identity of an **FA** coded chemical is given in the question paper itself.

4 Identity of materials

It should be noted that descriptions of solutions given in the question paper may not correspond exactly with the specifications in these Instructions. **The candidates must assume the descriptions given in the question paper.**

5 Size of group

In view of the difficulty of the preparation of large quantities of solution of uniform concentration, it is recommended that the maximum number of candidates per group be 30 and that separate supplies of solutions be prepared for each group.

Apparatus

1 In addition to the fittings ordinarily contained in a chemical laboratory, the apparatus and materials specified below will be necessary.

2 Pipette fillers (or equivalent safety devices), safety goggles and disposable plastic gloves should be used where necessary.

3 *For each candidate*

2 × 50 cm³ burettes
2 × burette clamps
2 × stands
2 × funnels for filling burettes
1 × 250 cm³ conical flask
1 × measuring cylinder to measure 10 cm³
1 × 25 cm³ pipette
1 × pipette filler or equivalent safety device
1 × white tile
1 × wash bottle containing distilled water
12 × test-tubes
3 × boiling-tubes
1 × test-tube rack
1 × test-tube holder
1 × Bunsen burner
1 × heat proof mat
1 × 250 cm³ beaker
2 × teat/squeeze pipettes
paper towels

Chemicals Required

- 1 It is **especially important** that great care is taken that the confidential information given below does **not** reach the candidates either directly or indirectly.
- 2 Particular requirements

hazard	label	per candidate	identity	notes (Hazard symbols given are for the raw materials.)
[H]	FA 1	250 cm ³	0.04 mol dm ⁻³ ammonium iron(II) sulphate	Dissolve 15.68 g of (NH ₄) ₂ SO ₄ ·6H ₂ O in 250 cm ³ of 1.0 mol dm ⁻³ H ₂ SO ₄ [H], then make the solution up to 1 dm ³ with distilled water.
[H] [N] [O]	FA 2	100 cm ³	0.015 mol dm ⁻³ potassium manganate(VII)	Dissolve 2.37 g of KMnO ₄ [O][H][N] in each dm ³ of solution.
[H]	FA 3	250 cm ³	0.025 mol dm ⁻³ hydrogen peroxide	Dilute 30 cm ³ of "10 volume" (3% w/w) hydrogen peroxide [H] to 1 dm ³ . If the original solution is "100 volume" (30% w/w) [C] first dilute to "10 volume" and prepare FA 3 as above. <i>This solution should be prepared as late as possible, stored in cool conditions and kept out of direct sunlight.</i>
Check and adjust the concentration of FA 3. Titrate a mixture of 25.0 cm³ of FA 3 and 10 cm³ of 1.0 mol dm⁻³ sulphuric acid with FA 2. Adjust the concentration of FA 3 to give a titre of between 16 and 17 cm³.				
[C]	1.0 mol dm ⁻³ H ₂ SO ₄	100 cm ³	1.0 mol dm ⁻³ H ₂ SO ₄	Cautiously pour 55 cm ³ of concentrated (98%) sulphuric acid [C] into 500 cm ³ of distilled water with continuous stirring. Make the solution up to 1 dm ³ with distilled water. Care – concentrated H₂SO₄ [C] is very corrosive.
[H]	FA 4	30 cm ³	0.1 mol dm ⁻³ aluminium sulphate	Dissolve 63.0 g of Al ₂ (SO ₄) ₃ ·16H ₂ O [H] in each dm ³ of solution.
[C]	FA 5	30 cm ³	0.1 mol dm ⁻³ zinc nitrate	Dissolve 29.8 g of Zn(NO ₃) ₂ ·6H ₂ O [C] in each dm ³ of solution.
[H]	FA 6	30 cm ³	0.1 mol dm ⁻³ sodium iodide (or 0.1 mol dm ⁻³ potassium iodide)	Dissolve 15.0 g of NaI [H] (or 16.6 g of KI [H]) in each dm ³ of solution.

- 3** The standard bench reagents specifically required are set out below. If necessary, they may be made available from a communal supply: however, the attention of the Invigilators should be drawn to the fact that such an arrangement may enhance the opportunity for malpractice between candidates.

hazard	label	identity	notes
[C]	dilute nitric acid	2.0 mol dm ⁻³ HNO ₃	Dilute 128 cm ³ of concentrated (70% w/v) acid [C][O] to 1 dm ³ .
[C]	aqueous sodium hydroxide	2.0 mol dm ⁻³ NaOH	Dissolve 80.0 g of NaOH [C] in each dm ³ of solution. Care – the process of solution is exothermic and any concentrated solution is very corrosive.
[H]	aqueous ammonia	2.0 mol dm ⁻³ NH ₃	Dilute 112 cm ³ of concentrated (35%) ammonia [C][N] to 1 dm ³ .
[H]	dilute hydrochloric acid	2.0 mol dm ⁻³ HCl	Dilute 172 cm ³ of concentrated (35%–37%) acid [C] to 1 dm ³ .
[T]	0.1 mol dm ⁻³ barium chloride [or 0.1 mol dm ⁻³ barium nitrate]	0.1 mol dm ⁻³ barium chloride [or 0.1 mol dm ⁻³ barium nitrate]	Dissolve 24.4 g of BaCl ₂ ·2H ₂ O [T] in each dm ³ of solution. [Or dissolve 26.1 g of Ba(NO ₃) ₂ [H][O] in each dm ³ of solution.]
[H] [N]	0.05 mol dm ⁻³ silver nitrate	0.05 mol dm ⁻³ silver nitrate	Dissolve 8.5 g of AgNO ₃ [C][N] in each dm ³ of solution.
[T] [N]	0.1 mol dm ⁻³ lead(II) nitrate	0.1 mol dm ⁻³ lead(II) nitrate	Dissolve 33.1 g of Pb(NO ₃) ₂ [T][N] in each dm ³ of solution.

5

- 4** The reagents, materials and apparatus to test the gases listed in the syllabus must be available to candidates. If necessary, they may be made available from a communal supply: however, the attention of the Invigilators should be drawn to the fact that such an arrangement may enhance the opportunity for malpractice between candidates.

hazard	label	identity	notes
[H]	limewater	saturated aqueous calcium hydroxide, Ca(OH) ₂	Prepare fresh limewater by leaving distilled water to stand over solid calcium hydroxide [H] for several days, shaking occasionally. Decant or filter the solution.
[T] [N]	acidified aqueous potassium dichromate(VI)	0.05 mol dm ⁻³ K ₂ Cr ₂ O ₇ 0.05 mol dm ⁻³ H ₂ SO ₄	Dissolve 14.8 g of K ₂ Cr ₂ O ₇ [T][N] in 50 cm ³ of 1 mol dm ⁻³ sulphuric acid [H]. Make the solution up to 1 dm ³ with distilled water. <i>The use of plastic gloves may be considered to prevent contact with skin.</i>
red and blue litmus paper, plain filter paper strips for use with dichromate, wooden splints, the apparatus normally used in the Centre for use with limewater in testing for carbon dioxide			

Responsibilities of the Supervisor during the Examination

- 1 The Supervisor, or other competent chemist **must carry out the experiments in question 1** and complete tables of readings on a spare copy of the question paper which should be labelled 'Supervisor's Results'.

**This should be done for:
each session held and each laboratory used in that session, and each set of solutions supplied.**

N.B. The question paper cover requests the candidate to fill in details of the examination session and the laboratory used for the examination.

It is essential that each packet of scripts contains a copy of the applicable Supervisor's Results as the candidates' work cannot be assessed accurately without such information.

- 2 The Supervisor must complete the Report Form on page 7 to show which candidates attended each session. If all candidates took the examination in one session, please indicate this on the Report Form. A copy of the Report Form must accompany each copy of the Supervisor's Results in order for the candidates' work to be assessed accurately.

The Supervisor must give details on page 8 of any particular difficulties experienced by a candidate, especially if the Examiner would be unable to discover this from the written answers.

After the Examination

Each envelope returned to Cambridge must contain the following items.

- 1 The scripts of those candidates specified on the bar code label provided.
- 2 A copy of each Supervisor's Report relevant to the candidates in **1**.
- 3 A copy of the Report Form, including details of any difficulties experienced by candidates (see pages 7 and 8).
- 4 The Attendance Register.
- 5 **A Seating Plan for each session/laboratory.**

Failure to provide appropriate documentation in each envelope may cause candidates to be penalised.

COLOUR BLINDNESS

With regard to colour-blindness – a minor handicap, relatively common in males – it is permissible to advise candidates who request assistance on colours of, for example precipitates and solutions (especially titration end-points). Please include with the scripts a note of the index numbers of such candidates.

Experience suggests that candidates who are red/green colour-blind – the most common form – do not generally have significant difficulty. Reporting such cases with the scripts removes the need for a 'Special Consideration' application for this handicap.

REPORT FORM

This form must be completed and sent to the Examiner in the envelope with the scripts.

Centre Number Name of Centre

1 Supervisor's Results

Please submit details of the readings obtained in **Question 1** on a spare copy of the question paper clearly marked 'Supervisor's Results' **and showing the Centre number and appropriate session/laboratory number.**

2 The index numbers of candidates attending each session were:

First Session

Second Session

3 The Supervisor is required to give details overleaf of any difficulties experienced by particular candidates, giving names and index numbers. These should include reference to:

- (a)** any general difficulties encountered in making preparation;
- (b)** difficulties due to faulty apparatus or materials;
- (c)** accidents to apparatus or materials;
- (d)** assistance with respect to colour blindness.

Other cases of hardship, e.g. illness, temporary disability, should be reported direct to CIE on the normal 'Application for Special Consideration' form.


4 A plan of work benches, giving details by candidate number of the places occupied by the candidates for each experiment for each session, must be enclosed with the scripts.



Report on any difficulties experienced by candidates.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.



9701/32

May/June 2008

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.



If you have any problems or queries regarding these instructions, please contact CIE
by e-mail: International@cie.org.uk
by phone: +44 1223 553554
by fax: +44 1223 553558
stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of **9** printed pages and **3** blank pages.

Safety

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Only those tests described in the question paper should be attempted. Please also see under 'Apparatus' on the use of pipette fillers, safety goggles and plastic gloves.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn in particular, to certain materials used in the examination. The following codes are used where relevant.

C	corrosive substance	F	highly flammable substance
H	harmful or irritating substance	O	oxidising substance
T	toxic substance	N	dangerous for the environment

The attention of Supervisors is drawn to any local regulations relating to safety, first-aid and disposal of chemicals.

'Hazard Data Sheets', relating to materials used in this examination, should be available from your chemical supplier.

Before the Examination

1 Access to the question paper is NOT permitted in advance of the examination.

2 Preparation of materials

Where quantities are specified for each candidate, they are sufficient for the experiments described in the question paper to be completed.

In preparing materials, the bulk quantity for each substance should be increased by 25% as spare material should be available to cover accidental loss. More material may be supplied if requested by candidates, without penalty.

All solutions should be bulked and mixed thoroughly before use to ensure uniformity.

Every effort should be made to keep the concentrations accurate to within one part in two hundred of those specified.

Supervisors are asked to carry out any confirmatory tests given on pages 4, 5 and 6 to ensure the materials supplied are appropriate.

If the concentrations differ slightly from those specified, the Examiners will make the necessary allowance. They should be informed of the exact concentrations.

3 Labelling of materials

Materials must be labelled as specified in these instructions. Materials with an **FB** code number should be so labelled **without** the identities being included on the label. Where appropriate the identity of an **FB** coded chemical is given in the question paper itself.

4 Identity of materials

It should be noted that descriptions of solutions given in the question paper may not correspond exactly with the specifications in these Instructions. **The candidates must assume the descriptions given in the question paper.**

5 Size of group

In view of the difficulty of the preparation of large quantities of solution of uniform concentration, it is recommended that the maximum number of candidates per group be 30 and that separate supplies of solutions be prepared for each group.

Apparatus

- 1 In addition to the fittings ordinarily contained in a chemical laboratory, the apparatus and materials specified below will be necessary.
- 2 Pipette fillers (or equivalent safety devices), safety goggles and disposable plastic gloves should be used where necessary.
- 3 *For each candidate*

1 × plastic cup (expanded polystyrene/foamed plastic)
 1 × 250 cm³ beaker (to support the plastic cup)
 1 × 50 cm³ burette
 1 × stand
 1 × burette clamp
 1 × thermometer, −10 °C to 110 °C by 1 °C
 1 × tube, labelled **FB 5**, to contain 5.00 g of mixture
 1 × tube, labelled **FB 6**, to contain 5.00 g of mixture
 1 × small spatula
 1 × wash bottle of distilled water
 access to a balance weighing to at least 0.1 g
 10 test-tubes
 3 × boiling-tubes
 1 × test-tube rack
 1 × test-tube holder
 1 × Bunsen burner
 1 × heat-proof mat
 2 × teat/squeeze pipettes
 paper towels

Where access to a balance is restricted, some candidates should be instructed to start the examination at Question 2.

Chemicals Required

1 It is **especially important** that great care is taken that the confidential information given below does **not** reach the candidates either directly or indirectly.

2 Particular requirements

hazard	label	per candidate	identity	notes (hazard symbols given in this column are for the raw materials.)
[H]	FB 1	250 cm ³	3.00 mol dm ⁻³ hydrochloric acid	Dilute 258 cm ³ of concentrated (35% w/w; approximately 11 mol dm ⁻³) acid [C] to 1 dm ³ .
[H]	FB 2	tube containing 5.0 ± 0.2 g	Na ₂ CO ₃ + NaHCO ₃ mixture	Weigh into a tube labelled FB 2 1.0 ± 0.1 g of anhydrous sodium carbonate [H] and 4.0 ± 0.1 g of sodium hydrogencarbonate [H].
[H]	FB 3	tube containing 5.0 ± 0.2 g	Na ₂ CO ₃ + NaHCO ₃ mixture	Weigh into a tube labelled FB 3 2.5 ± 0.1 g of anhydrous sodium carbonate [H] and 2.5 ± 0.1 g of sodium hydrogencarbonate [H].
[H]	FB 4	tube containing 5.0 ± 0.2 g	Na ₂ CO ₃ + NaHCO ₃ mixture	Weigh into a tube labelled FB 4 4.0 ± 0.1 g of anhydrous sodium carbonate [H] and 1.0 ± 0.1 g of sodium hydrogencarbonate [H].
[H]	sodium carbonate	6 g	anhydrous sodium carbonate, Na ₂ CO ₃	This may be supplied to each candidate or as a communal supply.
[H]	sodium hydrogencarbonate	6 g	sodium hydrogencarbonate NaHCO ₃	This may be supplied to each candidate or as a communal supply.
Use freshly purchased anhydrous sodium carbonate, or remove absorbed water vapour by heating at 100 °C, then cooling in a desiccator. The sodium carbonate provided should give a temperature rise of approximately 1.75 °C g⁻¹ when reacted with 50 cm³ of 2 mol dm⁻³ hydrochloric acid. The sodium hydrogencarbonate provided should give a temperature fall of approximately 1.41 °C g⁻¹ when reacted with 50 cm³ of 2 mol dm⁻³ hydrochloric acid. Reagents giving significantly smaller temperature changes should not be used. Centres may wish to prepare bulk mixtures for each of the tubes FB 2, FB 3 and FB 4 and place 5.0 ± 0.2 g of each mixture in each tube. If the mixtures are prepared in this way it is the responsibility of the Centre to ensure that each mixture is uniform in composition. If tubes are prepared in advance of the examination, check on issue that the contents are free flowing and can be easily tipped from the tube.				

2 Particular requirements (continued)

hazard	label	per candidate	identity	notes (hazard symbols given in this column are for the raw materials.)
[H] [N]	FB 7	30 cm ³	0.10 mol dm ⁻³ manganese(II) sulphate	This salt may be obtained as the monohydrate or as the tetrahydrate. Dissolve 16.9 g of MnSO ₄ ·H ₂ O [H] [N] or 22.3 g of MnSO ₄ ·4H ₂ O [H] [N] in each dm ³ of solution.
	FB 8	30 cm ³	0.10 mol dm ⁻³ magnesium sulphate	Dissolve 24.5 g of MgSO ₄ ·7H ₂ O in each dm ³ of solution.
[H]	FB 9	30 cm ³	0.005 mol dm ⁻³ calcium chloride	Dissolve 1.10 g of CaCl ₂ ·6H ₂ O in each dm ³ of solution, <i>Reduce the concentration of this solution, if necessary, so that it gives no more than a faint white cloudiness with NaOH(aq) but a positive test for chloride with AgNO₃(aq).</i>
[H]	aqueous hydrogen peroxide	10 cm ³	aqueous hydrogen peroxide 10 volume or 3% w/w or 0.83 mol dm ⁻³	Hydrogen peroxide may be purchased by volume strength e.g. 10 volume [H], 20 volume [H] or 100 volume [C]. Care: 100 volume H₂O₂(aq) is corrosive. 100 volume peroxide = 30% w/w = 8.3 mol dm ⁻³ <i>Purchase the required concentration of solution or dilute as appropriate.</i>

The list of chemicals required is continued overleaf.

- 3** The standard bench reagents specifically required are set out below. If necessary, they may be made available from a communal supply: however, the attention of the Invigilators should be drawn to the fact that such an arrangement may enhance the opportunity for malpractice between candidates.

hazard	label	identity	notes (hazard symbols given in this column are for the raw materials.)
[H]	dilute hydrochloric acid	2.0 mol dm ⁻³ HCl	Dilute 172 cm ³ of concentrated (35% w/w; approximately 11 mol dm ⁻³) acid [C] to 1 dm ³ .
[C]	dilute nitric acid	2.0 mol dm ⁻³ HNO ₃	Dilute 128 cm ³ of concentrated (70% w/w) acid [C] [O] to 1 dm ³ .
[C]	aqueous sodium hydroxide	2.0 mol dm ⁻³ NaOH	Dissolve 80.0 g of NaOH [C] in each dm ³ of solution. Care – the process of solution is exothermic and any concentrated solution is very corrosive.
[H]	aqueous ammonia	2.0 mol dm ⁻³ NH ₃	Dilute 112 cm ³ of concentrated (35% w/w) ammonia [C] [N] to 1 dm ³ .
[T]	barium chloride [or barium nitrate]	0.1 mol dm ⁻³ barium chloride [or 0.1 mol dm ⁻³ barium nitrate]	Dissolve 24.4 g of BaCl ₂ ·2H ₂ O [T] in each dm ³ of solution, [or dissolve 26.1 g of Ba(NO ₃) ₂ [H] [O] in each dm ³ of solution.]
[H] [N]	silver nitrate	0.05 mol dm ⁻³ silver nitrate	Dissolve 8.5 g of AgNO ₃ [C] [N] in each dm ³ of solution.
[T] [N]	lead(II) nitrate	0.1 mol dm ⁻³ lead(II) nitrate	Dissolve 33.1 g of Pb(NO ₃) ₂ [T] [O] [N] in each dm ³ of solution.

- 4** The reagents, materials and apparatus to test the gases listed in the syllabus must be available to candidates. If necessary, they may be made available from a communal supply: however, the attention of the Invigilators should be drawn to the fact that such an arrangement may enhance the opportunity for malpractice between candidates.

hazard	label	identity	notes
[H]	limewater	saturated aqueous calcium hydroxide, Ca(OH) ₂	Prepare fresh limewater by leaving distilled water to stand over solid calcium hydroxide [H] for several days, shaking occasionally. Decant or filter the solution.
[T] [N]	acidified aqueous potassium dichromate(VI)	0.05 mol dm ⁻³ K ₂ Cr ₂ O ₇ 0.05 mol dm ⁻³ H ₂ SO ₄	Dissolve 14.8 g of K ₂ Cr ₂ O ₇ [T] [N] in 50 cm ³ of 1 mol dm ⁻³ sulphuric acid [H]. Make the solution up to 1 dm ³ with distilled water. <i>The use of plastic gloves may be considered to prevent contact with skin.</i>

red and blue litmus paper, plain filter paper strips for use with aqueous potassium dichromate(VI), wooden splints, the apparatus normally used in the Centre for use with limewater in testing for carbon dioxide

Responsibilities of the Supervisor during the Examination

- 1 The Supervisor, or other competent chemist **must carry out the FIVE experiments in question 1** and complete tables of readings on a spare copy of the question paper which should be labelled 'Supervisor's Results'.

**This should be done for:
each session held and each laboratory used in that session, and each set of solutions supplied.**

N.B. The question paper cover requests the candidate to fill in details of the examination session and the laboratory used for the examination.

It is essential that each packet of scripts contains a copy of the applicable Supervisor's Results as the candidates' work cannot be assessed accurately without such information.

- 2 The Supervisor must complete the Report Form on page 11 to show which candidates attended each session. If all candidates took the examination in one session, please indicate this on the Report Form. A copy of the Report Form must accompany each copy of the Supervisor's Results in order for the candidates' work to be assessed accurately.

The Supervisor must give details on page 12 of any particular difficulties experienced by a candidate, especially if the Examiner would be unable to discover this from the written answers.

After the Examination

Each envelope returned to Cambridge must contain the following items.

- 1 The scripts of those candidates specified on the bar code label provided.
- 2 A copy of the Supervisor's Report relevant to the candidates in 1.
- 3 A copy of the Report Form, including details of any difficulties experienced by candidates (see pages 11 and 12).
- 4 The Attendance Register.
- 5 **A Seating Plan for each session/laboratory.**

Failure to provide appropriate documentation in each envelope may cause candidates to be penalised.

COLOUR BLINDNESS

With regard to colour-blindness – a minor handicap, relatively common in males – it is permissible to advise candidates who request assistance on colours of, for example, precipitates and solutions (especially titration end-points). Please include with the scripts a note of the index numbers of such candidates.

Experience suggests that candidates who are red/green colour-blind – the most common form – do not generally have significant difficulty. Reporting such cases with the scripts removes the need for a 'Special Consideration' application for this handicap.

BLANK PAGE

BLANK PAGE

BLANK PAGE

This form must be completed and sent to the Examiner in the envelope with the scripts.

Centre Number Name of Centre

1 Supervisor's Results

Please submit details of the readings obtained in **Question 1** on a spare copy of the question paper clearly marked 'Supervisor's Results' **and showing the Centre number and appropriate session/laboratory number.**

2 The index numbers of candidates attending each session were:

First Session

Second Session

3 The Supervisor is required to give details overleaf of any difficulties experienced by particular candidates, giving names and index numbers. These should include reference to:

- (a) any general difficulties encountered in making preparation;
- (b) difficulties due to faulty apparatus or materials;
- (c) accidents with apparatus or materials;
- (d) assistance with respect to colour-blindness.

Other cases of hardship, e.g. illness, temporary disability, should be reported direct to CIE on the normal 'Application for Special Consideration' form.



4 A plan of work benches, giving details by candidate number of the places occupied by the candidates for each experiment for each session, must be enclosed with the scripts.

Report on any difficulties experienced by candidates.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.