

PEARSON EDEXCEL A-LEVEL BIOLOGY B • 9B10

BIOLOGY



EXAM QUESTION PACK

TOPIC 4: EXCHANGE AND TRANSPORT
CELL TRANSPORT MECHANISMS

SCORE

/145

PERCENTAGE

%

STEMUP

These questions belong to Pearson Edexcel, not to us.

The examination questions and mark schemes in this pack were written and published by Pearson Edexcel. They are past assessment materials, reproduced here so that students can revise from them.

What we do not own

STEMUP is not affiliated with Pearson Edexcel and does not own, and makes no claim to own, any of the question or mark scheme material in this pack. Pearson has not endorsed, approved or been involved in the production of it. Pearson, Edexcel and the qualification titles used here belong to their respective owners and appear for identification only.

Where to find the originals

Pearson publishes its past papers and mark schemes free of charge. Always check the current specification at [qualifications.pearson.com](https://www.pearson.com/qualifications) before you revise, because content and wording can change between series.

If you hold the rights to any material in this pack and would like it amended or removed, contact admin@stemup.co.uk and we will act on it.

Q1.

The lipid content of the cell membranes of prokaryotic organisms changes in response to changes in the environmental temperature.

The cell membranes of most organisms belonging to the domain Archaea are lipid monolayers.

The lipid that forms this monolayer is a bipolar lipid.

Explain why a bipolar lipid is a suitable molecule to form the cell membrane.

(2)

.....

.....

.....

.....

.....

.....

(Total for question = 2 marks)


Q2.

Answer the questions with a cross in the boxes you think are correct ☐. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☐.

Genetically modified (GM) crop plants have been produced that have stomata with a wider aperture than non-modified crop plants.


This difference in the width of the aperture is only evident in daylight.

The photographs show the appearance of each type of stoma in daylight.



Sourced from: http://www.aip.nagoya-u.ac.jp/en/public/nu_research/images/Wang_f1.jpg

The flow chart shows some of the steps involved in opening the aperture of a stoma.



(i) What happens when hydrogen ions are actively transported out of the guard cells?

(1)

- ☐ **A** ADP and phosphate ions are converted into ATP by a hydrolysis reaction
- ☐ **B** ADP and phosphate ions are converted into ATP by a condensation reaction
- ☐ **C** ATP is broken down into ADP and phosphate ions by a condensation reaction
- ☐ **D** ATP is broken down into ADP and phosphate ions by a hydrolysis reaction

(ii) Which of the following explains why water moves into the guard cells?

(1)

- ☐ **A** malate lowers the water potential of the cytoplasm
- ☐ **B** malate raises the water potential of the cytoplasm
- ☐ **C** starch lowers the water potential of the cytoplasm

☐ **D** starch raises the water potential of the cytoplasm

(iii) Which of the following explains why the aperture of the stoma widens?

(1)

☐ **A** The guard cells become smaller and the inner wall of the guard cell is more flexible than the outer wall

☐ **B** The guard cells become smaller and the inner wall of the guard cell is less flexible than the outer wall

☐ **C** The guard cells become larger and the inner wall of the guard cell is more flexible than the outer wall

☐ **D** The guard cells become larger and the inner wall of the guard cell is less flexible than the outer wall

(Total for question = 3 marks)

Q3.

(a) A student investigated the effect of ethanol on plant cell membranes.


Step 1: The student cut leaf discs from leaves, using a cork borer.

Step 2: These leaf discs were then added to a boiling tube containing 10 cm³ of 40% ethanol solution. The pigments in the leaf discs dissolved in the ethanol, producing a green solution.

Step 3: The boiling tube was shaken and the amount of red light absorbed by this solution (absorbance) was measured at the start.

Step 4: The absorbance was measured every 10 minutes, for an hour.

The graph shows the results of this investigation.



(i) Explain why red light was used in this investigation.

(2)

.....

.....

.....

(ii) Explain the absorbance value at 0 minutes.

(2)

.....

.....

.....

.....

(iii) Explain the effect of ethanol on plant cell membranes.

(2)

.....

.....

.....


.....

.....

(b) The student also carried out a control, using water instead of 40% ethanol.

Draw a line on the graph to show the results for this control.

(2)



(c) The student then investigated the effect of ethanol concentration on leaves from different plant species.

Justify the modifications to the procedure in part (a) that will be required to obtain valid data.

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for question = 13 marks)

Q4.

Compare and contrast the way in which ATP is synthesised in mitochondria and in chloroplasts.

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

Q5.

The lipid content of the cell membranes of prokaryotic organisms changes in response to changes in the environmental temperature.

The percentage of branched-chain fatty acids in membranes of bacteria that have different optimum growth temperatures was investigated.

The graph shows the results of this investigation.



(i) Calculate the mean percentage of branched-chain fatty acids in bacteria whose optimum growth temperature is $<20^{\circ}\text{C}$.

(1)

Answer %

(ii) Analyse the data to describe **two** conclusions that can be drawn from this investigation.

(2)

.....

.....

.....

.....


.....

(Total for question = 3 marks)

Q6.


The pancreas is an organ that secretes digestive enzymes.

The electron micrograph shows part of a secretory cell from a human pancreas.



Calcium ions are needed for the secretion of enzymes from pancreatic cells.

The graph shows the effect of increasing calcium ion concentration on the uptake of calcium ions by pancreatic cells.



Explain the effects of calcium ion concentration on the rate of uptake of calcium ions through the pancreatic cell membrane.

(3)

.....

.....

.....

.....

.....

.....

.....

(Total for question = 3 marks)

Q7.

ATP is involved in a wide variety of biological processes such as active transport and muscle contraction.

A typical adult human body has a mass of 62 kg.

It contains approximately 250 g of ATP and has approximately 3.7×10^{13} cells.

(i) Calculate the mean mass of ATP in one cell of a typical human.

Express your answer in standard form.

(2)

Answer g

(ii) Explain why this calculation does **not** give an accurate estimate of the mass of ATP in a nerve cell.

(2)

.....

.....

.....

.....

.....

.....

Q8.

Scientists have calculated that a typical person synthesises their own body mass in ATP every 24 hours.

(i) Calculate the mean rate of ATP production in grams per second in a person with a body mass of 62 kg.

(2)

Answer

(ii) Explain why people do not double their body mass in 24 hours due to ATP production.

(2)

.....

.....

.....

.....

.....

.....

.....

.....

Q9.

Auxins and cytokinins are plant growth regulators that control apical dominance and cell elongation.

Auxin is an uncharged molecule when it diffuses through the cell surface membrane. When inside the cytoplasm, auxin develops a negative charge. Auxin leaves cells by facilitated diffusion.

Explain how the structure of the cell membrane affects the transport of auxin.

(2)

.....

.....

.....

.....

.....

(Total for question = 2 marks)

Q10.

The structure of a lipid relates to its role in living organisms.

Cell membranes contain lipids that have a phosphate group attached to the glycerol, instead of one of the fatty acids.

Explain the importance of the phosphate group in these lipids.

(2)

.....

.....

.....

.....

.....

.....

(Total for question = 2 marks)

Q11.

A student investigated the effect of the concentration of sodium chloride solution on blood.

The table shows the results of this investigation.

Concentration of sodium chloride (%)	Appearance of solution after blood was added	Observation with light microscope
3.0	very cloudy	cells seen with shrunken edges
1.0	very cloudy	cells seen
0.9	very cloudy	cells seen
0.7	slightly cloudy	cells seen
0.5	cloudy at first, then went clear	no cells seen
0.3	clear	no cells seen

Analyse the data to comment on the effect of the concentration of sodium chloride solution on blood.

(4)

[illegible]

(Total for question = 4 marks)

Q12.

A student investigated the effect of the concentration of sodium chloride solution on blood.

The student set up six test tubes, each with a different concentration of sodium chloride solution.

Five drops of blood were added to each test tube.

The appearance of the solutions was then recorded.

Samples of each solution were observed using a light microscope.

The table shows the results of this investigation.

Concentration of sodium chloride (%)	Appearance of solution after blood was added	Observation with light microscope
3.0	very cloudy	cells seen with shrunken edges
1.0	very cloudy	cells seen
0.9	very cloudy	cells seen
0.7	slightly cloudy	cells seen
0.5	cloudy at first, then went clear	no cells seen
0.3	clear	no cells seen

The student then investigated the effect of using glucose solutions and sucrose solutions, instead of sodium chloride solutions.

The appearance of the solutions was recorded and samples were observed using a light microscope.

When the concentration of glucose solution was below 3%, the solution was clear and no blood cells could be seen. When the concentration of glucose solution was above 3%, the solution was cloudy and blood cells could be seen.

When the concentration of sucrose solution was below 6%, the solution was also clear and no blood cells could be seen. When the concentration of sucrose solution was above 6%, the solution was cloudy and blood cells could be seen.

Explain the differences in the effects of the solutions of glucose and sucrose.

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for question = 3 marks)

Q13.

The photograph shows *Salicornia*, a plant growing on salt marshes close to the sea. *Salicornia* colonises bare mud containing seawater.



A student sampled *Salicornia* plants at the river mouth by the sea and at different distances upstream. Samples of the water in the mud were also taken.

The salt concentration of the plants and the water in the mud were measured.

The results are shown in the table.

Distance upstream from sea / km	Salt concentration / arbitrary units	
	<i>Salicornia</i> plants	Water in the mud
0.0	60.0	2.8
1.6	60.0	1.1
4.8	55.0	0.6
8.0	75.0	0.2

Analyse the data to explain how *Salicornia* is adapted to life in salt marshes.

(3)

.....

.....

.....

.....

.....

.....


(Total for question = 3 marks)

Q14.

High density and low density lipoproteins are spherical structures that transport cholesterol and fatty acids in the bloodstream.

The diagram shows a lipoprotein.

cholesterol and fatty acids transported in the centre of the lipoprotein



Explain why the properties of lipoproteins enable cholesterol and fatty acids to be transported in the bloodstream.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for question = 3 marks)

Q15.

Answer the questions with a cross in the boxes you think are correct ☐. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☐.

(i) Which of the following statements about facilitated diffusion are correct?

(1)

1. substances move through membrane proteins
2. substances move against a concentration gradient
3. substances move down a concentration gradient
4. substances move between phospholipids

☐ **A** 1 and 2

☐ **B** 1 and 3

☐ **C** 2 and 3

☐ **D** 2 and 4

(ii) The collecting duct is also part of the nephron.

Which of the following are the effects of increased release of antidiuretic hormone (ADH)?

(1)

☐ **A** decreased permeability of the collecting duct to water, producing more concentrated urine

☐ **B** decreased permeability of the collecting duct to water, producing more dilute urine

☐ **C** increased permeability of the collecting duct to water, producing more concentrated urine


☐ **D** increased permeability of the collecting duct to water, producing more dilute urine

(Total for question = 2 marks)

Q16.

Phagocytosis requires a source of energy in the form of ATP.

The diagram below shows the relationship between ATP and ADP.



Place a cross ☐ in the box next to the name of reaction A and reaction B.

(2)

Reaction	Name of reaction				
	autolysis	decarboxylation	hydrolysis	phosphorylation	polymerisation
A	☐	☐	☐	☐	☐
B	☐	☐	☐	☐	☐

Q17.

White clover plants provide a rich source of nitrogen for cattle when grown with grass plants in fields.

The photograph shows a clover plant growing in a field of grass.



Clover plants have bacteria living in root nodules.

These bacteria convert atmospheric nitrogen (N_2) to ammonia (NH_3) using the enzyme nitrogenase.

(i) State one organic molecule containing nitrogen atoms which is found in plant cells.

(1)

(ii) Nitrogen is a relatively unreactive gas that forms 80% of the atmosphere.

The enzyme nitrogenase catalyses the reaction shown:



The activation energy for this reaction is very high.

Analyse the information to explain how the enzyme nitrogenase is involved in the energy changes required for this reaction.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for question = 5 marks)

Q18.

The photograph shows a glacier that is melting. As the glacier gradually melts, it leaves behind bare rock.



melting glacier

(Source: © CHARLES D. WINTERS/SCIENCE PHOTO LIBRARY)


Scientists sampled the soil from areas that had been uncovered for different lengths of time after the glacier ice had melted.

The table shows the results from the samples.

Length of time since glacier melted / years	Soil depth / cm	Mass of nitrate in soil / mg m^{-2}	Mass of leaf litter that falls to ground each year / $\text{g m}^{-2} \text{yr}^{-1}$
5	5.2	3.8	1.5
15	6.4	4.1	1.7
40	7.0	5.3	12.8
100	9.2	21.8	277.0
150	10.8	35.4	335.0
200	15.1	53.3	277.0
250	16.2	61.4	261.0

The roots of some of the plants growing around the glacier were found to contain an oxygen binding protein called leghaemoglobin.

The graph shows the oxygen dissociation curve for leghaemoglobin and the oxygen dissociation for haemoglobin.



(i) Leghaemoglobin is a protein that is similar in structure to myoglobin. Both of these proteins have one subunit.

Explain how the oxygen dissociation curve shows that the structure of leghaemoglobin is more similar to myoglobin than to haemoglobin.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Explain how leghaemoglobin enables these plants to grow in waterlogged and compact soils.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


(Total for question = 6 marks)

Q19.

Macrophages are involved in response to infection.


Macrophages engulf bacteria by surrounding the bacteria with pseudopodia.

The image shows a macrophage forming pseudopodia around some bacteria.





(Source: © urfin/Shutterstock)

The flow chart shows one theory for the formation of pseudopodia.



(i) Which diagram shows one antibody binding to the surface of a macrophage (**Step 1**)?

(1)

- ☐ **A** 
- ☐ **B** 
- ☐ **C** 
- ☐ **D** 

(ii) Actin is a fibrous protein.

Which row of the table describes the breakdown of actin (**Step 2**)?

(1)

	monomer formed	process by which bond is broken
☐ A	amino acid	condensation
☐ B	amino acid	hydrolysis
☐ C	nucleotide	condensation
☐ D	nucleotide	hydrolysis

(iii) Explain why water flows into the part of the cell where the soluble components are located (**Step 3**).

(2)

.....

.....

.....

.....

.....

.....

(iv) Describe the events that take place resulting in T helper cell activation, following the formation of pseudopodia by the macrophages (**Step 4**).

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for question = 7 marks)

Q20.

Plants require mineral ions from the soil for healthy growth.

(i) Describe how mineral (inorganic) ions are taken up by active transport.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Describe the function of a named mineral ion that is vital for the growth of plants.

(2)

Mineral ions

.....

Function

.....

.....

.....

.....

(Total for question = 5 marks)

Q21. The scientific article you have studied is adapted from several sources.

Use the information from the article and your own knowledge to answer the following questions.

(a) The sweet potato eaten by naked mole rats (paragraph 3) is very rich in starch. Starch can be a combination of amylose and amylopectin.

Give **two** structural differences between amylose and amylopectin.

(2)

.....

.....

.....

.....

.....

(b) Explain why a colony of naked mole rats is considered 'a eusocial society' (paragraph 4).

(2)

.....

.....

.....

.....

.....

(c) Naked mole rats show evidence of poikilothermy (paragraph 5).

(i) Explain what is meant by the term **poikilothermic**.

(1)

.....

.....

.....

(ii) Suggest how each of the following 'contribute to poikilothermic responses to changing temperature of this mammal'.

(2)

'Lack of an insulating layer'

.....

.....

.....

'A marked reduction in sweat glands'

.....

.....

.....

(d) Suggest a mechanism that could have been used to genetically modify cells from mice with cancer-causing genes (paragraph 13).

(2)

.....

.....

.....

.....

.....

*(e) Whilst naked mole rats are 'impervious to chemical pain' they do feel 'acute pain such as cuts and burns' (paragraph 31).

Touching something hot, which could lead to a burn, can cause nerve impulses to travel along myelinated sensory neurones very rapidly.

Explain how myelination increases the speed of transmission of nerve impulses in a sensory neurone.

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(f) Explain how a heart attack can temporarily reduce the oxygen concentration in brain tissue (paragraph 36).

(3)

.....

.....

.....

.....

.....

.....

.....

(g) Using the information in paragraph 48, name **one** hormone **and** state its function.

(1)

Hormone:

.....

Function:

.....

.....

.....

(h) Suggest how a change in the mid region of the sperm may make it non-motile (paragraph 48).

(2)

.....

.....

.....

.....

.....

.....

(i) Disperser naked mole rats 'are laden with fat' (paragraph 50).

Suggest why it may be advantageous for disperser naked mole rats to have high levels of fat.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

(j) Explain the statement that 'a preference by reproductively active females for unfamiliar males is interpreted as inbreeding avoidance' (paragraph 52).

(2)

.....

.....

.....

.....

(k) 'The naked mole rat hasn't yet had its genome sequenced' (paragraph 53).

Explain what is meant by the term **genome sequenced**.

(1)

.....

.....

.....

(l) 'With so much to offer science, it is no surprise that naked mole rats are becoming more common in labs' (paragraph 53).

Using information from the article, describe **two** adaptations of naked mole rats. For each adaptation, explain why it could be of interest in a medical research laboratory.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

(Total for Question = 30 marks)

Q22.

The drawings show two single-celled organisms that live in ponds, *Paramecium* and a bacterium.



Structure **A** is a contractile vacuole. This removes water from the *Paramecium*.

Explain why the *Paramecium* needs to remove water.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Q23.

A student investigated the rate of uptake of nitrate ions (NO_3^-) into plant cells.

Discs of carrot were cut and half of them were immersed in a solution containing $10 \mu\text{mol dm}^{-3}$ nitrate ions. The other half were placed in the same nitrate ion solution to which 2,4-dinitrophenol (DNP) was added.

DNP inhibits the process of oxidative phosphorylation.

The nitrate ion concentration of the discs was determined every five minutes.

The student failed to pre-treat the carrot discs before placing them in the solution.

(a) Explain how the carrot discs should be pre-treated.

(3)

.....

.....

.....

.....

.....


.....

.....

.....

.....

The graph below shows the results of this investigation after the carrot discs were pre-treated.



(b) Calculate the mean rate of nitrate ion uptake of the carrot discs placed in the nitrate ion solution without DNP between 5 and 10 minutes.

(3)

Answer

(c) Analyse the data to explain the effect of DNP on the nitrate ion uptake of the carrot tissue between 0 to 10 minutes and 20 to 30 minutes.

(3)

.....

.....

.....

.....

.....

.....

(d) DNP acts by rapidly transferring protons (H^+ ions) across biological membranes.

Explain how this action will bring about the effect of DNP on oxidative phosphorylation.

(3)

.....

.....

.....

.....

.....

.....

(Total for question = 12 marks)

Q24.

The lipid content of the cell membranes of prokaryotic organisms changes in response to changes in the environmental temperature.

Phospholipids form a bilayer in the cell membranes of bacteria.

Describe the structure of a phospholipid.

(2)

.....

.....

.....

.....

.....


.....

(Total for question = 2 marks)

Q25.

The green alga, *Scenedesmus quadricauda*, lives in fresh water.
Each cell has a single chloroplast.

The photograph shows some *Scenedesmus* cells.



Photosynthesis can be measured if these algae are placed in a solution containing hydrogen carbonate indicator.

When the carbon dioxide concentration is the same as that of atmospheric air, the hydrogen carbonate indicator is red.

As the carbon dioxide concentration decreases, the hydrogen carbonate indicator changes colour from red to pink and then to purple.

Explain why the carbon dioxide concentration of the solution decreases when the algae carry out photosynthesis.

(2)

.....

.....

.....

.....

.....

.....

Q26.

Water is needed for the transport of mineral ions through a plant.

Farmyard manure contains many mineral ions.

(i) Calcium ions in manure promote the growth of plants by increasing

(1)

☒ **A** amino acid synthesis

- ☐ **B** the production of chlorophyll
- ☐ **C** the strength of the middle lamella between cells
- ☐ **D** water loss by the leaves


(ii) Which of the following is the mechanism by which these calcium ions are transported from soil water into plants?

(1)

- ☐ **A** active transport
- ☐ **B** exocytosis
- ☐ **C** osmosis
- ☐ **D** transpiration

Q27.

The diagram shows the structure of a cell membrane.



Name the parts labelled **A** and **B**.

(1)


.....

.....

(Total for question = 1 mark)

Q28.

The diagram shows the structure of a cell membrane.



Explain how the structure of the membrane controls the transport of polar molecules.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for question = 4 marks)

Q29.

The velocity of the conduction of nerve impulses along an axon can be studied.

Describe the structure of the cell surface membrane of an axon.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

(Total for question = 4 marks)

Q30.

Cystic fibrosis is a recessive inherited condition where the cells in the lungs produce sticky mucus. This mucus builds up in the airways, causing breathlessness and chest infections.

People with cystic fibrosis often need treatments such as physiotherapy and antibiotics.

Australian scientists observed that people with cystic fibrosis who went surfing had fewer symptoms than people with cystic fibrosis who did not go surfing.

The scientists carried out a trial on 164 people with cystic fibrosis.

These people were placed at random into either the experimental group or the control group.

The experimental group inhaled a fine spray of 7.0% salt solution and the control group inhaled a fine spray of 0.9% salt solution.

The scientists found that the mucus in the experimental group contained more water and became less sticky than the mucus in the control group.

(i) Explain why only the fine spray of 7.0% salt solution resulted in mucus that contained more water.

(2)

.....

.....

.....

.....

.....

.....

(ii) Explain why the control group inhaled a fine spray of 0.9% salt solution, rather than a fine spray of pure water.

.....

.....

.....

.....

.....

(Total for question = 4 marks)

Mark Scheme

Q1.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to the following: - because the {two polar groups / outside layers} will interact with the aqueous environment (on each side of membrane) (1) - rest of molecule will provide hydrophobic barrier / there will be a hydrophobic layer (inside) (1)	ACCEPT form H bonds with water	(2) EXP

Q2.

Question Number	Answer	Additional Guidance	Mark
(i)	D ATP is broken down into ADP and phosphate ions by a hydrolysis reaction	A is incorrect because ATP is broken down B is incorrect because ATP is broken down C is incorrect because condensation reactions form bonds	

Question Number	Answer	Additional Guidance	Mark
(ii)	A malate lowers the water potential of the cytoplasm	B is incorrect because increase in solute concentration raises water potential so water would leave the cells C is incorrect because starch has no osmotic effect D is incorrect because starch has no osmotic effect	

Question Number	Answer	Additional Guidance	Mark
(iii)	D The guard cells become larger and the inner wall of the guard cell is less flexible than the outer wall	A is incorrect because entry of water would make the cell more larger B is incorrect because entry of water would make the cell more larger C is incorrect because the stoma would not form if the inner wall was flexible	

Q3.

Question Number	Acceptable Answers	Additional Guidance	Mark
(a)(i)	An explanation that makes reference to the following: - red is absorbed (1) - because of the presence of chlorophyll (1)		(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
(a)(ii)	An explanation that makes reference to the following: {chlorophyll / leaf pigment} was present (1) - because some cells are damaged / discs not washed (1)		(2)

Question Number	Answer	Additional Guidance	Mark
(a)(iii)	An explanation that makes reference to the following: - ethanol {disrupts / damages / dissolves / affects} the phospholipid (1) - therefore the membrane {becomes more permeable / allows pigment out} (1)		(2)

Question Number	Answer	Additional Guidance	Mark
(b)	An answer that makes reference to the following: - starts at 0.05 absorbance value (1) - flat line along 0.05 absorbance value (1)		(2)

Question Number	Answer	Additional Guidance	Mark
(c)	An answer that makes reference to five of the following: - use leaves of {same age / same position on plant} because this affects concentration of pigment (1) - obtain leaf discs from the same part of the leaf because this affects concentration of pigment (1) - use same {cork borer / size of leaf disc / diameter of leaf disc} because this affects concentration of pigment (1) - use same temperature because temperature affects the rate of diffusion (1) - use same volume of ethanol so chlorophyll is diluted the same (1) - replicate each ethanol concentration to {see if results are consistent / identify anomaly / to calculate standard deviation / allow statistical test} (1) - wash discs to remove pigment (1)		(5)

Question Number	Acceptable Answer	Additional Guidance	Mark
	An answer that makes reference to the following: Similarities - both use an electron transport chain on membranes (1) - both use ATPase driven by { H^+ gradient / chemiosmosis / eq } (1) - in both, electrons passed from one carrier to another lose energy which drives ATP production (1)	At least one similarity and one difference must be given to gain full marks. Max 2 marks if only 3 similarities provided Max 1 marks if only 2 similarities provided	(5)

	Differences - energy is provided by light in chloroplasts but by { glucose / pyruvate / eq } in mitochondria (1) - ATP is made by photophosphorylation in chloroplasts but by { substrate level / oxidative phosphorylation } in mitochondria (1) - in chloroplasts, electrons are provided by chlorophyll but in mitochondria, electrons are brought by reduced { NAD / FAD } (1) - in chloroplasts, (some) electrons return to chlorophyll whereas in mitochondria, electrons are accepted by oxygen (1)	Max 3 marks if only 4 differences provided Max 2 marks if only 3 differences provided Max 1 marks if only 2 differences provided	
--	---	---	--

Q5.

Question Number	Answer	Additional Guidance	Mark
(i)	1.5 (%)		(1) GRAD

Question Number	Answer	Additional Guidance	Mark
(ii)	A description that makes reference to two of the following: • bacteria with higher optimum growth temperatures have a greater percentage of branched chain fatty acids (1) • the greater the percentage of branched chain fatty acids the greater the range of optimum growth temperature (1) • an optimum growth temperature of more than 40°C needs at least 30% of branched chains (1)	ACCEPT positive correlation between optimum growth temperature and percentage of branched chain fatty acids converse ACCEPT bacteria with optimum temperature between 20°C and 40°C had the greatest range in percentage of branched-chain fatty acids converse	(2) EXP

Q6.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to the following: • rate of diffusion increases due to {increased diffusion / concentration} gradient (1) • and rate of uptake levels off as {calcium ion channels / transport proteins / channel proteins} limit rate (1) • because (calcium) ions enter by facilitated diffusion (1)	Accept all calcium ion channels are being used	(3)

Q7.

Question Number	Acceptable Answer	Additional Guidance	Mark
(i)	- correct division of figures provided (1) - answer in correct standard form (1)	<u>Example of calculation</u> $(250 \div 3.7 =) 67.568$ / correct rounding of this figure $6.8 \times 10^{-12} \text{ g}$ Must be standard form to 2sf with units Allow full marks for correct answer with no working.	(2)

Question Number	Acceptable Answer	Additional Guidance	Mark
(ii)	An explanation that makes reference to the following: - a nerve cell carries out a lot of active transport (1) - so it may have a greater requirement for (1)		(2)

Q8.

Question Number	Acceptable Answer	Additional Guidance	Mark
(i)	- correct calculation of body mass in grams divided by seconds in a day (1) - correct answer and units (1)	<u>Example of calculation</u> $62\,000 \div (24 \times 60 \times 60)$ $0.72 \text{ g s}^{-1} / 0.72 \text{ g per second}$ ACCEPT $7.2 \times 10^{-1} \text{ g s}^{-1} / 7.2 \times 10^{-4} \text{ kg s}^{-1}$	(2)

Question Number	Acceptable Answer	Additional Guidance	Mark
(ii)	An explanation that makes reference to the following: - this level of mass is not gained because ATP is continually broken down to provide energy (1) - mass is fairly constant over 24 hours because { rate of breakdown is comparable to rate of synthesis / the same ADP and P_i molecules are reused many times } (1)		(2)

Q9.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to two from: - uncharged auxin can diffuse through the {uncharged / hydrophobic / nonpolar} fatty acid tails (1) (negatively) charged auxin has to move through protein channels / carrier proteins (1)		2

Q10.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to two of the following: - the phosphate (head) is {polar / hydrophilic} - therefore the phosphate can interact with the aqueous environment (1) - otherwise the lipids {will form a micelle / will not form a bilayer (and not enclose the cytoplasm) (1)	ACCEPT dissolve in water in the cytoplasm and environment	(2)

Q11.

Question Number	Answer	Additional Guidance	Mark
	An answer that makes reference to the following: - osmosis is occurring (1) - at 3%, water has left the red blood cells (by osmosis) (1) - at 0.5% and 0.3%, water has gone into the cells (by osmosis) (1) - at 0.5% and 0.3% the cells have burst (and cannot be seen) (1) 0.7% is close to the water potential of the cells' cytoplasm (1)	Allow correct reference to {hypertonic / hypotonic / isotonic} solution or to water potential Allow at 3% water leaving RBC by diffusion Allow water potential of cells' cytoplasm is between 0.7 and 1%	(4)

Q12.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to the following: - the osmotic potential of the red blood cells is equivalent to 3% glucose or 6% sucrose (1) - because the molecular mass of sucrose is twice that of glucose (1) - because it is the number of molecules that determine the osmotic potential, not % concentration (1)	Allow twice the concentration of sucrose is needed to have the same effect Accept sucrose as a disaccharide whereas glucose is a monosaccharide	(3)

Q13.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to three of the following: <i>Salicornia</i> has {higher salt concentration / lower water potential} than the mud (1) - because salt taken up by active transport (1) - therefore water is taken up by osmosis (1)		(3)

Q14.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to the following: - because {cholesterol / fatty acids} are hydrophobic (so cannot be carried in bloodstream) (1) - phospholipid tails are hydrophobic so {cholesterol / fatty acids} can be carried inside lipoprotein (1) {protein / phospholipid heads} in lipoprotein are hydrophilic (enabling transport in bloodstream) (1)	ACCEPT non-polar ACCEPT non-polar ACCEPT polar	

Q15.

Question Number	Answer	Additional Guidance	Mark
(i)	B ☒ B 1 and 3 <i>A is incorrect because facilitated diffusion does not move substances against a gradient</i> <i>C is incorrect because facilitated diffusion does not move substances between phospholipids</i> <i>D is incorrect because facilitated diffusion does not move substances against a gradient</i>		1

Question Number	Answer	Additional Guidance	Mark
(ii)	C increased permeability of the collecting duct to water, producing more concentrated urine <i>A is incorrect because ADH increases the permeability of the collecting duct</i> <i>B is incorrect because ADH increases the permeability of the collecting duct</i> <i>D is incorrect because ADH results in more concentrated urine</i>		1

Q16.

Question Number	Answer	Additional Guidance	Mark
	reaction A = phosphorylation ; reaction B = hydrolysis ;		(2)

Q17.

Question Number	Answer	Additional Guidance	Mark
(i)	An answer that makes reference to the following: • (the nitrogen can be incorporated into) protein (1)	Allow {DNA / RNA / organic base / amino acid / named protein / ATP /chlorophyll}	(1)
(ii)	An explanation that makes reference to the following: • enzyme lowers the activation energy (for the reaction) (1) • a large number of ATP molecules is used (1) • because the reaction needs a lot of energy (1) • to compensate for nitrogen being unreactive (1)		(4)

Q18.

Question Number	Answer	Additional Guidance	Mark
(i)	An explanation that makes reference to three of the following points: (leghaemoglobin / myoglobin) is not S shaped / is linear / is a straight line (1) - because (leghaemoglobin / myoglobin) affinity for oxygen does not alter (1) - because (with leghaemoglobin) there is no cooperative binding (1) (leghaemoglobin) binds to one molecule (of oxygen) (1)	Accept converse for haemoglobin Accept converse for haemoglobin Accept converse for haemoglobin Accept shape change to subunits / conformation change Accept (leghaemoglobin / myoglobin) has only one oxygen binding site Accept haemoglobin has four binding sites / binds to four molecules of oxygen	3 exp

Question Number	Answer	Additional Guidance	Mark
(ii)	An explanation that makes reference to three of the following points: (waterlogged soil has) little / low / less / no oxygen (1) (leghaemoglobin) provides oxygen for respiration (1) - which enables active uptake of mineral ions / named mineral ion (1) - such as (calcium) to make calcium pectate / (nitrate) to make amino acids / (magnesium) to make chlorophyll (1)	Accept binds to / stores oxygen for respiration Accept other correct active processes e.g. synthesis of amino acids / protein synthesis / mitosis Accept other correct examples of minerals with functions	3 exp

Q19.

Question Number	Answer	Additional Guidance	Mark
(i)	The only correct answer is D A is incorrect because antibodies have two antigen binding sites B is incorrect because the two binding sites attach to the antigen and not the macrophage C is incorrect because there is only one macrophage binding site		(1) COMP

Question Number	Answer	Additional Guidance	Mark
(ii)	The only correct answer is B A is incorrect because hydrolysis reactions breakdown molecules C is incorrect because nucleotides are the monomers of polynucleotides not proteins D is incorrect because nucleotides are the monomers of polynucleotides not proteins		(1) COMP

Question Number	Answer	Additional Guidance	Mark
(iii)	An explanation that makes reference to the following: • (because water enters part of cell) by osmosis (1) • from a high water potential to a low water potential / because the osmotic potential inside the cell is lower / from a low solute concentration to a higher solute concentration (1)	ACCEPT more concentrated cytoplasm solute potential for osmotic potential IGNORE concentration gradient unqualified water concentration	(2) EXP

Question Number	Answer	Additional Guidance	Mark
(iv)	A description that makes reference to three of the following: • bacteria engulfed and {digested / broken down} (1) • antigen attached to MHC antigen (1) • macrophage becomes an antigen-presenting cell (to the T helper cell) (1) • CD4 (antigen) of T (helper) cell binds to {antigen / macrophage} (1)	ACCEPT macrophage presents the antigen (to the T helper cell) NB CD4 (antigen) of T (helper) cell binds to {antigen-MHC complex = 2 marks	(3) EXP

Q20.

Question Number	Answer	Additional Guidance	Mark
(i)	An answer that includes three of the following: • moved {across membrane / into cell / into root} by carrier proteins (1) • against a concentration gradient (1) • using ATP (1)	Accept protein pumps Ignore channel proteins Accept from a low to a high concentration	Exp (3)

Question Number	Answer	Additional Guidance	Mark
(ii)	• suitable mineral ion named (1) • appropriate function given (1)	Mp2 can be given if suitable mineral not named eg nitrogen for nitrate eg nitrate / (ammonium) – formation of amino acids / proteins / enzymes / nucleic acids / nucleotides / DNA / RNA / chlorophyll phosphate – formation of nucleotides / nucleic acids / DNA / RNA / ATP / ADP / amino acids calcium – formation of middle lamella / calcium pectate magnesium – formation of chlorophyll Accept other correct mineral ions with correct functions potassium, sodium, iron etc	Exp (2)

Q21.

Question Number	Answer	Additional Comments	Mark
(a)	1. only (alpha) 1-4 glycosidic bonds in amylose / (alpha) 1-6 only found in amylopectin ; 2. only amylopectin has side branches / only amylose is {coiled / eq} ; 3. Amylopectin is a {larger / eq} molecule than amylose ;	1. ACCEPT 1-6 and 1-4 in amylopectin	(2)

Question Number	Answer	Additional Comments	Mark
(b)	1. Different individuals in the {colony / eq} take on specific {roles / jobs / eq} ; 2. Example given e.g. queen produces offspring ;	1. Accept division of labour 2. Accept dominance by queen, {few of the males / kings} involved in breeding	(2)

Question Number	Answer	Additional Comments	Mark
(c) (i)	Idea that body temperature of animal mimics the ambient temperature ;	Accept body temp follows environmental temperature	(1)

Question Number	Answer	Additional Comments	Mark
(f)	1. idea of heart working less efficiently ; 2. idea of less oxygen absorbed at lungs / eq ; 3. less blood pumped to brain ; 4. concentration gradient (for oxygen) at brain reduced / eq ; 5. less oxygen in blood (in brain) diffuses into brain tissue / eq ; 6. idea of less oxygen in brain tissue due to continual (aerobic) respiration ;		(3)

Question Number	Answer	Additional Comments	Mark
(g)	gonadotrophin-releasing (hormone) stimulates gonadotrophin release / gonadotrophin stimulates ovulation / testosterone stimulates {sperm production / (male) secondary sexual characteristics / other named example} ;		(1)

Question Number	Answer	Additional Comments	Mark
(h)	1. Idea of effect on mitochondria ; 2. (therefore) reduced {energy / ATP / eq} for flagellum movement ;	1. Accept less efficient / fewer / none 2. Accept tail for flagellum	(2)

Question Number	Answer	Additional Comments	Mark
(i)	1. idea that fat is an energy store ; 2. reduces dependence on external food source / eq ; 3. enables disperser to travel / eq ; 4. (metabolic) water is released (on oxidation) / eq ; 5. acts as a thermal insulator / eq ;	Accept energy-rich	(3)

Question Number	Answer	Additional Comments	Mark
(j)	1. idea that unfamiliar males are likely to be genetically different ; 2. idea that this is outbreeding ; 3. idea that this increases genetic diversity ;	3. Accept producing offspring that are genetically different	(2)

Question Number	Answer	Additional Comments	Mark
(k)	the order of the {bases / genes and non-coding sequences / eq} in the DNA (of the naked mole rats) is found / eq ;	Accept exons and introns Ignore genes unqualified	(1)

Question Number	Answer	Additional Comments	Mark
(I)	Paired responses: 1. reduced sensitivity to chemical pain / disconnection of 'pain nerves' ; 2. Idea of pain relief e.g. dealing with post traumatic pain, post surgical pain, joint pain after a knee operation ; 3. haemoglobin has higher affinity for oxygen ; 4. Idea of dealing with reduced oxygen situations such as due to a heart attack or stroke ; 5. Naked mole rat {incisors / eq } grow through skin (of lip) without damage ; 6. Idea of better prosthesis e.g. new {coatings / permanent seal} at {skin / bone / metal} interface, soft tissue not damaged, avoid infection ; 7. High protein stability / does not (easily) lose 3D shape ; 8. (so) reduced effect of oxidative {damage / stress} / reduced effect of oxygen-containing free radicals / live healthily into old age ; 9. Cell overcrowding early warning gene / ref. to two tiered contact inhibition / presence of gene p16 ; 10. Idea of cancer prevention e.g. cancer resistance, future cancer therapy ; 11. Naked mole rat neurones display immature {characteristics / physiological properties} / brain cells that cope with {low oxygen / hypoxia} ; 12. To treat people with temporary loss of oxygen to brain e.g. heart attack, stroke, drowning / to prevent permanent brain damage ; 13. High levels of oxytocin receptors in {brain / nucleus <u>accumbens</u>} ; 14. Idea of links to autism ; 15. Naked mole rats do not experience menopause ; 16. Ref to osteoporosis {treatment / prevention} (without side effects) ; 17. circadian rhythms / sleep patterns of naked mole rats ; 18. Idea that may help with sleep disorders ;	9. Accept anticancer mechanism	

Q22.

Question Number	Acceptable Answer	Additional Guidance	Mark
	An explanation that makes reference to the following: • pond water has greater water potential than the cytoplasm therefore water enters by osmosis (1) • <i>Paramecium</i> has { only cell membrane / has no cell wall } (1) • so would burst if water not removed (1)		(3)

Q23.

Question Number	Correct Answer	Additional guidance	Mark
(a)	An explanation that makes reference to the following: - wash immerse in water / water without nitrate ions (1) - at a suitable temperature / stated temperature (less than 25 °C) (1) - reference to sterile water (1)		(3)

Question Number	Correct Answer	Additional guidance	Mark
(b)	An answer that makes reference to the following: - reading from graph 5 mins = 4 $\mu\text{mol dm}^{-3}$ 30 mins = 8 $\mu\text{mol dm}^{-3}$ (1) - mean rate = increase $\div$ time (4 $\div$ 5) (1) - correct answer with units = 0.8 $\mu\text{mol dm}^{-3} \text{ min}^{-1}$ (1)	Candidate must state units for full marks	(3)

Question Number	Correct Answer	Additional guidance	Mark
(c)	An explanation that makes reference to the following: - rate the same for both solutions between 0–10 minutes because initial uptake in both by (passive) diffusion (1) - rate with DNP zero between 20–30 minutes because uptake requires {energy / ATP} for active transport (1) - DNP prevents formation of ATP by chemiosmosis (1)		(3)

Question Number	Correct Answer	Additional guidance	Mark
(d)	An explanation that makes reference to the following: - DNP transports protons across the inner mitochondrial membrane (1) - therefore preventing the establishment of a gradient across the membrane (1) - which prevents the formation of ATP (1)	cristae Accept inhibits interaction between protons and ATP synthase	(3)

Q24.

Question Number	Answer	Additional Guidance	Mark
	A description that makes reference to the following: - glycerol attached to two fatty acids (by ester bonds) (1) - and one phosphate attached to glycerol (1)	ACCEPT from a labelled diagram NB made from one glycerol two fatty acids and one phosphate = 1 mark if neither mark awarded	(2) EXP

Q25.

Question Number	Acceptable Answer	Additional Guidance	Mark
	An explanation that makes reference to the following: - photosynthesis causes a decrease in concentration of CO₂ inside the cell, producing a concentration gradient (1) - therefore CO₂ diffuses from solution into cells (1)		(2)

Q26.

Question Number	Answer	Additional guidance	Mark
(i)	C (the strength of the middle lamella between cells)		(1)

Question Number	Answer	Additional guidance	Mark
(ii)	A (active transport)		(1)

Q27.

Question Number	Answer	Additional Guidance	Mark
	An answer that makes reference to the following: A phospholipid (bilayer) and B (glyco) protein / (channel) protein / (integral) protein / (carrier) protein / (intrinsic) protein		(1)

Q28.

Question Number	Answer	Additional Guidance	Mark
	An explanation that makes reference to four of the following: • polar molecules are {charged / water soluble / hydrophilic} (1) • {phosphate / head} is hydrophilic / {fatty acids / tails} are hydrophobic (1) • {phosphate / head} on outer side / {fatty acids / tails} on inside (1) • therefore {polar / charged / ionic} substances do not pass through the {hydrophobic centre / fatty acids / tails} (1) • and so pass through {carrier / channel} proteins (1)		(4)

Q29.

Question Number	Correct Answer	Additional guidance	Mark
	A description that links the following: • phospholipid bilayer (1) • sodium-potassium pump (1) • voltage-gated sodium ion channels (1) • (voltage-gated) potassium ion channels (1)		(4)

Q30.

Question Number	Answer	Additional Guidance	Mark
(i)	An explanation that makes reference to the following: 7.0% salt solution {lowers the water potential / is hypertonic / creates a concentration gradient / creates water potential gradient} (1) - therefore water moves in (to mucus) by osmosis (1)	Accept out (of cells)	(2)

Question Number	Answer	Additional Guidance	Mark
(ii)	An explanation that makes reference to the following: - use of 0.9% means {no concentration gradient / same concentration / isotonic } (1) - therefore water will not move / no osmosis (1)	Do not accept references to pure water	(2)