Please check the examination details below before entering your candidate information

Candidate surname	Other names
StemUp Model Solution	

Pearson Edexcel Level 3 GCE

Centre Number	Candidate Number

Tuesday 25 June 2019

Morning (Time: 1 hour 30 minutes) | Paper Reference **9FM0/4A**

Further Mathematics

Advanced

Paper 4A: Further Pure Mathematics 2

You must have:
Mathematical Formulae and Statistical Tables (Green), calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for algebraic manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B)
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

P61183A

©2019 Pearson Education Ltd.

1/1/1/

P 6 1 1 8 3 A 0 1 2 8

Pearson

stemup.co.uk

Answer ALL questions. Write your answers in the spaces provided.

1. A complex number $z = x + iy$ is represented by the point P in an Argand diagram.

Given that

$$|z - 3| = 4|z + 1|$$

(a) show that the locus of P has equation

$$15x^2 + 15y^2 + 38x + 7 = 0$$

(2)

(b) Hence find the maximum value of $|z|$

(3)

(a) $|z - 3|^2 = 16|z + 1|^2$

$(x - 3)^2 + y^2 = 16[(x + 1)^2 + y^2]$

$x^2 - 6x + 9 + y^2 = 16x^2 + 32x + 16 + 16y^2$

$0 = 15x^2 + 15y^2 + 32x + 6x + 16 - 9$

$\therefore\ 15x^2 + 15y^2 + 38x + 7 = 0$

(b) $x^2 + y^2 + \frac{38}{15}x + \frac{7}{15} = 0$

$(x + \frac{19}{15})^2 - \frac{361}{225} + y^2 + \frac{105}{225} = 0$

$(x + \frac{19}{15})^2 + y^2 = \frac{256}{225}$

Centre $(-\frac{19}{15}, 0)$, radius $= \frac{16}{15}$

$|z|$ is greatest at the point of the circle furthest from O,
i.e. on the real axis at $x = -\frac{19}{15} - \frac{16}{15} = -\frac{35}{15}$

max $|z| = \frac{19}{15} + \frac{16}{15} = \frac{35}{15} = \frac{7}{3}$

Maximum value of $|z| = 7/3$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

Question 1 continued

(Total for Question 1 is 5 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

2. The matrix **A** is given by

$$\mathbf{A} = \begin{pmatrix} 6 & -2 & 2 \\ -2 & 3 & -1 \\ 2 & -1 & 3 \end{pmatrix}$$

(a) Show that 2 is a repeated eigenvalue of **A** and find the other eigenvalue.

(5)

(b) Hence find three non-parallel eigenvectors of **A**.

(4)

(c) Find a matrix **P** such that $\mathbf{P}^{-1}\mathbf{AP}$ is a diagonal matrix.

(2)

(a) $\det(A - \lambda I) = \begin{vmatrix} 6-\lambda & -2 & 2 \\ -2 & 3-\lambda & -1 \\ 2 & -1 & 3-\lambda \end{vmatrix}$

$= (6-\lambda)[(3-\lambda)^2 - 1] + 2[-2(3-\lambda) + 2] + 2[2 - 2(3-\lambda)]$

$= (6-\lambda)(\lambda^2 - 6\lambda + 8) + 2(2\lambda - 4) + 2(2\lambda - 4)$

$= -\lambda^3 + 12\lambda^2 - 44\lambda + 48 + 8\lambda - 16$

$= -\lambda^3 + 12\lambda^2 - 36\lambda + 32$

Characteristic equation: $\lambda^3 - 12\lambda^2 + 36\lambda - 32 = 0$

$\lambda = 2$: $8 - 48 + 72 - 32 = 0$, so $(\lambda - 2)$ is a factor

$(\lambda - 2)(\lambda^2 - 10\lambda + 16) = 0$

$(\lambda - 2)(\lambda - 2)(\lambda - 8) = 0 \Rightarrow (\lambda - 2)^2(\lambda - 8) = 0$

$(\lambda - 2)^2$ is a factor, so $\lambda = 2$ is a repeated eigenvalue

The other eigenvalue is $\lambda = 8$

(b) $\lambda = 8$: $\begin{pmatrix} -2 & -2 & 2 \\ -2 & -5 & -1 \\ 2 & -1 & -5 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$

$-2x - 2y + 2z = 0$ and $-2x - 5y - z = 0$

$\Rightarrow z = x + y$, so $-2x - 5y - x - y = 0 \Rightarrow -3x - 6y = 0 \Rightarrow x = -2y$

$y = -1 \Rightarrow x = 2, z = 1$: eigenvector $\begin{pmatrix} 2 \\ -1 \\ 1 \end{pmatrix}$ for $\lambda = 8$

$\lambda = 2$: $\begin{pmatrix} 4 & -2 & 2 \\ -2 & 1 & -1 \\ 2 & -1 & 1 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

Every row gives $2x - y + z = 0$

$x = 1, z = 0 \Rightarrow y = 2$; $\quad x = 0, z = 1 \Rightarrow y = 1$

Eigenvectors for $\lambda = 2$: $\begin{pmatrix} 1 \\ 2 \\ 0 \end{pmatrix}$ and $\begin{pmatrix} 0 \\ 1 \\ 1 \end{pmatrix}$ (not parallel)

Three non-parallel eigenvectors:

$\begin{pmatrix} 2 \\ -1 \\ 1 \end{pmatrix}$ $(\lambda = 8)$, $\quad \begin{pmatrix} 1 \\ 2 \\ 0 \end{pmatrix}$ $(\lambda = 2)$, $\quad \begin{pmatrix} 0 \\ 1 \\ 1 \end{pmatrix}$ $(\lambda = 2)$

(c) Eigenvectors as the columns of P:

$$P = \begin{pmatrix} 2 & 1 & 0 \\ -1 & 2 & 1 \\ 1 & 0 & 1 \end{pmatrix}$$

Then $P^{-1}AP = \begin{pmatrix} 8 & 0 & 0 \\ 0 & 2 & 0 \\ 0 & 0 & 2 \end{pmatrix}$

Question 2 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 11 marks)

3. The number of visits to a website, in any particular month, is modelled as the number of visits received in the previous month plus k times the number of visits received in the month before that, where k is a positive constant.

Given that V_n is the number of visits to the website in month n,

(a) write down a general recurrence relation for V_{n+2} in terms of V_{n+1}, V_n and k.

(1)

For a particular website you are given that

- $k = 0.24$
- In month 1, there were 65 visits to the website.
- In month 2, there were 71 visits to the website.

(b) Show that

$$V_n = 50(1.2)^n - 25(-0.2)^n$$

(5)

This model predicts that the number of visits to this website will exceed one million for the first time in month N.

(c) Find the value of N.

(2)

(a) $V_{n+2} = V_{n+1} + kV_n$

(b) $V_{n+2} = V_{n+1} + 0.24V_n$

Auxiliary equation: $\lambda^2 - \lambda - 0.24 = 0$

$(\lambda - 1.2)(\lambda + 0.2) = 0 \Rightarrow \lambda = 1.2$ or $\lambda = -0.2$

General solution: $V_n = a(1.2)^n + b(-0.2)^n$

$n = 1$: $65 = 1.2a - 0.2b$ ①

$n = 2$: $71 = 1.44a + 0.04b$ ②

① × 1.2: $78 = 1.44a - 0.24b$ ③

③ − ②: $7 = -0.28b \Rightarrow b = -25$

①: $1.2a = 65 + 0.2(-25) = 60 \Rightarrow a = 50$

$\therefore V_n = 50(1.2)^n - 25(-0.2)^n$

(c) For large n, $25(-0.2)^n$ is negligible, so solve $50(1.2)^N > 10^6$

$(1.2)^N > 20\,000 \Rightarrow N > \frac{\ln 20\,000}{\ln 1.2} = 54.318...$

Check: $V_{54} = 943\,533 < 1\,000\,000$, $V_{55} = 1\,132\,240 > 1\,000\,000$

$N = 55$ (month 55)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

Question 3 continued

(Total for Question 3 is 8 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

4. (i) Use Fermat's Little Theorem to find the least positive residue of 6^{542} modulo 13

(5)

(ii) Seven students, Alan, Brenda, Charles, Devindra, Enid, Felix and Graham, are attending a concert and will sit in a particular row of 7 seats. Find the number of ways they can be seated if

(a) there are no restrictions where they sit in the row,

(1)

(b) Alan, Enid, Felix and Graham sit together,

(2)

(c) Brenda sits at one end of the row and Graham sits at the other end of the row,

(2)

(d) Charles and Devindra do not sit together.

(2)

(i) 13 is prime and 13 ∤ 6, so by Fermat: $6^{12} \equiv 1 \pmod{13}$

$542 = 45 \times 12 + 2$

$6^{542} = (6^{12})^{45} \times 6^2$

$\equiv 1^{45} \times 36 \pmod{13}$

$\equiv 36 \equiv 36 - 26 = 10 \pmod{13}$

Least positive residue = 10

(ii)(a) $7! = 5040$

(b) A, E, F, G as one block: block + 3 others = 4 units, so 4! orders,
and the 4 inside the block can be arranged in 4! ways

$4! \times 4! = 24 \times 24 = 576$

(c) B and G at the two ends: 2 ways; other 5 in the middle: 5! ways

$2 \times 5! = 2 \times 120 = 240$

(d) C and D together: treat as one unit, $6! \times 2! = 720 \times 2 = 1440$

Not together = $7! - 6! \times 2! = 5040 - 1440 = 3600$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 12 marks)

5.

$$I_n = \int \operatorname{cosec}^n x \, dx \qquad n \in \mathbb{Z}$$

(a) Prove that, for $n \geqslant 2$

$$I_n = \frac{n-2}{n-1} I_{n-2} - \frac{\operatorname{cosec}^{n-2} x \cot x}{n-1}$$

(4)

(b) Hence show that

$$\int_{\frac{\pi}{3}}^{\frac{\pi}{2}} \operatorname{cosec}^6 x \, dx = \frac{56}{135}\sqrt{3}$$

(4)

(a) $I_n = \int \operatorname{cosec}^{n-2} x \operatorname{cosec}^2 x \, dx$

$u = \operatorname{cosec}^{n-2} x \Rightarrow \frac{du}{dx} = -(n-2)\operatorname{cosec}^{n-3} x \operatorname{cosec} x \cot x = -(n-2)\operatorname{cosec}^{n-2} x \cot x$

$\frac{dv}{dx} = \operatorname{cosec}^2 x \Rightarrow v = -\cot x$

$I_n = -\operatorname{cosec}^{n-2} x \cot x - \int (-\cot x)(-(n-2)\operatorname{cosec}^{n-2} x \cot x) \, dx$

$= -\operatorname{cosec}^{n-2} x \cot x - (n-2) \int \operatorname{cosec}^{n-2} x \cot^2 x \, dx$

$= -\operatorname{cosec}^{n-2} x \cot x - (n-2) \int \operatorname{cosec}^{n-2} x (\operatorname{cosec}^2 x - 1) \, dx$

$= -\operatorname{cosec}^{n-2} x \cot x - (n-2) I_n + (n-2) I_{n-2}$

$(n-1) I_n = (n-2) I_{n-2} - \operatorname{cosec}^{n-2} x \cot x$

$\therefore I_n = \frac{n-2}{n-1} I_{n-2} - \frac{\operatorname{cosec}^{n-2} x \cot x}{n-1}$ as required

(b) Let $J_n = \int_{\pi/3}^{\pi/2} \operatorname{cosec}^n x \, dx$

At $x = \frac{\pi}{2}$: $\cot x = 0$; at $x = \frac{\pi}{3}$: $\operatorname{cosec} x = \frac{2}{\sqrt{3}}$, $\cot x = \frac{1}{\sqrt{3}}$

$J_n = \frac{n-2}{n-1} J_{n-2} - \frac{1}{n-1} [\operatorname{cosec}^{n-2} x \cot x]_{\pi/3}^{\pi/2}$

$J_6 = \frac{4}{5} J_4 - \frac{1}{5} [\operatorname{cosec}^4 x \cot x]_{\pi/3}^{\pi/2} = \frac{4}{5} J_4 - \frac{1}{5} \left(0 - \frac{16}{9} \times \frac{1}{\sqrt{3}}\right)$

$J_4 = \frac{2}{3} J_2 - \frac{1}{3} [\operatorname{cosec}^2 x \cot x]_{\pi/3}^{\pi/2} = \frac{2}{3} J_2 - \frac{1}{3} \left(0 - \frac{4}{3} \times \frac{1}{\sqrt{3}}\right)$

$J_2 = \int_{\pi/3}^{\pi/2} \operatorname{cosec}^2 x \, dx = [-\cot x]_{\pi/3}^{\pi/2} = 0 + \frac{1}{\sqrt{3}} = \frac{\sqrt{3}}{3}$

$J_4 = \frac{2}{3} \times \frac{\sqrt{3}}{3} + \frac{4}{9\sqrt{3}} = \frac{2\sqrt{3}}{9} + \frac{4\sqrt{3}}{27} = \frac{10\sqrt{3}}{27}$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

$J_6 = \frac{4}{5} \times \frac{10\sqrt{3}}{27} + \frac{16}{45\sqrt{3}} = \frac{8\sqrt{3}}{27} + \frac{16\sqrt{3}}{135}$

$= \frac{40\sqrt{3}}{135} + \frac{16\sqrt{3}}{135} = \frac{56\sqrt{3}}{135}$

$\therefore \int_{\pi/3}^{\pi/2} \operatorname{cosec}^6 x \, dx = \frac{56}{135}\sqrt{3}$

stemup.co.uk

Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

(Total for Question 5 is 8 marks)

6. (i) A binary operation * is defined on positive real numbers by

$$a * b = a + b + ab$$

Prove that the operation * is associative.

(4)

(ii) The set $G = \{1, 2, 3, 4, 5, 6\}$ forms a group under the operation of multiplication modulo 7

(a) Show that G is cyclic.

(2)

The set $H = \{1, 5, 7, 11, 13, 17\}$ forms a group under the operation of multiplication modulo 18

(b) List all the subgroups of H.

(3)

(c) Describe an isomorphism between G and H.

(3)

(i) $(a * b) * c = (a + b + ab) * c$

$= a + b + ab + c + (a + b + ab)c$

$= a + b + c + ab + ac + bc + abc$

$a * (b * c) = a * (b + c + bc)$

$= a + b + c + bc + a(b + c + bc)$

$= a + b + c + ab + ac + bc + abc$

So $(a * b) * c = a * (b * c)$ for all positive real $a, b, c,$

hence the operation $*$ is associative.

(ii)(a) Powers of 3 modulo 7:

$3^1 = 3,\ 3^2 = 9 \equiv 2,\ 3^3 \equiv 6,\ 3^4 \equiv 18 \equiv 4,\ 3^5 \equiv 12 \equiv 5,\ 3^6 \equiv 15 \equiv 1$

So 3 has order $6 = |G|$ and generates every element of G,

i.e. $G = \langle 3 \rangle$, so G is cyclic.

(b) In H (mod 18): $5^2 \equiv 7,\ 5^3 \equiv 17,\ 5^4 \equiv 13,\ 5^5 \equiv 11,\ 5^6 \equiv 1$

$17^2 = 289 \equiv 1$, so 17 has order 2; $7^2 \equiv 13,\ 7^3 \equiv 1$, so 7 has order 3

Subgroups (orders 1, 2, 3, 6):

$\{1\},\ \{1, 17\},\ \{1, 7, 13\},\ H = \{1, 5, 7, 11, 13, 17\}$

(c) 3 generates G and 5 generates H, so map $3^k \mapsto 5^k$:

$3 \mapsto 5,\ 2 \mapsto 7,\ 6 \mapsto 17,\ 4 \mapsto 13,\ 5 \mapsto 11,\ 1 \mapsto 1$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

Isomorphism $G \to H$ (generator $3 \mapsto$ generator 5):

G	1	2	3	4	5	6
H	1	7	5	13	11	17

Question 6 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

(Total for Question 6 is 12 marks)

7. A transformation from the z-plane to the w-plane is given by

$$w = \frac{3iz - 2}{z + i} \qquad z \neq -i$$

(a) Show that the circle C with equation $|z + i| = 1$ in the z-plane is mapped to a circle D in the w-plane, giving a Cartesian equation for D.

(4)

(b) Sketch C and D on Argand diagrams.

(2)

(a) $w(z + i) = 3iz - 2 \Rightarrow wz + wi = 3iz - 2$

$z(w - 3i) = -2 - wi \Rightarrow z = \frac{2 + wi}{3i - w}$

$|z + i| = 1 \Rightarrow \left|\frac{2 + wi}{3i - w} + i\right| = 1$

$\Rightarrow \left|\frac{2 + wi + i(3i - w)}{3i - w}\right| = 1 \Rightarrow \left|\frac{2 + wi - 3 - wi}{3i - w}\right| = 1$


$\Rightarrow \left|\frac{-1}{3i - w}\right| = 1 \Rightarrow |3i - w| = 1 \Rightarrow |w - 3i| = 1$


With $w = u + iv$: $|u + (v - 3)i| = 1$

D: $u^2 + (v - 3)^2 = 1$

a circle with centre (0, 3), i.e. 3i, and radius 1

(b)





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

P 6 1 1 8 3 A 0 2 0 2 8

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

Question 7 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

(Total for Question 7 is 6 marks)

8.




Figure 1

Figure 1 shows the vertical cross section of a child's spinning top. The point A is vertically above the point B and the height of the spinning top is 5 cm.

The line CD is perpendicular to AB such that CD is the maximum width of the spinning top.

The spinning top is modelled as the solid of revolution created when part of the curve with polar equation

$$r^2 = 25\cos 2\theta$$

is rotated through 2π radians about the initial line.

(a) Show that, according to the model, the surface area of the spinning top is

$$k\pi(2 - \sqrt{2})\,\text{cm}^2$$

where k is a constant to be determined.

(7)

(b) Show that, according to the model, the length CD is $\dfrac{5\sqrt{2}}{2}$ cm.

(6)

(a) B: $\theta = 0$, $r = 5$; A: $\theta = \pi/4$, $r = 0$. Rotate $0 \leqslant \theta \leqslant \pi/4$ about the initial line

$S = 2\pi \int y\sqrt{r^2 + (dr/d\theta)^2}\, d\theta$, $y = r\sin\theta$

$r^2 = 25\cos 2\theta \Rightarrow 2r\dfrac{dr}{d\theta} = -50\sin 2\theta \Rightarrow \dfrac{dr}{d\theta} = \dfrac{-25\sin 2\theta}{r}$

$\left(\dfrac{dr}{d\theta}\right)^2 = \dfrac{625\sin^2 2\theta}{r^2} = \dfrac{625\sin^2 2\theta}{25\cos 2\theta} = \dfrac{25\sin^2 2\theta}{\cos 2\theta}$

$r^2 + \left(\dfrac{dr}{d\theta}\right)^2 = 25\cos 2\theta + \dfrac{25\sin^2 2\theta}{\cos 2\theta} = \dfrac{25(\cos^2 2\theta + \sin^2 2\theta)}{\cos 2\theta} = \dfrac{25}{\cos 2\theta}$

$S = 2\pi\int_0^{\pi/4} 5\sqrt{\cos 2\theta}\,\sin\theta \times \dfrac{5}{\sqrt{(\cos 2\theta)}}\, d\theta$

$= 50\pi\int_0^{\pi/4} \sin\theta\, d\theta = 50\pi[-\cos\theta]_0^{\pi/4}$

$= 50\pi\left(1 - \dfrac{\sqrt{2}}{2}\right) = 25\pi(2 - \sqrt{2})$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

P 6 1 1 8 3 A 0 2 4 2 8
stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

Surface area $= 25\pi(2 - \sqrt{2})\ cm^2$, so $k = 25$

(b) CD is the maximum width, so $y = r \sin\theta$ is a maximum:

$y = 5 \sin\theta\ (\cos 2\theta)^{1/2}$

$\frac{dy}{d\theta} = 5\cos\theta\ (\cos 2\theta)^{1/2} + 5\sin\theta \times \frac{1}{2}(\cos 2\theta)^{-1/2} \times (-2\sin 2\theta)$

$= 5\cos\theta\sqrt{\cos 2\theta} - \frac{5\sin\theta\sin 2\theta}{\sqrt{(\cos 2\theta)}}$

$\frac{dy}{d\theta} = 0 \Rightarrow 5\cos\theta\cos 2\theta - 5\sin\theta\sin 2\theta = 0$

$\Rightarrow \cos(2\theta + \theta) = 0 \Rightarrow \cos 3\theta = 0 \Rightarrow 3\theta = \frac{\pi}{2} \Rightarrow \theta = \frac{\pi}{6}$

$r = 5\sqrt{\cos(\pi/3)} = 5\sqrt{1/2} = \frac{5}{\sqrt{2}}$

$CD = 2y = 2r\sin\frac{\pi}{6} = 2 \times 5\sqrt{\cos(\pi/3)} \times \frac{1}{2} = \frac{5}{\sqrt{2}}$

$CD = \frac{5\sqrt{2}}{2}\ cm$

Question 8 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

Question 8 continued

(Total for Question 8 is 13 marks)

TOTAL FOR PAPER IS 75 MARKS

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

stemup.co.uk