Pearson Edexcel Level 3 GCE

Wednesday 17 June 2020

Afternoon (Time: 1 hour 30 minutes) | Paper Reference **9FM0/3D**

Further Mathematics

Advanced

Paper 3D: Decision Mathematics 1

You must have:
Mathematical Formulae and Statistical Tables (Green), calculator, Decision Mathematics Answer Book (enclosed)

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Write your answers for this paper in the Decision Mathematics answer book provided.
- **Fill in the boxes** at the top of the answer book with your name, centre number and candidate number.
- Do not return the question paper with the answer book.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the answer book provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 7 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

P62678A

©2020 Pearson Education Ltd.

1/1/1/1/1/1/1/

P 6 2 6 7 8 A

Pearson

1. The table below shows the lengths, in km, of the roads in a network connecting seven towns, A, B, C, D, E, F and G.

	A	B	C	D	E	F	G
A	–	24	–	22	35	–	–
B	24	–	25	27	–	–	–
C	–	25	–	33	31	36	26
D	22	27	33	–	–	42	–
E	35	–	31	–	–	37	29
F	–	–	36	42	37	–	40
G	–	–	26	–	29	40	–

(a) By adding the arcs from vertex D along with their weights, complete the drawing of the network on Diagram 1 in the answer book.

(2)

(b) Use Kruskal's algorithm to find a minimum spanning tree for the network. You should list the arcs in the order that you consider them. In each case, state whether you are adding the arc to your minimum spanning tree.

(3)

(c) State the weight of the minimum spanning tree.

(1)

(Total for Question 1 is 6 marks)

2.




Figure 1

The network in Figure 1 shows the activities that need to be undertaken to complete a project. Each activity is represented by an arc and the duration, in hours, of the corresponding activity is shown in brackets.

(a) Explain why each of the dummy activities is required.

(2)

(b) Complete the table in the answer book to show the immediately preceding activities for each activity.

(2)

(c) (i) Complete Diagram 1 in the answer book to show the early event times and the late event times.

(ii) State the minimum completion time for the project.

(iii) State the critical activities.

(6)

Each activity requires one worker. Each worker is able to do any of the activities. Once an activity is started it must be completed without interruption.

(d) On Grid 1 in the answer book, draw a resource histogram to show the number of workers required at each time when each activity begins at its earliest possible start time.

(3)

(e) Determine whether or not the project can be completed in the minimum possible time using fewer workers than the number indicated by the resource histogram in (d). You must justify your answer with reference to the resource histogram and the completed Diagram 1.

(2)

(Total for Question 2 is 15 marks)

3.




Figure 2

Direct roads between five villages, A, B, C, D and E, are shown in Figure 2. The weight on each arc is the time, in minutes, it takes to travel along the corresponding road. The road from D to C is one-way as indicated by the arrow on the corresponding arc.

Floyd's algorithm is to be used to find the complete network of shortest times between the five villages.

(a) Set up initial time and route matrices.

(2)

The matrices after two iterations of Floyd's algorithm are shown below.

Time matrix

	A	**B**	**C**	**D**	**E**
A	–	8	4	7	18
B	8	–	3	15	10
C	4	3	–	11	6
D	7	15	1	–	1
E	18	10	6	1	–

Route matrix

	A	**B**	**C**	**D**	**E**
A	A	B	C	D	B
B	A	B	C	A	E
C	A	B	C	A	E
D	A	A	C	D	E
E	B	B	C	D	E

(b) Perform the next two iterations of Floyd's algorithm that follow from the tables above. You should show the time and route matrices after each iteration.

(4)

The final time matrix after completion of Floyd's algorithm is shown below.

Final time matrix

	A	**B**	**C**	**D**	**E**
A	–	7	4	7	8
B	7	–	3	10	9
C	4	3	–	7	6
D	5	4	1	–	1
E	6	5	2	1	–

(c) (i) Use the nearest neighbour algorithm, starting at A, to find a Hamiltonian cycle in the complete network of shortest times.

(ii) Find the time taken for this cycle.

(iii) Interpret the cycle in terms of the actual villages visited.

(3)

(Total for Question 3 is 9 marks)

4.




Figure 3

Figure 3 shows the constraints of a linear programming problem in x and y, where R is the feasible region.

(a) Write down the inequalities that define R.

(2)

The objective is to maximise P, where $P = 3x + y$

(b) Obtain the exact value of P at each of the three vertices of R and hence find the optimal vertex, V.

(4)

The objective is changed to maximise Q, where $Q = 3x + ay$. Given that a is a constant and the optimal vertex is still V,

(c) find the range of possible values of a.

(4)

(Total for Question 4 is 10 marks)

5. The nine distinct numbers in the following list are to be packed into bins of size 50

23 17 19 x 24 8 18 10 21

When the first-fit bin packing algorithm is applied to the numbers in the list it results in the following allocation.

Bin 1: 23 17 8

Bin 2: 19 x 10

Bin 3: 24 18

Bin 4: 21

(a) Explain why $13 < x < 21$

(3)

The same list of numbers is to be sorted into descending order. A bubble sort, starting at the left-hand end of the list, is to be used to obtain the sorted list. After the first complete pass the list is

23 19 17 24 x 18 10 21 8

(b) Using this information, write down the smallest interval that must contain x, giving your answer as an inequality.

(2)

When the first-fit decreasing bin packing algorithm is applied to the nine distinct numbers it results in the following allocation.

Bin 1: 24 23

Bin 2: 21 19 10

Bin 3: 18 17 x

Bin 4: 8

Given that only one of the bins is full and that x is an integer,

(c) calculate the value of x. You must give reasons for your answer.

(2)

(Total for Question 5 is 7 marks)

6.




Figure 4

[*The total weight of the network is 320 + x + y*]

(a) State, with justification, whether the graph in Figure 4 is Eulerian, semi-Eulerian or neither.

(2)

The weights on the arcs in Figure 4 represent distances. The weight on arc EF is x where $12 < x < 26$ and the weight on arc DG is y where $0 < y < 10$

An inspection route of minimum length that traverses each arc at least once is found.
The inspection route starts and finishes at A and has a length of 409

It is also given that the length of the shortest route from F to G via A is 140

(b) Using appropriate algorithms, find the value of x and the value of y.

(9)

(Total for Question 6 is 11 marks)

7. A maximisation linear programming problem in x, y and z is to be solved using the two-stage simplex method.

The partially completed initial tableau is shown below.

Basic variable	x	y	z	s_1	s_2	s_3	a_1	a_2	Value
s_1	1	2	3	1	0	0	0	0	45
a_1	3	2	0	0	–1	0	1	0	9
a_2	–1	0	4	0	0	–1	0	1	4
P	–2	–1	–3	0	0	0	0	0	0
A									

(a) Using the information in the above tableau, formulate the linear programming problem. State the objective and list the constraints as inequalities.

(4)

(b) Complete the bottom row of Table 1 in the answer book. You should make your method and working clear.

(2)

The following tableau is obtained after two iterations of the first stage of the two-stage simplex method.

Basic variable	x	y	z	s_1	s_2	s_3	a_1	a_2	Value
s_1	0	$\frac{5}{6}$	0	1	$\frac{7}{12}$	$\frac{3}{4}$	$-\frac{7}{12}$	$-\frac{3}{4}$	$\frac{147}{4}$
x	1	$\frac{2}{3}$	0	0	$-\frac{1}{3}$	0	$\frac{1}{3}$	0	3
z	0	$\frac{1}{6}$	1	0	$-\frac{1}{12}$	$-\frac{1}{4}$	$\frac{1}{12}$	$\frac{1}{4}$	$\frac{7}{4}$
P	0	$\frac{5}{6}$	0	0	$-\frac{11}{12}$	$-\frac{3}{4}$	$\frac{11}{12}$	$\frac{3}{4}$	$\frac{45}{4}$
A	0	0	0	0	0	0	1	1	0

(c) (i) Explain how the above tableau shows that a basic feasible solution has been found for the original linear programming problem.

(ii) Write down the basic feasible solution for the second stage.

(3)

(d) Taking the most negative number in the profit row to indicate the pivot column, perform one complete iteration of the second stage of the two-stage simplex method, to obtain a new tableau, T. Make your method clear by stating the row operations you use.

(5)

(e) (i) Explain, using T, whether or not an optimal solution to the original linear programming problem has been found.

(ii) Write down the value of the objective function.

(iii) State the values of the basic variables.

(3)

(Total for Question 7 is 17 marks)

TOTAL FOR PAPER IS 75 MARKS

BLANK PAGE

BLANK PAGE

Please check the examination details below before entering your candidate information

Candidate surname StemUp Model Solution | Other names

Pearson Edexcel Level 3 GCE

Centre Number | Candidate Number

Wednesday 17 June 2020

Afternoon (Time: 1 hour 30 minutes) | Paper Reference **9FM0/3D**

Further Mathematics

Advanced

Paper 3D: Decision Mathematics 1

Answer book
Do not return the question paper with the answer book.

Total Marks

Turn over ▶

P62678A

©2020 Pearson Education Ltd.

1/1/1/1/1/1/1/

P 6 2 6 7 8 A 0 1 2 0

Pearson

1.

	A	B	C	D	E	F	G
A	–	24	–	22	35	–	–
B	24	–	25	27	–	–	–
C	–	25	–	33	31	36	26
D	22	27	33	–	–	42	–
E	35	–	31	–	–	37	29
F	–	–	36	42	37	–	40
G	–	–	26	–	29	40	–

(a)




Diagram 1

(b) Kruskal's algorithm, arcs considered in order of weight:

AD (22) add, AB (24) add, BC (25) add, CG (26) add

BD (27) reject (would make cycle A – B – D)

EG (29) add

CE (31) reject, CD (33) reject, AE (35) reject

CF (36) add (6 arcs, all 7 vertices now connected)

(EF 37, FG 40 and DF 42 would all be rejected)

(c) Weight = 22 + 24 + 25 + 26 + 29 + 36 = 162 km

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 1 continued

(Total for Question 1 is 6 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

2. (a)

Dummy at the end of B: F and G depend on B only, but H depends on both B and C, so a dummy is needed to show H also depends on B.

Dummy at the end of K: without it K and L would start at the same event and finish at the same event; each activity must be uniquely defined by its start and end events.

(b)

Activity	Immediately preceding activities
A	–
B	–
C	–
D	A

Activity	Immediately preceding activities
E	A
F	B
G	B
H	B, C

Activity	Immediately preceding activities
I	E, F
J	G, H
K	D, I
L	D, I

(c)(i)




Diagram 1

P 6 2 6 7 8 A 0 4 2 0


DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(c)(ii) Minimum completion time = 21 hours

(c)(iii) Critical activities: A, E, I, L

(d) Resource histogram on Grid 1 (each activity at its earliest start time)



Grid 1

(e) Five workers are needed from time 7 to 10 (D, E, F, G and H all running). One of the non-critical activities D, F, G or H must be delayed to start after time 10. H has total float 15 − 3 − 7 = 5, so delay H to start at time 10 (it finishes at 13, before its late time of 15). J must then wait for H, so delay J to start at time 15 (its latest start, 21 − 6 = 15). The project still finishes in 21 hours and at most 4 workers are needed at any time, so yes, it can be completed with fewer than 5 workers.

(Total for Question 2 is 15 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

3. (a)

Initial time matrix

	A	B	C	D	E
A	–	8	4	7	∞
B	8	–	3	∞	10
C	4	3	–	∞	6
D	7	∞	1	–	1
E	∞	10	6	1	–

Initial route matrix

	A	B	C	D	E
A	A	B	C	D	E
B	A	B	C	D	E
C	A	B	C	D	E
D	A	B	C	D	E
E	A	B	C	D	E

(b)

Time matrix

	A	B	C	D	E
A	–	7	4	7	10
B	7	–	3	14	9
C	4	3	–	11	6
D	5	4	1	–	1
E	10	9	6	1	–

Route matrix

	A	B	C	D	E
A	A	C	C	D	C
B	C	B	C	C	C
C	A	B	C	A	E
D	C	C	C	D	E
E	C	C	C	D	E

Time matrix

	A	B	C	D	E
A	–	7	4	7	8
B	7	–	3	14	9
C	4	3	–	11	6
D	5	4	1	–	1
E	6	5	2	1	–

Route matrix

	A	B	C	D	E
A	A	C	C	D	D
B	C	B	C	C	C
C	A	B	C	A	E
D	C	C	C	D	E
E	D	D	D	D	E

If you make an error there are spare copies of these matrices on Page 9.

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

(c)(i) Nearest neighbour from A, using the final time matrix:

A → C (4), C → B (3), B → E (9), E → D (1), D → A (5)

Hamiltonian cycle: A – C – B – E – D – A

(ii) Time = 4 + 3 + 9 + 1 + 5 = 22 minutes

(iii) From the route matrix, B to E goes via C and D to A goes via C, so the villages visited in order are

A – C – B – C – E – D – C – A

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

Only use these matrices if you have made an error in your working.

(a)

Spare copy of initial time matrix

	A	B	C	D	E
A					
B					
C					
D					
E					

Spare copy of initial route matrix

	A	B	C	D	E
A					
B					
C					
D					
E					

(b)

Spare copy of time matrix

	A	B	C	D	E
A					
B					
C					
D					
E					

Spare copy of route matrix

	A	B	C	D	E
A					
B					
C					
D					
E					

Spare copy of time matrix

	A	B	C	D	E
A					
B					
C					
D					
E					

Spare copy of route matrix

	A	B	C	D	E
A					
B					
C					
D					
E					

(Total for Question 3 is 9 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

4.




Figure 3

(a) $2y \leq 5x$, $y \geqslant x + 1$, $6x + 5y \leqslant 30$

(b) Vertices of R:

$2y = 5x$, $y = x + 1$: $5x/2 = x + 1 \Rightarrow x = 2/3$, $y = 5/3$

$2y = 5x$, $6x + 5y = 30$: $6x + 25x/2 = 30 \Rightarrow x = 60/37$, $y = 150/37$

$y = x + 1$, $6x + 5y = 30$: $11x + 5 = 30 \Rightarrow x = 25/11$, $y = 36/11$

$P = 3x + y$

$(2/3, 5/3)$: $P = 2 + 5/3 = 11/3$ $(= 3.67)$

$(60/37, 150/37)$: $P = 180/37 + 150/37 = 330/37$ $(= 8.92)$

$(25/11, 36/11)$: $P = 75/11 + 36/11 = 111/11$ $(= 10.09)$

Largest value is $P = 111/11$, so the optimal vertex is

$V = (25/11, 36/11)$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

(c) $Q = 3x + ay$. V stays optimal if Q at $V \geq Q$ at each other vertex.

$Q(V) \geq Q(60/37, 150/37)$:

$75/11 + 36a/11 \geq 180/37 + 150a/37$

$\times 407$: $2775 + 1332a \geq 1980 + 1650a$

$795 \geq 318a \quad \Rightarrow \quad a \leq 5/2$

$Q(V) \geq Q(2/3, 5/3)$:

$75/11 + 36a/11 \geq 2 + 5a/3$

$\times 33$: $225 + 108a \geq 66 + 55a$

$53a \geq -159 \quad \Rightarrow \quad a \geq -3$

Range: $-3 \leq a \leq 5/2$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 10 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

5. 23 17 19 x 24 8 18 10 21

(a) 23 and 17 go in Bin 1 (total 40); 19 does not fit so starts Bin 2.

x was placed in Bin 2 and not Bin 1, so $x > 10$ (and $19 + x \leq 50$).

18 did not fit in Bin 2, so $19 + x + 18 > 50 \Rightarrow x > 13$

10 was then placed in Bin 2, so $19 + x + 10 \leq 50 \Rightarrow x \leq 21$

The numbers are distinct so $x \neq 21$, hence $13 < x < 21$

(b) After the first pass 17 is still ahead of x, so 17 and x were compared and not swapped: $x < 17$ (numbers distinct). From (a), $x > 13$.

$13 < x < 17$

(c) Descending order: 24 23 21 19 18 17 x 10 8 (x = 14, 15 or 16)

Bin 1: 24, 23 Bin 2: 21, 19, 10 Bin 3: 18, 17, x Bin 4: 8

x was placed in Bin 3, so $18 + 17 + x \leq 50 \Rightarrow x \leq 15$, so $x = 14$ or 15

Bin 2 = 21 + 19 + 10 = 50 is full.

If $x = 15$, Bin 3 = 18 + 17 + 15 = 50 would also be full, but only one bin is full, so $x \neq 15$.

$x = 14$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued


(Total for Question 5 is 7 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

6. (a)

A and G have odd degree (3); B, C, D, E and F all have even degree.

Exactly two odd nodes, so the graph is semi-Eulerian.



Key:

Vertex	Order of labelling	Final value
Working values		

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

Question 6 continued

(b) Dijkstra's algorithm from A is shown on the diagram.

Shortest path A to F = 58 + x (A – B – C – E – F, as 58 + x < 84)

Shortest path A to G = 60 + y (A – B – C – D – G, as 60 + y < 70)

Shortest route F to G via A: (58 + x) + (60 + y) = 140

$\Rightarrow$ x + y = 22

The only odd nodes are A and G, so the shortest path from A to G (length 60 + y) must be repeated.

Inspection route: 320 + x + y + 60 + y = 409

$\Rightarrow$ x + 2y = 29

Subtracting: y = 29 – 22 = 7, x = 22 – 7 = 15

(check: 12 < 15 < 26 and 0 < 7 < 10)

x = 15, y = 7

(Total for Question 6 is 11 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

7.

(a) Maximise $P = 2x + y + 3z$

subject to $x + 2y + 3z \leq 45$

$3x + 2y \geq 9$

$-x + 4z \geq 4$

$x, y, z \geq 0$

(b) Minimise $a_1 + a_2$, i.e. maximise $A = -a_1 - a_2$, where

$a_1 = 9 - 3x - 2y + s_2$ and $a_2 = 4 + x - 4z + s_3$

$A = -(9 - 3x - 2y + s_2) - (4 + x - 4z + s_3)$

$\Rightarrow \quad A - 2x - 2y - 4z + s_2 + s_3 = -13$

Basic variable	x	y	z	s_1	s_2	s_3	a_1	a_2	Value
s_1	1	2	3	1	0	0	0	0	45
a_1	3	2	0	0	–1	0	1	0	9
a_2	–1	0	4	0	0	–1	0	1	4
P	–2	–1	–3	0	0	0	0	0	0
A	–2	–2	–4	0	1	1	0	0	–13

Table 1

(c)(i) The value of A is 0 (a_1 and a_2 are both zero and non-basic), so a basic feasible solution to the original problem has been found.

(ii) $x = 3, \quad y = 0, \quad z = 7/4, \quad s_1 = 147/4, \quad s_2 = 0, \quad s_3 = 0$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

(d) Pivot column s_2 (most negative value, −11/12).

Ratio test: s_1 row 147/4 ÷ 7/12 = 63; the x and z rows have negative entries so are not used. Pivot = 7/12 in the s_1 row: s_2 enters, s_1 leaves.

b.v.	x	y	z	s_1	s_2	s_3	Value
s_1	0	$\frac{5}{6}$	0	1	$\frac{7}{12}$	$\frac{3}{4}$	$\frac{147}{4}$
x	1	$\frac{2}{3}$	0	0	$-\frac{1}{3}$	0	3
z	0	$\frac{1}{6}$	1	0	$-\frac{1}{12}$	$-\frac{1}{4}$	$\frac{7}{4}$
P	0	$\frac{5}{6}$	0	0	$-\frac{11}{12}$	$-\frac{3}{4}$	$\frac{45}{4}$

b.v.	x	y	z	s_1	s_2	s_3	Value	Row Ops
s_2	0	$\frac{10}{7}$	0	$\frac{12}{7}$	1	$\frac{9}{7}$	63	$R1 \times \frac{12}{7}$
x	1	$\frac{8}{7}$	0	$\frac{4}{7}$	0	$\frac{3}{7}$	24	$R2 + \frac{1}{3} R1$
z	0	$\frac{2}{7}$	1	$\frac{1}{7}$	0	$-\frac{1}{7}$	7	$R3 + \frac{1}{12} R1$
P	0	$\frac{15}{7}$	0	$\frac{11}{7}$	0	$\frac{3}{7}$	69	$R4 + \frac{11}{12} R1$

Spare copy

b.v.	x	y	z	s_1	s_2	s_3	Value	Row Ops
P								

(e)(i) Yes, T is optimal: there are no negative values in the P row.

(ii) P = 69

(iii) $s_2 = 63$, $x = 24$, $z = 7$

Question 7 continued

(Total for Question 7 is 17 marks)

TOTAL FOR PAPER IS 75 MARKS

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA