Vectors 11F

1 a Speed $= |3\mathbf{i} + 4\mathbf{j}|$

$= \sqrt{3^2 + 4^2}$

$= \sqrt{9 + 16}$

$= \sqrt{25}$

$= 5 \text{ m s}^{-1}$

b Speed $= |24\mathbf{i} + 7\mathbf{j}|$

$= \sqrt{24^2 + (-7)^2}$

$= \sqrt{576 + 49}$

$= \sqrt{625}$

$= 25 \text{ km h}^{-1}$

c Speed $= |5\mathbf{i} + 2\mathbf{j}|$

$= \sqrt{5^2 + 2^2}$

$= \sqrt{25 + 4}$

$= \sqrt{29}$

$= 5.39 \text{ m s}^{-1} (3 \text{ s.f.})$

d Speed $= |-7\mathbf{i} + 4\mathbf{j}|$

$= \sqrt{(-7)^2 + 4^2}$

$= \sqrt{49 + 16}$

$= \sqrt{65}$

$= 8.06 \text{ cm s}^{-1} (3 \text{ s.f.})$

2 a Distance $=$ speed $\times$ time

$= \sqrt{8^2 + 6^2} \times 5$

$= 5 \times \sqrt{64 + 36}$

$= 5 \times \sqrt{100}$

$= 50 \text{ km}$

b Distance $=$ speed $\times$ time

$= \sqrt{5^2 + (-1)^2} \times 10$

$= 10 \times \sqrt{25 + 1}$

$= 10 \times \sqrt{26}$

$= 51.0 \text{ m} (3 \text{ s.f.})$

2 c Distance $=$ speed $\times$ time

$= \sqrt{6^2 + 2^2} \times 0.75$

$= 0.75 \times \sqrt{36 + 4}$

$= 0.75 \times \sqrt{40}$

$= 4.74 \text{ km} (3 \text{ s.f.})$

d Distance $=$ speed $\times$ time

$= \sqrt{(-4)^2 + (-7)^2} \times 120$

$= 120 \times \sqrt{16 + 49}$

$= 120 \times \sqrt{65}$

$= 967 \text{ cm} (3 \text{ s.f.})$

3 a Speed $= \sqrt{(-3)^2 + 4^2}$

$= \sqrt{9 + 16}$

$= \sqrt{25}$

$= 5 \text{ m s}^{-1}$

Distance $= 5 \times 15 = 75 \text{ m}$

b Speed $= \sqrt{2^2 + 5^2}$

$= \sqrt{4 + 25}$

$= \sqrt{29}$

$= 5.39 \text{ m s}^{-1} (3 \text{ s.f.})$

Distance $= 3 \times 5.39 = 16.2 \text{ m} (3 \text{ s.f.})$

c Speed $= \sqrt{5^2 + (-2)^2}$

$= \sqrt{25 + 4}$

$= \sqrt{29}$

$= 5.39 \text{ km h}^{-1} (3 \text{ s.f.})$

Distance $= 3 \times 5.39 = 16.2 \text{ km} (3 \text{ s.f.})$

© Pearson Education Ltd 2017. Copying permitted for purchasing institution only. This material is not copyright free.

3 d Speed $= \sqrt{12^2 + (-5)^2}$
$= \sqrt{144 + 25}$
$= \sqrt{169}$
$= 13 \text{ km h}^{-1}$

Distance $= 0.5 \times 13 = 6.5$ km

4 a $= \dfrac{(16\mathbf{i} - 5\mathbf{j}) - (2\mathbf{i} + 3\mathbf{j})}{5}$
$= \dfrac{14\mathbf{i} - 8\mathbf{j}}{5}$
$= 2.8\mathbf{i} - 1.6\mathbf{j} \text{ m s}^{-2}$

5 a $\tan\theta = \frac{7}{5}$
$\theta = \tan^{-1}\frac{7}{5}$
$= 54.5°$ (3 s.f.)

b magnitude of $\mathbf{F} = |m\mathbf{a}|$
$= 0.3\sqrt{5^2 + 7^2}$
$= 0.3\sqrt{74}$

6 a $\tan\theta = \frac{1}{2}$
$\theta = \tan^{-1}\frac{1}{2}$
$= 26.6°$ below

b $3\mathbf{i} - 4\mathbf{j} + p\mathbf{i} + q\mathbf{j} = \lambda(2\mathbf{i} - \mathbf{j})$
$(3 + p)\mathbf{i} + (q - 4)\mathbf{j} = 2\lambda\mathbf{i} - \lambda\mathbf{j}$
$3 + p = 2\lambda$ and $q - 4 = -\lambda$

Multiplying the second equation by 2:
$2q - 8 = -2\lambda$

Solving simultaneously:
$3 + p = -2q + 8$
$p + 2q = 5$

c When $p = 1$, $\lambda = 2$
$\mathbf{R} = 2(2\mathbf{i} - \mathbf{j})$
$= 4\mathbf{i} - 2\mathbf{j}$

$|\mathbf{R}| = \sqrt{4^2 + 2^2}$
$= \sqrt{20}$
$= 2\sqrt{5}$ N

7 a $\overrightarrow{BC} = \overrightarrow{BA} + \overrightarrow{AC}$
$= -(30\mathbf{i} + 40\mathbf{j}) + 40\mathbf{i} - 60\mathbf{j}$
$= 10\mathbf{i} - 100\mathbf{j}$

7 b $AB = \sqrt{30^2 + 40^2} = \sqrt{2500} = 50$
$AC = \sqrt{40^2 + (-60)^2} = \sqrt{5200}$
$BC = \sqrt{10^2 + (-100)^2} = \sqrt{10\,100}$
Using the cosine rule:

$$\cos A = \frac{b^2 + c^2 - a^2}{2bc}$$

$$\cos A = \frac{\sqrt{5200}^2 + 50^2 - \sqrt{10\,100}^2}{2(\sqrt{5200})(50)}$$


$$\cos A = \frac{5200 + 2500 - 10\,100}{1000\sqrt{52}}$$

$$\cos A = \frac{-2400}{1000\sqrt{52}}$$

$A = 109.440\,03...$
So $\angle BAC = 109.4°$

c Area $= \frac{1}{2}bc\sin A$
$= \frac{1}{2} \times \sqrt{5200} \times 50 \times \sin 109.4°$
$= 1700.418...$
$= 1700 \text{ m}^2$ (3 s.f.)

8 a



Distance $= \sqrt{(6-2)^2 + (-4-1)^2}$
$= \sqrt{16 + 25}$
$= \sqrt{41}$ km

b Bearing $= 270° + \tan^{-1}\frac{2}{3}$
$= 303.7°$

c The vector of the boat to the buoy
$= -(2\mathbf{i} + \mathbf{j}) + 6\mathbf{i} - 4\mathbf{j} = 4\mathbf{i} - 5\mathbf{j}$
Velocity $= 8\mathbf{i} - 10\mathbf{j}$
so $\lambda(8\mathbf{i} - 10\mathbf{j}) = 4\mathbf{i} - 5\mathbf{j}$
$\lambda = \frac{1}{2}$
Therefore, the boat is travelling directly towards the buoy.

© Pearson Education Ltd 2017. Copying permitted for purchasing institution only. This material is not copyright free.

8 d Speed $= \sqrt{8^2 + 10^2}$

$= \sqrt{164}$

$= 2\sqrt{41}$ km h^{-1}

e Time $= \dfrac{\text{distance}}{\text{speed}}$

$= \dfrac{\sqrt{41}}{2\sqrt{41}}$

$= \dfrac{1}{2}$ hour

$= 30$ minutes

© Pearson Education Ltd 2017. Copying permitted for purchasing institution only. This material is not copyright free.