Please check the examination details below before entering your candidate information

Candidate surname StemUp Model Solution | Other names

Pearson Edexcel Level 3 GCE

Centre Number | Candidate Number

Thursday 14 May 2020

Afternoon | Paper Reference **8FM0/22**

Further Mathematics

Advanced Subsidiary
Further Mathematics options
22: Further Pure Mathematics 2
(Part of option A only)

You must have:
Mathematical Formulae and Statistical Tables (Green), calculator

Total Marks

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- The total mark for this part of the examination is 40. There are 5 questions.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

P62679A

©2020 Pearson Education Ltd.

1/1/1/1/1/1/1/1/

P 6 2 6 7 9 A 0 1 2 0

Pearson

1. The set $G = \{1, 3, 7, 9, 11, 13, 17, 19\}$ under the binary operation of multiplication modulo 20 forms a group.

(a) Find the inverse of each element of G.

(3)

(b) Find the order of each element of G.

(3)

(c) Find a subgroup of G of order 4

(1)

(d) Explain how the subgroup you found in part (c) satisfies Lagrange's theorem.

(1)

(a) $1 \times 1 = 1$, $9 \times 9 = 81 \equiv 1$, $11 \times 11 = 121 \equiv 1$, $19 \times 19 = 361 \equiv 1 \pmod{20}$

so 1, 9, 11 and 19 are self-inverse

$3 \times 7 = 21 \equiv 1$ and $13 \times 17 = 221 \equiv 1 \pmod{20}$

Inverses: $1^{-1} = 1$, $3^{-1} = 7$, $7^{-1} = 3$, $9^{-1} = 9$,

$11^{-1} = 11$, $13^{-1} = 17$, $17^{-1} = 13$, $19^{-1} = 19$

(b) $3^2 = 9$, $3^3 = 27 \equiv 7$, $3^4 = 21 \equiv 1$

$7^2 = 49 \equiv 9$, $7^3 = 63 \equiv 3$, $7^4 = 21 \equiv 1$

$13^2 = 169 \equiv 9$, $13^3 = 117 \equiv 17$, $13^4 = 221 \equiv 1$

$17^2 = 289 \equiv 9$, $17^3 = 153 \equiv 13$, $17^4 = 221 \equiv 1$

$9^2 \equiv 1$, $11^2 \equiv 1$, $19^2 \equiv 1$

Orders: 1 has order 1; 3, 7, 13 and 17 have order 4;

9, 11 and 19 have order 2

(c) $\{1, 3, 7, 9\}$ (generated by 3: 3, 9, 7, 1)

(d) The subgroup has order 4 and G has order 8;

4 is a factor of 8, as Lagrange's theorem requires

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 1 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 1 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 1 continued

(Total for Question 1 is 8 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

2. The highest common factor of 963 and 657 is c.

(a) Use the Euclidean algorithm to find the value of c.

(3)

(b) Hence find integers a and b such that

$$963a + 657b = c$$

(3)

(a) $963 = 1 \times 657 + 306$

$657 = 2 \times 306 + 45$

$306 = 6 \times 45 + 36$

$45 = 1 \times 36 + 9$

$36 = 4 \times 9 + 0$

$\therefore$ HCF(963, 657) = 9, $c = 9$

(b) $9 = 45 - 1 \times 36$

$= 45 - (306 - 6 \times 45) = 7 \times 45 - 306$

$= 7 \times (657 - 2 \times 306) - 306 = 7 \times 657 - 15 \times 306$

$= 7 \times 657 - 15 \times (963 - 1 \times 657)$

$= -15 \times 963 + 22 \times 657$

(check: $-14\,445 + 14\,454 = 9$)

$a = -15$, $b = 22$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 2 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 6 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

3. (i)

$$\mathbf{A} = \begin{pmatrix} 1 & -2 \\ 1 & 4 \end{pmatrix}$$

(a) Show that the characteristic equation for $\mathbf{A}$ is $\lambda^2 - 5\lambda + 6 = 0$

(2)

(b) Use the Cayley-Hamilton theorem to find integers p and q such that

$$\mathbf{A}^3 = p\mathbf{A} + q\mathbf{I}$$

(3)

(ii) Given that the 2×2 matrix $\mathbf{M}$ has eigenvalues $-1 + i$ and $-1 - i$, with eigenvectors $\begin{pmatrix} 1 \\ 2 - i \end{pmatrix}$ and $\begin{pmatrix} 1 \\ 2 + i \end{pmatrix}$ respectively, find the matrix $\mathbf{M}$.

(5)

(i)(a)

$\det(A - \lambda I) = \begin{vmatrix} 1 - \lambda & -2 \\ 1 & 4 - \lambda \end{vmatrix} = (1 - \lambda)(4 - \lambda) - (-2)(1) = 0$

$\Rightarrow 4 - 5\lambda + \lambda^2 + 2 = 0$

$\Rightarrow \lambda^2 - 5\lambda + 6 = 0$ as required

(i)(b) By the Cayley-Hamilton theorem, $A^2 - 5A + 6I = 0$

$\Rightarrow A^2 = 5A - 6I$

$A^3 = A \times A^2 = 5A^2 - 6A$

$= 5(5A - 6I) - 6A$

$= 19A - 30I$

$p = 19, \quad q = -30$

(ii) Using $Mv = \lambda v$ for each eigenvalue and its eigenvector:

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix}\begin{pmatrix} 1 \\ 2 - i \end{pmatrix} = (-1 + i)\begin{pmatrix} 1 \\ 2 - i \end{pmatrix} = \begin{pmatrix} -1 + i \\ -1 + 3i \end{pmatrix}$$

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix}\begin{pmatrix} 1 \\ 2 + i \end{pmatrix} = (-1 - i)\begin{pmatrix} 1 \\ 2 + i \end{pmatrix} = \begin{pmatrix} -1 - i \\ -1 - 3i \end{pmatrix}$$

$a + b(2 - i) = -1 + i \qquad a + b(2 + i) = -1 - i$

$c + d(2 - i) = -1 + 3i \qquad c + d(2 + i) = -1 - 3i$

Subtracting: $2ib = -2i \Rightarrow b = -1, \quad a = -1 + i + 2 - i = 1$

Subtracting: $2id = -6i \Rightarrow d = -3, \quad c = -1 + 3i + 6 - 3i = 5$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

$M = \begin{pmatrix} 1 & -1 \\ 5 & -3 \end{pmatrix}$

Question 3 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

(Total for Question 3 is 10 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

4. Sam borrows £10 000 from a bank to pay for an extension to his house.
The bank charges 5% annual interest on the portion of the loan yet to be repaid.
Immediately after the interest has been added at the end of each year and before the start of the next year, Sam pays the bank a fixed amount, £F.

Given that £A_n (where $A_n \geqslant 0$) is the amount owed at the start of year n,

(a) write down an expression for A_{n+1} in terms of A_n and F,

(1)

(b) prove, by induction that, for $n \geqslant 1$

$$A_n = (10\,000 - 20F)1.05^{n-1} + 20F$$

(5)

(c) Find the smallest value of F for which Sam can repay all of the loan by the start of year 16.

(4)

(a) $A_{n+1} = 1.05A_n - F$

(b) $n = 1$: $A_1 = (10\,000 - 20F)1.05^0 + 20F = 10\,000 - 20F + 20F = 10\,000$

which is the amount borrowed, so the result is true for $n = 1$

Assume true for $n = k$: $A_k = (10\,000 - 20F)1.05^{k-1} + 20F$

Then $A_{k+1} = 1.05A_k - F$

$= 1.05((10\,000 - 20F)1.05^{k-1} + 20F) - F$

$= (10\,000 - 20F)1.05^k + 21F - F$

$= (10\,000 - 20F)1.05^{(k+1)-1} + 20F$

So if the result is true for $n = k$, then it is true for $n = k + 1$.

As it is true for $n = 1$, by induction it is true for all $n \geq 1$

(c) Loan repaid by the start of year 16 $\Rightarrow$ $A_{16} \leq 0$

$(10\,000 - 20F)1.05^{15} + 20F \leq 0$

$10\,000 \times 1.05^{15} \leq 20F \times 1.05^{15} - 20F = 20F(1.05^{15} - 1)$

$F \geq \dfrac{10\,000 \times 1.05^{15}}{20(1.05^{15} - 1)} = 963.4228\ldots$

Smallest value of F is £963.43

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 10 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

5.




Figure 1

Figure 1 shows an Argand diagram.
The set of points, A, that lies within the shaded region, including its boundaries, is defined by

$$A = \{z : p \leqslant \arg(z) \leqslant q\} \cap \{z : |z| \leqslant r\}$$

where p, q and r are positive constants.

(a) Write down the values of p, q and r.

(2)

Given that $w = -2\sqrt{3} + 2\mathrm{i}$ and $z \in A$,

(b) find the maximum value of $|w - z|^2$ giving your answer in an exact simplified form.

(4)

(a) $p = \frac{\pi}{4}$, $q = \pi$, $r = 2$

(b) $|w| = \sqrt{(12 + 4)} = 4$, $\arg w = \pi - \frac{\pi}{6} = \frac{5\pi}{6}$

$|w - z|$ is the distance from w to z. The point of A furthest from w is where $\arg z = \pi/4$ meets $|z| = 2$ (first quadrant): $z = \sqrt{2} + \sqrt{2}i$

Angle between OW and OZ $= \frac{5\pi}{6} - \frac{\pi}{4} = \frac{\pi}{3} + \frac{\pi}{4} = \frac{7\pi}{12}$

$|w - z|^2 = 4^2 + 2^2 - 2 \times 4 \times 2 \cos(\frac{\pi}{3} + \frac{\pi}{4})$

$= 20 - 16 \times \frac{\sqrt{2} - \sqrt{6}}{4}$

Check: $(\sqrt{2} + 2\sqrt{3})^2 + (\sqrt{2} - 2)^2 = 14 + 4\sqrt{6} + 6 - 4\sqrt{2}$

Maximum $|w - z|^2 = 20 - 4\sqrt{2} + 4\sqrt{6}$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

(Total for Question 5 is 6 marks)

TOTAL FOR FURTHER PURE MATHEMATICS 2 IS 40 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA