PEARSON EDEXCEL IGCSE PHYSICS · 4PH1

PHYSICS



MARK SCHEME

SECTION 3: WAVES (PACK 2)

SCORE	PERCENTAGE
/146	%

STEMUP

These questions belong to Pearson Edexcel, not to us.

The examination questions, mark schemes and examiner comments in this pack were written and published by Pearson Edexcel. They are past assessment materials, reproduced here so that students can revise from them.

What we do not own

STEMUP is not affiliated with Pearson Edexcel and does not own, and makes no claim to own, any of the question, mark scheme or examiner report material in this pack. Pearson Edexcel has not endorsed, approved or been involved in the production of it. Pearson Edexcel and the qualification titles used here belong to their respective owners and appear for identification only.

Where to find the originals

Pearson Edexcel publishes its past papers, mark schemes and examiner reports. Always check the current specification at qualifications.pearson.com before you revise, because content and wording can change between series.


If you hold the rights to any material in this pack and would like it amended or removed, contact admin@stemup.co.uk and we will act on it.

Mark Scheme

Q1.

Question number	Answer	Notes	Marks
(a)	substitution OR rearrangement; evaluation; e.g. $1.25 \times 10^{18} = 1 / T$ OR $T = 1/f$ (T =) 8.00×10^{-19} (s)	 -1 for POT error allow 8×10^{-19} (s)	2
(b)	use of $v = f \times \lambda$; substitution OR rearrangement; evaluation; e.g. $v = f \times \lambda$ $3.00 \times 10^{8} = 1.25 \times 10^{18} \times \lambda$ OR $\lambda = v / f$ (λ =) 2.40×10^{-10} (m)	seen as a formula or implied by working allow v, c, s for speed allow λ for wavelength -1 for POT error allow 2.4×10^{-10} (m)	3

Q2.

Question number		Answer	Notes	Marks
(a)	(i)	B - main sequence stars; A is not correct as black holes do not appear on the HR diagram C is not correct as neutron stars are not part of the main sequence. D is not correct as protostars are not part of the main sequence		1
	(ii)	bottom left area of the HR diagram;	unlabelled scores 0	1
	(iii)	top right hand area of HR diagram;  	unlabelled scores 0	1
	(iv)	a measure of brightness/luminosity; idea that a star would be at a standard distance (10 parsecs/32(.6) light years);	accept power ignore lack of or incorrect value for distance	2
(b)	(i)	C - ultraviolet; A is not correct as microwaves cause internal heating B is not correct as radio waves do not give skin burns D is not correct as visible light cannot harm skin cells.		1
	(ii)	A - sunbathing; B, C and D are not correct as all reduce the absorption of UV by skin.		1
			Total for Question : 7 marks	

Q3.

Question number	Answer	Notes	Marks
(a) (i)	recall of equation: speed = frequency × wavelength; substitution or re-arrangement; correct evaluation; correct answer = 0.013 (m) e.g. speed = frequency × wavelength wavelength = speed ÷ frequency wavelength = 330 ÷ 25000 wavelength = 0.0132... (m)	allow use of standard symbols e.g. $v = f \times \lambda$ condone s for speed reject w for wavelength answer to 3sf is 0.0132 (m)	3
(ii)	amplitude corresponds to 2 squares; 2 squares gives 10 V for amplitude;	ecf incorrect number of squares for amplitude e.g. 4 squares giving 20V scores 1 mark	2
(b) (i)	field lines outside of coil appear to loop from end to end; arrow directions self-consistent; no overlapping field lines;	allow field lines approximately uniform through solenoid condone incorrect poles	3
(ii)	any THREE from: MP1. idea of force on coil from magnet; MP2. idea of alternating force on card; MP3. card vibrates; MP4. idea that card forces air to vibrate; MP5. longitudinal wave formed;	allow idea of interaction between fields of bar magnet and coil allow idea of series of compressions and rarefactions	3
(iii)	idea that 25 kHz is outside the range of human hearing; upper limit of human hearing is 20 kHz;	ignore reference to 20Hz or lower limit	2
(iv)	increase current (amplitude)/ increase strength of (bar) magnet/ increase number of turns on coil;	allow increase density of turns on coil condone change card for a different material allow change size or shape of card allow moving magnet closer to the coil allow higher order answers in terms of resonance	1
		Total for Question: 14 marks	

Q4.

Question number	Answer	Notes	Marks
(a)	any 4 of: MP1. connect oscilloscope to microphone; MP2. adjust the oscilloscope to get a steady trace / eq; MP3. adjust time base / oscilloscope to give a minimum of 1 complete cycle (on the screen); MP4. measure number of squares for a number of complete cycles / waves; MP5. multiply number of squares by the time base / eq. (to find T); MP6. use f = 1/T;	ignore references to wavelength, amplitude, finding number of waves passing a point allow 'use oscilloscope to measure/find the time period / time for one wave' if neither MP4 or MP5 scored	4
(b) (i)	any 1 of: MP1. force / tension (on the string); MP2. material string is made from; MP3. diameter / thickness of the string; MP4. temperature;		1
(ii)	correctly calculated mean; given to nearest whole number; e.g. 34.3... gains first mark 34 gains both marks	 mark independently	2
(iii)	suitable linear scale chosen (>50% of grid used); axes labelled with quantities and unit; all plotting correct to nearest half square;	ignore orientation ignore point at 60cm	3
(iv)	acceptable curve of best fit drawn;	i.e. smooth curve within 1 small square of each point ignore parts of curve outside plotted points if extrapolated	1
(v)	string length in range 26-31cm;	allow ecf from candidate's line	1
(vi)	both 120cm and 140cm strings / eq; (because) humans cannot hear frequencies lower than 20Hz;	allow correctly read string length from graph for 20Hz frequency	2


Q5.

Question number	Answer	Notes	Marks
(a)	Any FIVE from: MP1. measure time for a set distance; MP2. realistic values suggested for experiment to work; MP3. suitable measuring instrument named; MP4. further detail of setup; MP5. idea of repeats **AND** average; MP6. speed = distance / time;	A fully labelled diagram can score all the marks. allow measuring wavelength for a known frequency e.g. • at least 1m for microphones and oscilloscope method • at least 100m for seeing and hearing a clap method • at least 50m for wall and echo method • wavelength measured at least 10cm e.g. stop clock, stopwatch, ruler, tape measure, oscilloscope, trundle wheel, timer e.g. • two microphones on bench connected to oscilloscope • start timing when see a clap and stop when hear it • clap by wall and time how long for clap to come back • moving a microphone until waveforms line up on oscilloscope • For echo method, idea time and distance is "there and back" allow speed = frequency × wavelength for appropriate method	5

(b)	(i)	Measurement of one period on oscilloscope; Use of x-scale; Evaluation of period in s; e.g. Period = 4 squares Period = 4 x 0.25 (ms) Period = 1.0 x 10^{-3} (s)	 -1 POT error Allow 1 SF answer Condone period = 0.0005 (s) or 0.002 (s) or in standard form for 2 marks MAX.	3
	(ii)	Substitution into given equation f = 1/ T; Evaluation; i.e f = 1/(1.0 x 10^{-3}) f = 1000 (Hz)	Allow ECF from b) (i)	2

Q6.

Question number	Answer	Notes	Marks
(a)	reference to a coil or solenoid; reference to a core; reference to a current; reference to a named magnetic material; i.e. (soft) iron or steel	all marks can be scored by a labelled diagram(s) allow reference to 'material that magnetises and demagnetises easily'	4


(b)	(i)	period given as 4 squares; correct use of *x* scale; subsequent correct evaluation of period; correct answer: 0.002 (s) e.g. period is 4 squares period = 4 x (0.50 ÷ 1000) = 2(.0) × 10^{-3} (s)	ECF candidate's reading of period in squares -1 for POT error Accept 2(.0) ms	3
	(ii)	substitution into given equation; evaluation; correct answer: 500 Hz e.g. frequency = 1/0.002 frequency = 500 (Hz)	allow ECF from (i) -1 for POT error from candidate's answer from (i)	2
	(iii)	statement of at least one frequency boundary of human hearing; valid comparison of answer to (ii) with relevant frequency boundary;	condone 25 Hz for lower boundary	2
	(iv)	(trace) goes both positive and negative/eq; frequently/continuously/eq;		2
	(v)	symbol with two clear terminals and (sine) wave; 		1

Q7.

Question number	Answer	Notes	Marks
(a)	any five from: MP1. idea that students stand a **large** distance apart; MP2. measure distance with tape measure / trundle wheel; MP3. start timing when see blocks hit together; MP4. stop timing when hear sound from blocks being hit together; MP5. measure time with stopclock / stop watch; MP6. take repeats and determine mean; MP7. use of speed = distance / time; MP8. use of a distance-time graph to find speed from gradient;	allow alternative approach using echoes from a wall allow stated distance if 50m or greater allow a large distance from a wall (at least 25m) ignore ruler allow idea of setting of a rhythm if wall method used allow dividing total time by number of hits if wall method used ignore timer allow take repeats to identify anomalies allow use of speed = 2×distance / time if wall method used	5
(b) (i)	mean calculated correctly; expressed to 2 decimal places; e.g. (mean time =) 0.866... (s) (mean time =) 0.87 (s)	 DOP 0.86 scores 1 mark only	2
(ii)	idea of ignoring or repeating the anomaly;	ignore 'repeat the experiment'	1
(iii)	300m distance chosen; idea that reaction time is likely to be less significant at greater distances;	allow greatest distance allow 200m only if justified with a speed of sound argument allow idea that it gives a speed closest to the true value allow idea that readings from trials show least variation	2

Q8.

Question number	Answer	Notes	Marks
(a) (i)	microphone;		1
(ii)	measure number of squares for a number of complete cycles / waves and find average number of squares for one cycle; multiply number of squares for one cycle by the time base / eq;	condone 'find number of squares for one cycle' accept 'period' for 'cycle' condone use of 'wavelength' for 'period' or 'cycle' ignore reference to T = 1/f	2

(b)	(i)	evaluation of time period of wave; substitution into f = 1 ÷ T; evaluation of frequency; conclusion consistent with frequency value; e.g. time period = 4×10^{-5} s f = 1 ÷ 4×10^{-5} f = 25 000 (Hz) (therefore) sound cannot be heard (since frequency is greater than 20 000 Hz)	reject if candidate uses y-axis allow ecf if frequency is incorrect conclusion must be consistent with candidate's frequency value to be awarded the mark	4
	(ii)	wave has amplitude of 4 squares; wave has time period of 4 squares; e.g. 		2
			Total for Question = 9 marks	

Q9.

Question number	Answer	Notes	Marks
(a) (i)	**angle** of incidence;	ignore incident ray	1
(ii)	recognising 67 (degrees) as anomalous;	allow 1 mark if anomalous result included e.g. 37, 37.3... (degrees)	2
	evaluation of a mean; e.g. mean angle = (22 + 23) / 2 = 23 (degrees)	 allow 22, 22.5 (degrees)	
(iii)	n calculated for multiple angles; mean value obtained **for n**; OR idea of graph plotted of sin(i) against sin(r); n found from gradient of (sin(i)-sin(r)) graph;		2
(b) (i)	substitution into n = sin(i) ÷ sin(r) ; evaluation; e.g. refractive index = sin(82) ÷ sin(47) (refractive index =) 1.4	 1.3 scores 1 mark only allow 1.35...	2
(ii)	sin(c) = 1/n;	allow any correct rearrangement	1
(iii)	substitution and rearrangement; evaluation; e.g. c = $\sin^{-1}(1/1.7) = \sin^{-1}(0.588...)$ (critical angle =) 36 (degrees)	 allow 36.03... (degrees)	2
(c)	light undergoes TIR; (because) angle (of incidence) is greater than critical angle;		2
		Total for Question = 12 marks	

Q10.

Question number	Answer	Notes	Marks
(a)	20 (Hz); to 20 000 (Hz);	units (if given) must be consistent with data i.e. 20 Hz - 20kHz max 1 mark if non-frequency unit given	2
(b) (i)	microphone;	ignore sound sensor, ultrasound detector	1
(ii)	any three from: MP1. idea of adjusting oscilloscope to obtain steady trace /eq; MP2. idea of adjusting time base to display (at least) one cycle on screen /eq; MP3. idea of evaluating number of squares for full cycle /eq; MP4. multiply number of squares (for full cycle) by time base /eq;	e.g. "freeze the screen" condone reference to a wavelength rather than a time period or full cycle	3
(c) (i)	number of squares for full cycle; correct evaluation of time period from candidate's number of squares; e.g. one full cycle = 6 squares time period = $(6 \times 5 \times 10^{-6}) = 3 \times 10^{-5}$ (s)	reject answer that clearly uses the amplitude scale for 0 marks allow 30×10^{-6} (s)	2
(ii)	substitution into f = 1/T; evaluation; e.g. f = 1 / 3×10^{-5} (f =) 3.3×10^{4} (Hz)	allow ECF from (c)(i) allow 33 333.3..., 33 300, 33 000 etc (Hz) allow 30 000	2
		Total for question = 10 marks	

Q11.


Question number	Answer	Notes	Marks
(a) (i)	measure the distance between microphones; suitable instrument to measure distance; use of speed = distance ÷ time;	e.g. ruler / tape measure	3
(ii)	idea that time will be very small / too hard to measure by a human;	allow idea that human reaction time is an issue ignore speed of sound is very fast / eq.	1
(b) (i)	idea that air needs to be same temperature at all points between microphones;	allow idea that speed will change if temperature not constant ignore 'fair test'	1
(ii)	correctly calculate average; given to 1 decimal place; e.g. 59.97 = 1 mark 60.0 = 2 marks	DOP 59.9 scores 1 mark allow 59.96, 60	2
(iii)	point at (40, 358) circled;		1
(iv)	repeat it / discard it;	allow repeat experiment condone 'ignore it'	1
(v)	line graph suitable for continuous data; **both** variables are continuous;	allow 'data is continuous'	2
(vi)	idea that speed increases as temperature increases; idea of a linear relationship;	ignore positive correlation reject mark if relationship described as directly proportional	2

Q12.

Question number	Answer	Notes	Marks
(a)	any five from: MP1. outlines a viable method; MP2. realistic values suggested for experiment to work; MP3. suitable measuring instrument named; MP4. further detail of setup; MP5. idea of repeats **AND** average; MP6. Correct formula for described method;	a fully labelled diagram can score all the marks e.g. • measuring time for a known distance • measuring wavelength for a known frequency e.g. • at least 1m for microphones/sound sensors and oscilloscope/data logger method • at least 100m for seeing and hearing a clap method • at least 50m for wall and echo method • wavelength measured at least 10cm e.g. stop clock, stopwatch, ruler, tape measure, oscilloscope, trundle wheel, timer e.g. • start timing when see a clap and stop when hear it • clap by wall and time how long for clap to come back • moving a microphone until waveforms line up on oscilloscope • for echo method, idea time and distance is "there and back" allow repeats AND identifying anomalies e.g. • speed = distance / time • speed = frequency × wavelength	5
(b) (i)	period represented by 4 squares; correct use of x-scale; correct evaluation; e.g. period = 4 squares period = 4 × 5.0 ($\times 10^{-3}$) period = 20 ms = 2.0 × 10^{-2} (s)	 allow ECF from wrong number of squares if clear in working -1 POT error answer of 0.01, 0.04 (s) scores 2 marks allow 0.02 (s)	3
(ii)	substitution into given formula; correct evaluation; e.g. frequency = 1 / 0.02 frequency = 50 (Hz)	allow ECF from (i)	2
		Total for Question = 10 marks	

Q13.

Question number	Answer	Notes	Marks
(a)	any two from: MP1. light waves are transverse and sound waves are longitudinal; MP2. light travels faster than sound; MP3. light can travel through vacuum but sound waves can't;	ignore references to frequency and wavelength condone 'different speeds'	2
(b) (i)	B (microwaves); A is incorrect because gamma rays have a shorter wavelength than infrared C is incorrect because ultraviolet rays have a shorter wavelength than infrared D is incorrect because visible light waves have a shorter wavelength than infrared		1
(ii)	B (heating lamps); A is incorrect because ultraviolet rays are used in fluorescent lamps C is incorrect because there is too much interference from the Earth for infrared to be used for satellite transmissions D is incorrect because gamma rays are used to sterilise medical equipment		1
(iii)	D (skin burns); A is incorrect because infrared is not absorbed by the retina B is incorrect because infrared is non-ionising C is incorrect because infrared cannot penetrate into the body to cause internal heating		1

(c)	trace drawn with higher amplitude throughout; trace drawn with higher frequency throughout; e.g. 	allow variable amplitude allow variable amplitude	2

Q14.

Question number	Answer	Notes	Marks
(a) (i)	speed = frequency × wavelength;	allow standard symbols and rearrangements e.g. $v = f \times \lambda$	1
(ii)	determination of period; conversion from ms to s; evaluation of frequency; substitution into $v = f \times \lambda$; evaluation of speed; e.g. period = 4 squares period = (4 × 1 =) 4 ms frequency (= $1/4 \times 10^{-3}$) = 250 (Hz) speed = 1.4 × 250 speed = 350 (m/s)	 allow ECF from incorrect frequency -1 for POT error 175, 700 (m/s) = 3 marks allow 0.004 (s)	5

(b)	any five from: MP1. reference to reaction time; MP2. suggestion that light flash and sound may not be at the same time; MP3. idea that distance is too short (to give accurate value); MP4. idea that ruler is not appropriate to measure this distance; MP5. idea of mis-counting the number of ruler lengths; MP6. idea of zero error on ruler; MP7. idea of ruler not going in a straight line; MP8. idea of lack of repeats; MP9. idea that time of travel is too short to be measured by a human;	ignore descriptions of different experimental methods allow description of reaction time issues allow suggestion that trundle wheel/tape measure should be used allow ground not being level	5
		(Total for Question = 11 marks)	