OCR
Oxford Cambridge and RSA

Tuesday 3 June 2025 – Afternoon

A Level Further Mathematics B (MEI)

Y433/01 Modelling with Algorithms

Time allowed: 1 hour 15 minutes

187363112 9

You must have:
- the Printed Answer Booklet
- the Formulae Booklet for Further Mathematics B (MEI)
- a scientific or graphical calculator

QP

INSTRUCTIONS
- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided in the **Printed Answer Booklet**. If you need extra space use the lined page at the end of the Printed Answer Booklet. The question numbers must be clearly shown.
- Fill in the boxes on the front of the Printed Answer Booklet.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.
- Give your final answers to a degree of accuracy that is appropriate to the context.
- Do **not** send this Question Paper for marking. Keep it in the centre or recycle it.

INFORMATION
- The total mark for this paper is **60**.
- The marks for each question are shown in brackets **[ ]**.
- This document has **8** pages.

ADVICE
- Read each question carefully before you start your answer.

© OCR 2025 [T/508/5597]
DC (PQ/TC) 358215/4
OCR is an exempt Charity

stemup.co.uk

1 Four workers, Ali (A), Beth (B), Casey (C) and Dev (D), are available to complete three tasks, P, Q and R. Each worker can only be assigned to at most one task, and each task must be done by at most one worker.

The table in **Fig. 1.1** shows the average time, in minutes, that each worker takes to complete each task.

Fig. 1.1

	P	Q	R
A	32	39	37
B	29	28	32
C	35	36	39
D	38	39	34

The four workers need to know, based on the times in the table, who should be allocated to each task so that the total time to complete all three tasks is minimised.

(a) Formulate this allocation problem as an LP. **[4]**

The LP was run in an LP solver and the output is shown in the table in **Fig. 1.2**.

Fig. 1.2

Variable	Value
AP	1.000 000
AQ	0.000 000
AR	0.000 000
BP	0.000 000
BQ	1.000 000
BR	0.000 000
CP	0.000 000
CQ	0.000 000
CR	0.000 000
DP	0.000 000
DQ	0.000 000
DR	1.000 000

(b) (i) State which worker will **not** be assigned to a task according to the output given in **Fig. 1.2**. **[1]**

(ii) Find the predicted total time for the **three** assigned workers to complete the **three** tasks, according to the output given in **Fig. 1.2**. **[1]**

© OCR 2025

stemup.co.uk

2 Consider the following algorithm.

Line 10 Let $A = 5, B = 6, C = 150$

Line 20 Calculate $D = (A + B) \div 2$

Line 30 Calculate $E = C - D^3$

Line 40 If $E^2 < 0.1$ go to Line 100

Line 50 If $E > 0$ go to Line 80

Line 60 Let $B = D$

Line 70 Go to Line 20

Line 80 Let $A = D$

Line 90 Go to Line 20

Line 100 Output D

Line 110 Stop

(a) Work through the algorithm, recording the values of A, B, D and E every time they change. You should record the exact values of A, B and D, and the value of E correct to **3** decimal places. Give the final output to **2** decimal places. **[4]**

The algorithm gives the cube root of 150 correct to 2 decimal places.

A student adapts the algorithm to try to find the cube root of 1500 correct to 2 decimal places by changing only Line 10 to 'Let $A = 5, B = 6, C = 1500$'.

(b) Explain why this change will **not** give the output of the cube root of 1500 correct to 2 decimal places. **[1]**

stemup.co.uk

3 The table lists the duration (in hours) and immediate predecessors for each activity in a project.

Activity	Duration (hours)	Immediate predecessors
A	3	–
B	5	A
C	6	–
D	6	B
E	4	B, C
F	2	B
G	5	B
H	4	C
I	7	C
J	4	E, H
K	2	G, I, J
L	4	I

(a) Draw an activity network, using activity on arc, to represent the project. **[3]**

(b) (i) Carry out a forward pass and a backward pass through the activity network, showing the early event time and the late event time at each vertex of your network. **[3]**

(ii) State the minimum project completion time. **[1]**

(iii) List the critical activities. **[1]**

Each activity requires one worker. When an activity is started it must be completed without interruption.

(c) Use the diagram in the Printed Answer Booklet to show how **four** workers can complete the project in the minimum time found in part **(b)(ii)**. Each column in the diagram represents 1 hour. For each worker, write the letter of the activity they are doing in each box, or leave the box blank if the person is resting for that 1 hour. **[3]**

(d) Explain why it is not possible for only **three** people to complete the project in the minimum time found in part **(b)(ii)**. **[1]**

© OCR 2025

stemup.co.uk

4 The following LP problem in x, y and z is as follows.

Maximise $P = 2x + y + 4z$

Subject to

$$\begin{aligned} x - 3y + z &\leqslant 40 \\ 3x + y + z &\leqslant 56 \\ -2x + 4y + z &\leqslant k \\ x \geqslant 0,\ y &\geqslant 0,\ z \geqslant 0 \end{aligned}$$

where k is a non-negative constant.

(a) Explain why k must be non-negative if the simplex method is to be used to solve this problem. **[1]**


(b) Complete the initial tableau in the Printed Answer Booklet so that the simplex method may be used to solve this problem. **[2]**

If $k = 0$, the maximum value of P is 112. When the value of k is increased then the maximum value of P also increases until k reaches some value k_1. After reaching this value of k, the maximum value of P increases no further.

(c) By first using an entry in the z column as the pivot element, use the simplex method to determine the value of k_1 and the corresponding optimal values of P, x, y and z. **[7]**

stemup.co.uk

5 The diagram shows a network. The weights on the arcs are distances.



The weight of arc HI is x and the weight of arc GI is $3x$, where x is an integer such that $6 \leqslant x \leqslant 59$.

(a) • Apply Dijkstra's algorithm to the network to find the **three** possible shortest paths from A to I.

• State the length of each path, leaving your answer in terms of x where necessary. **[7]**

(b) **(i)** Apply Prim's algorithm, **starting at A**, to find the minimum spanning tree for the network in the diagram. You must state the order in which the arcs were included in the tree. **[2]**

(ii) State, in terms of x, the weight of the minimum spanning tree. **[1]**

For the network in the diagram, you are given that the shortest path from A to I passes through F. Furthermore, the weight of the minimum spanning tree is greater than the weight of the shortest path from A to I that passes through G.

(c) Determine the range of possible values of x. **[3]**

© OCR 2025

stemup.co.uk

6 An incomplete initial tableau for a two-stage simplex solution for a maximisation linear programming problem, in x, y and z where $x, y, z \geqslant 0$, is shown below.

Q	P	x	y	z	s_1	s_2	s_3	s_4	a_1	a_2	RHS
0	1	−2	−1	−3	0	0	0	0	0	0	0
0	0	2	−3	4	1	0	0	0	0	0	55
0	0	3	1	1	0	−1	0	0	1	0	23
0	0	2	4	1	0	0	−1	0	0	1	23
0	0	2	4	1	0	0	0	1	0	0	23

(a) Write down the equality constraint for the LP problem. **[1]**

(b) In the **Printed Answer Booklet**, complete the top row of the initial tableau for the LP problem. **[2]**

A 2-D graphical method is to be used to solve the LP problem.

(c) Explain why P is maximised when $4x + 11y$ is minimised. **[3]**

(d) Use a 2-D graphical method, with axes representing x and y, to determine the following.

- The maximum value of P
- The corresponding values of x, y and z **[8]**

END OF QUESTION PAPER

© OCR 2025

stemup.co.uk

OCR
Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.

© OCR 2025

stemup.co.uk

OCR
Oxford Cambridge and RSA

Tuesday 3 June 2025 – Afternoon

A Level Further Mathematics B (MEI)

Y433/01 Modelling with Algorithms

Printed Answer Booklet

Time allowed: 1 hour 15 minutes

AB

You must have:
- Question Paper Y433/01 (inside this document)
- the Formulae Booklet for Further Mathematics B (MEI)
- a scientific or graphical calculator

Please write clearly in black ink. **Do not write in the barcodes.**

Centre number | | | | | | Candidate number | | | | |

First name(s) StemUp Model Solution

Last name

INSTRUCTIONS
- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided in the **Printed Answer Booklet**. If you need extra space use the lined page at the end of the Printed Answer Booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.
- Give your final answers to a degree of accuracy that is appropriate to the context.

INFORMATION
- This document has **12** pages.

ADVICE
- Read each question carefully before you start your answer.

© OCR 2025 [T/508/5597]
DC (PQ/TC) 358217/4
OCR is an exempt Charity

stemup.co.uk

1(a)

Let $XY = 1$ if worker X is assigned to task Y, and $XY = 0$ otherwise,

for $X \in \{A, B, C, D\}$ and $Y \in \{P, Q, R\}$.

Minimise $T = 32AP + 39AQ + 37AR + 29BP + 28BQ + 32BR$

$+ 35CP + 36CQ + 39CR + 38DP + 39DQ + 34DR$

subject to

$AP + BP + CP + DP = 1$ (task P is done by one worker)

$AQ + BQ + CQ + DQ = 1$ (task Q is done by one worker)

$AR + BR + CR + DR = 1$ (task R is done by one worker)

$AP + AQ + AR \leq 1$ (Ali does at most one task)

$BP + BQ + BR \leq 1$ (Beth does at most one task)

$CP + CQ + CR \leq 1$ (Casey does at most one task)

$DP + DQ + DR \leq 1$ (Dev does at most one task)

all variables ≥ 0 (each variable takes the value 0 or 1)

1(b)(i)

Casey (C) will not be assigned to a task.

1(b)(ii)

Ali does P, Beth does Q, Dev does R:

Total time = 32 + 28 + 34 = 94 minutes

© OCR 2025

2(a)

A	B	C	D	E
5	6	150		
			5.5	−16.375
	5.5			
			5.25	5.297
5.25				
			5.375	−5.287
	5.375			
			5.3125	0.067

Final output: 5.31

2(b)


$\sqrt[3]{1500} \approx 11.4$, which does not lie between A = 5 and B = 6.

The algorithm only narrows down the interval from A to B, so the root must lie between the starting values. With C = 1500, $D^3 < 1500$ every time, so E stays large and positive, A keeps being replaced by D and D gets closer to 6. $E^2 < 0.1$ is never satisfied, so it never outputs the cube root of 1500.

© OCR 2025

stemup.co.uk

3(a) and 3(b)(i)



3(b)(ii) Minimum project completion time = 18 hours

3(b)(iii) Critical activities: A, B, E, J, K

© OCR 2025

3(c)

	0	1	2	3	4	5	6	7	8	9	10	11
Worker 1	A	A	A	B	B	B	B	B	E	E	E	
Worker 2	C	C	C	C	C	C	H	H	H	H	D	
Worker 3									G	G	G	
Worker 4							I	I	I	I	I	

	11	12	13	14	15	16	17	18	19	20	21	22
Worker 1	E	J	J	J	J	K	K					
Worker 2	D	D	D	D	D	F	F					
Worker 3	G	G	L	L	L	L						
Worker 4	I	I										

3(d)

Consider the hour from time 12 to time 13.

J is critical, so it must run from 12 to 16.

I has early start 6 and must end by 14 (duration 7), so I must be in progress from 7 to 13.

G has early start 8 and must end by 16 (duration 5), so G must be in progress from 11 to 13.

D has early start 8 and must end by 18 (duration 6), so D must be in progress from 12 to 14.

So J, I, G and D must all be taking place between 12 and 13, which needs four workers. Three workers cannot complete the project in 18 hours.

© OCR 2025

stemup.co.uk

4(a)

The simplex method starts at the origin $x = y = z = 0$, so the origin must be a feasible solution. If $k < 0$ then the third constraint $-2x + 4y + z \leq k$ fails at $x = y = z = 0$ $(0 > k)$, so the initial basic solution would not be feasible.

4(b)

With slack variables $s_1, s_2, s_3 \geq 0$:

$P - 2x - y - 4z = 0$

$x - 3y + z + s_1 = 40, \quad 3x + y + z + s_2 = 56$

$-2x + 4y + z + s_3 = k$

P	x	y	z	s_1	s_2	s_3	RHS
1	−2	−1	−4	0	0	0	0
0	1	−3	1	1	0	0	40
0	3	1	1	0	1	0	56
0	−2	4	1	0	0	1	k

DO NOT WRITE IN THIS SPACE

© OCR 2025

4(c)

Pivot on z column. Ratios: 40 ÷ 1 = 40, 56 ÷ 1 = 56, k ÷ 1 = k.

Taking k ≥ 40, least ratio is 40, so pivot on the 1 in the s_1 row.

R1 unchanged; R0 + 4R1, R2 − R1, R3 − R1:

P	x	y	z	s_1	s_2	s_3	RHS
1	2	−13	0	4	0	0	160
0	1	−3	1	1	0	0	40
0	2	4	0	−1	1	0	16
0	−3	7	0	−1	0	1	k − 40

P	x	y	z	s_1	s_2	s_3	RHS
1	$\frac{17}{2}$	0	0	$\frac{3}{4}$	$\frac{13}{4}$	0	212
0	$\frac{5}{2}$	0	1	$\frac{1}{4}$	$\frac{3}{4}$	0	52
0	$\frac{1}{2}$	1	0	$-\frac{1}{4}$	$\frac{1}{4}$	0	4
0	$-\frac{13}{2}$	0	0	$\frac{3}{4}$	$-\frac{7}{4}$	1	k − 68

2nd pivot in y column: ratios 16 ÷ 4 = 4 and (k − 40) ÷ 7.

Row 2 is the pivot row when 4 ≤ (k − 40)/7, i.e. k ≥ 68.

New R2 = R2 ÷ 4; R0 + 13R2, R1 + 3R2, R3 − 7R2 (second table).

No negatives in the objective row, so this is optimal, P = 212.

If k < 68 the pivot would be in row 3 and P = 160 + 13(k − 40)/7,

which increases with k. For k ≥ 68, P = 212 for every k.

$k_1 =$ 68

$P =$ 212

$x =$ 0 $y =$ 4 $z =$ 52


© OCR 2025

stemup.co.uk

5(a)

Key:

order of labelling → | | ← label
working values (do not cross out) → | |



First shortest path from A to I: ACDI Length: 87

Second shortest path from A to I: ABGI Length: 44 + 3x

Third shortest path from A to I: ACDEFHI Length: 60 + x

© OCR 2025

5(b)(i)

Start at A. Arcs added in order:

AB (15), AC (19), CD (8), DE (20), EF (2), FG (6), FH (11), HI (x)

(HI is chosen to join I since $x < 3x$ and $x \leqslant 59 < 60$)

5(b)(ii)

$15 + 19 + 8 + 20 + 2 + 6 + 11 + x = 81 + x$

5(c)

Shortest path via F is ACDEFHI, length $60 + x$. It is shortest, so

$60 + x < 87 \Rightarrow x < 27$

$60 + x < 44 + 3x \Rightarrow 16 < 2x \Rightarrow x > 8$

Weight of MST > length of path via G (ABGI):

$81 + x > 44 + 3x \Rightarrow 37 > 2x \Rightarrow x < 18.5$

Combining: $8 < x < 18.5$ (and $x < 27$, $6 \leqslant x \leqslant 59$)

x is an integer, so $9 \leqslant x \leqslant 18$

© OCR 2025

stemup.co.uk

6(a)

$2x + 4y + z = 23$

6(b)

Rows: $3x + y + z - s_2 + a_1 = 23$, $2x + 4y + z - s_3 + a_2 = 23$

Minimise $Q = a_1 + a_2$

$Q = (23 - 3x - y - z + s_2) + (23 - 2x - 4y - z + s_3)$

$Q = 46 - 5x - 5y - 2z + s_2 + s_3$

$\Rightarrow Q + 5x + 5y + 2z - s_2 - s_3 = 46$

Q	P	x	y	z	s_1	s_2	s_3	s_4	a_1	a_2	RHS
1	0	5	5	2	0	−1	−1	0	0	0	46

6(c)

From the equality constraint, $z = 23 - 2x - 4y$.

From the top row, $P = 2x + y + 3z$.

$P = 2x + y + 3(23 - 2x - 4y)$

$P = 2x + y + 69 - 6x - 12y$

$P = 69 - 4x - 11y = 69 - (4x + 11y)$

69 is a constant, so P is largest when $4x + 11y$ is as small as possible, i.e. P is maximised when $4x + 11y$ is minimised.

6(d)

Substitute $z = 23 - 2x - 4y$ into the constraints:

$2x - 3y + 4z \leqslant 55$: $2x - 3y + 92 - 8x - 16y \leqslant 55$

$\Rightarrow -6x - 19y \leqslant -37 \Rightarrow 6x + 19y \geqslant 37$

$3x + y + z \geqslant 23$: $3x + y + 23 - 2x - 4y \geqslant 23 \Rightarrow x \geqslant 3y$

$z \geqslant 0$: $23 - 2x - 4y \geqslant 0 \Rightarrow 2x + 4y \leqslant 23$

Also $x \geqslant 0$, $y \geqslant 0$.

Constraints in x, y:

$6x + 19y \geqslant 37$, $x \geqslant 3y$, $2x + 4y \leqslant 23$ **(answer space continued on next page)**

© OCR 2025

6(d) **(continued)**

Graph lines (feasible region R shaded on the graph below):

$6x + 19y = 37$ through (0, 1.95) and (6.17, 0)

$x = 3y$ through (0, 0) and (12, 4)

$2x + 4y = 23$ through (0, 5.75) and (11.5, 0)


Vertices of R: (3, 1), (6.17, 0), (11.5, 0), (6.9, 2.3)

Objective line $4x + 11y = c$ (dashed, gradient $-4/11$) is moved towards the origin; the last point of R it touches is (3, 1), where $6x + 19y = 37$ meets $x = 3y$: $18y + 19y = 37 \Rightarrow y = 1$, $x = 3$.

Check other vertices: (6.17, 0) gives $4x + 11y = 24.7 > 23$, (11.5, 0) gives 46, (6.9, 2.3) gives 52.9.

Minimum of $4x + 11y = 4(3) + 11(1) = 23$

$P = 69 - 23 = 46$, $z = 23 - 2(3) - 4(1) = 13$



Optimal point $x = 3$, $y = 1$, $z = 13$ gives $P = 2(3) + 1 + 3(13) = 46$

Maximum value of $P =$ 46

$x =$ 3 $y =$ 1 $z =$ 13

© OCR 2025

EXTRA ANSWER SPACE

If you need extra space use this lined page. You must write the question numbers clearly in the margin.

OCR
Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.

© OCR 2025

stemup.co.uk