Oxford Cambridge and RSA

Tuesday 20 May 2025 – Morning

AS Level Chemistry B (Salters)

H033/02 Chemistry in depth

Time allowed: 1 hour 30 minutes

You must have:
- the Data Sheet for Chemistry B

You can use:
- a scientific or graphical calculator
- an HB pencil

Please write clearly in black ink. **Do not write in the barcodes.**

Centre number | | | | | | Candidate number | | | | |

First name(s) _____

Last name _____

INSTRUCTIONS
- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined page at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION
- The total mark for this paper is **70**.
- The marks for each question are shown in brackets **[ ]**.
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has **16** pages.

ADVICE
- Read each question carefully before you start your answer.

© OCR 2025 [601/5446/9]
DC (ST/FC) 344562/5
OCR is an exempt Charity

1 Catalytic converters on cars use metals such as platinum as heterogeneous catalysts.

Catalytic converters turn exhaust emissions such as carbon monoxide and nitrogen monoxide into less hazardous products.

(a)
(i) Explain the meaning of the term **heterogeneous** here.

.....

..... **[1]**

(ii) Why is carbon monoxide hazardous?

.....

..... **[1]**

(iii) Write an equation for the reaction of carbon monoxide with nitrogen monoxide to give less hazardous products.

[1]

(iv) A simple model to explain the function of a heterogeneous catalyst involves four steps.

Complete **Step 2** and **Step 3** in the sequence below.

Step 1 Reactants are adsorbed onto the surface of the catalyst.

Step 2 .....

Step 3 .....

Step 4 Products are desorbed from the surface of the catalyst.

[1]

© OCR 2025

(b)* Explain how a catalyst increases the rate of a reaction.
Draw an energy profile and a Boltzmann distribution.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... **[6]**

Extra answer space if required.

.....

.....

.....

.....

.....

.....

© OCR 2025

2 Ethanol is an important alcohol that is made industrially by the hydration of ethene.

(a) Give the conditions required for this industrial process.

.....

.....

..... **[2]**

(b) Ethanol can also be made in the laboratory by a two-step process as shown:

$CH_2{=}CH_2 + H_2SO_4 \rightarrow CH_3CH_2OSO_3H$ **Step 1**

$CH_3CH_2OSO_3H + H_2O \rightarrow CH_3CH_2OH + H_2SO_4$ **Step 2**

Write the overall equation for this two-step process.

[1]

(c) A student does the two-step process in part **(b)** using an alkene that is a liquid at room temperature. The reaction is exothermic.

(i) The alkene has a boiling point of 30 °C and is highly flammable.

Suggest a practical arrangement that the student should use to avoid loss of the alkene as a vapour.

.....

..... **[1]**

(ii) When the student has carried out both steps, a mixture is left. This mixture contains an alcohol.

The student finds that drops of this mixture turn bromine water from brown to colourless.

Suggest what this colour change tells the student about the conversion of the alkene into alcohol.

.....

..... **[1]**

© OCR 2025

(d) Cyclopentene can be made into cyclopentanol using sulfuric acid.

Complete the first part of **step 1** of the mechanism for the addition of sulfuric acid to form a carbocation.

Show ‘curly arrows’ and charges.



[4]

(e) Cyclopentene reacts with hydrogen in the presence of a catalyst.

Name a catalyst that allows this hydrogenation to occur at room temperature and pressure.

..... **[1]**

© OCR 2025

(f) The student then looks at the isomers with the molecular formula C_5H_{10}.

(i) There are two **unbranched** stereoisomers that are unsaturated with the molecular formula C_5H_{10}.

Draw **skeletal** formulae for these two stereoisomers and give the systematic name of each one, using the *E*/*Z* nomenclature.

Explain why this type of stereoisomerism arises.

Skeletal formula		
Name		

Explanation .....

.....

.....
[3]

(ii) There are other **branched** unsaturated isomers of molecular formula C_5H_{10}.

Give the **name** of **one** of these isomers.

State the **type** of isomerism by which this isomer is related to the stereoisomers in part **(f)(i)**.

Name of isomer .....

Type of isomerism .....
[2]

© OCR 2025

3 A student investigates the reactions of some of the elements and compounds of Group 2.

(a) The student begins by comparing the reactivities of the metals with water.

(i) Write an equation for the reaction of calcium with water.

[1]

(ii) The relative reactivities of the Group 2 elements are related to their ionisation enthalpies.

Write an equation for the **first** ionisation enthalpy of calcium.

Show state symbols.

[2]

(iii) Describe and explain, in terms of electrons, the difference between the reactivities of calcium and barium.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... **[4]**

© OCR 2025

(b) A student makes a pure sample of hydrated magnesium sulfate using magnesium carbonate.

Describe and explain the method the student should use.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... **[4]**

(c)* A batch of Na_2SO_3 has partially oxidised to Na_2SO_4.
Two students each have a 1.00 g sample of this partially oxidised batch.

Each student dissolves their sample in dilute hydrochloric acid.
Only the Na_2SO_3 reacts, as shown in **Equation 3.1**.

$Na_2SO_3(s) + 2HCl(aq) \rightarrow 2NaCl(aq) + SO_2(g) + H_2O(l)$ **Equation 3.1**

Student 1 then adds an excess of barium chloride solution to the resulting solution.
The reaction shown in **Equation 3.2** occurs.

$Na_2SO_4(aq) + BaCl_2(aq) \rightarrow BaSO_4(s) + 2NaCl(aq)$ **Equation 3.2**

Student 1 washes and dries the precipitate and obtains 0.33 g of dry $BaSO_4$ (M_r = 233.4).

Student 2 repeats the method but uses a volume of barium chloride solution that is **not** an excess.

Use the result from **Student 1** to calculate the percentage by mass of the **Na_2SO_3** in the 1.00 g sample.

Explain the effect that the mistakes made by **Student 2** would have on the percentages they calculated. **[6]**

.....

.....

.....

.....

© OCR 2025

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Extra answer space if required.

.....

.....

.....

.....

.....

© OCR 2025

(d) Five students each do experiments to find the value of *x* in the formula of the hydrated salt $MgSO_4 \bullet xH_2O$.

The students heat samples of the hydrated salt to constant mass.
Their results are shown in the table.

	Student				
	A	**B**	**C**	**D**	**E**
Mass of hydrated salt / g	1.51	1.89	2.50	2.92	3.30
Mass contents after heating / g	0.74	0.92	1.22	1.62	1.61
Mass of water / g	0.77	0.97	1.28	1.30	1.69

(i) Plot a graph of mass of water against mass of hydrated salt on the graph paper below.

Include the origin.

Draw a line of best fit.



[3]

(ii) Identify the anomalous point and suggest what caused this anomaly.

Anomalous point .....

Suggested cause of anomaly .....

.....

[1]

© OCR 2025

(iii) Calculate the value of x in the formula $MgSO_4 \cdot xH_2O$. Use the results from **Student C**.

x = ... **[3]**

(e) Magnesium exists as three isotopes: magnesium-24, 78.60%, magnesium-25, 10.11% and magnesium-26, 11.29%.

Calculate a value for the A_r of magnesium.

Give your answer to **2** decimal places.

A_r = ... **[2]**

© OCR 2025

4 Esters are used as solvents.

(a) A student reacts propanoic acid, CH_3CH_2COOH, with propan-2-ol, $CH_3CH(OH)CH_3$ to prepare an ester.

(i) Classify propan-2-ol as primary, secondary, or tertiary, explaining your reasoning.

Classification .....

Reasoning .....

.....

[2]

(ii) Give the reaction conditions that the student should use for this esterification reaction.

.....

..... **[1]**

(iii) Write a structural formula for the ester produced in this reaction.

[1]

(b) Another student wants to measure the equilibrium constant for the reaction between ethanoic acid, CH_3COOH, and ethanol, CH_3CH_2OH.

$$CH_3COOH + CH_3CH_2OH \rightleftharpoons CH_3COOCH_2CH_3 + H_2O$$ **Equation 4.1**

The student says that at equilibrium the forward and backward reactions have stopped and the composition of the mixture remains constant.

Comment on what the student says, giving the correct chemistry where necessary.

.....

.....

.....

..... **[2]**

© OCR 2025

(c) The student mixes 20.0 cm^3 ethanoic acid with 20.0 cm^3 ethanol and leaves the mixture to stand for one week at 25 °C after which it has reached equilibrium.

(i) The density of ethanol is 0.790 g cm^{-3}. Calculate the amount (in mol) of ethanol in the 20.0 cm^3 used.

Amount of ethanol = ... mol **[2]**

(ii) The student then uses a 1.00 cm^3 volumetric pipette to transfer 1.00 cm^3 of the mixture to a conical flask containing 100 cm^3 of ice-cold water.

The student titrates the contents of the conical flask with 0.100 mol dm^{-3} sodium hydroxide.

The mean titre is 29.50 cm^3.

Ethanoic acid reacts with sodium hydroxide as shown:

$CH_3COOH + NaOH \rightarrow CH_3COONa + H_2O$

Show that the amount of ethanoic acid in the 40.0 cm^3 of the equilibrium mixture is 0.118 mol.

[2]

© OCR 2025

(d) The student uses further calculations to work out the amounts and concentrations of the four components of the 40.0 cm^3 of equilibrium mixture.

(i) Complete the table by calculating the equilibrium concentration of ethanoic acid.

Component	**Equilibrium amount in 40 cm^3 equilibrium mixture /mol**	**Equilibrium concentration in 40 cm^3 equilibrium mixture /mol dm^{-3}**
CH_3COOH	0.118	.....
CH_3CH_2OH	0.111	2.78
$CH_3COOCH_2CH_3$	0.232	5.80
H_2O	0.232	5.80

[1]

(ii) Write the expression for the equilibrium constant for the reaction in **Equation 4.1**.

$$CH_3COOH + CH_3CH_2OH \rightleftharpoons CH_3COOCH_2CH_3 + H_2O$$ **Equation 4.1**

K_c =

[1]

(iii) Calculate the numerical value for this equilibrium constant.

Give your answer to an **appropriate** number of significant figures.

Numerical value of equilibrium constant = ... **[2]**

(e) Suggest why the student uses a 1.00 cm^3 volumetric pipette and not a small measuring cylinder for transferring 1.00 cm^3 of the equilibrium mixture for the titration.

.....

..... **[1]**

© OCR 2025

(f) Suggest why the student adds the sample of equilibrium mixture to 100 cm^3 of ice-cold water before carrying out the titration.

.....

.....

..... **[1]**

(g) The student is given some values of the equilibrium constant at various temperatures.

As temperature increases, the numerical value of the equilibrium constant decreases.

Explain what the student can deduce about the enthalpy change of the forward reaction in **Equation 4.1** from this information.

.....

.....

.....

.....

.....

..... **[3]**

END OF QUESTION PAPER

© OCR 2025

EXTRA ANSWER SPACE

If you need extra space use this lined page. You must write the question numbers clearly in the margin.

OCR
Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.

© OCR 2025