

OCR GCSE GATEWAY BIOLOGY A • J247

BIOLOGY



EXAM QUESTION PACK

M2 HANDLING DATA

SCORE

/44

PERCENTAGE

%

STEMUP

These questions belong to OCR, not to us.

The examination questions, mark schemes and examiner comments in this pack were written and published by OCR. They are past assessment materials, reproduced here so that students can revise from them.

What we do not own

STEMUP is not affiliated with OCR and does not own, and makes no claim to own, any of the question, mark scheme or examiner report material in this pack. OCR has not endorsed, approved or been involved in the production of it. OCR and the qualification titles used here belong to their respective owners and appear for identification only.

Where to find the originals

OCR publishes its past papers, mark schemes and examiner reports. Always check the current specification at ocr.org.uk before you revise, because content and wording can change between series.

If you hold the rights to any material in this pack and would like it amended or removed, contact admin@stemup.co.uk and we will act on it.

Gateway Biology A (9-1)

Maths 2: Handling data

Please note that you may see slight differences between this paper and the original.

Candidates answer on the Question paper.

OCR supplied materials:

Additional resources may be supplied with this paper.

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: Not set

Candidate forename		Candidate surname								
Centre number						Candidate number				

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions, unless your teacher tells you otherwise.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Where space is provided below the question, please write your answer there.
- You may use additional paper, or a specific Answer sheet if one is provided, but you must clearly show your candidate number, centre number and question number(s).

INFORMATION FOR CANDIDATES

- The quality of written communication is assessed in questions marked with either a pencil or an asterisk. In History and Geography a *Quality of extended response* question is marked with an asterisk, while a pencil is used for questions in which *Spelling, punctuation and grammar and the use of specialist terminology* is assessed.
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **44**.
- The total number of marks may take into account some 'either/or' question choices.

- 1 A light microscope resolution is $0.2\text{ }\mu\text{m}$. An electron microscope resolution is $0.0001\text{ }\mu\text{m}$.

How many times closer can two objects be seen as separate objects by using an electron microscope compared to using a light microscope?

- A 2x
- B 20x
- C 200x
- D 2000x

Your answer

[1]


- 2 Fermentation involves enzymes breaking down sugar and releasing carbon dioxide gas.

The volume of carbon dioxide released can be used to measure how fast these enzymes are working.

A student investigates if fermentation works faster at 25 °C or 30 °C.

She measures the volume of carbon dioxide released in 10 minutes.

The diagram shows the apparatus she uses.



The table shows the student's results.

Temperature (°C)	Volume of carbon dioxide gas released in 10 minutes (cm ³)				
	Trial 1	Trial 2	Trial 3	Mean	Range
25	23	25	22	23	22–25
30	34	29	33		29–34

- (i) Calculate the **mean** for the results at 30 °C and **complete the table**.

[2]

- (ii) The student repeated the experiment at two more temperatures, 20 °C and 35 °C, to get enough readings to

plot a line graph.

Which measurement should the student plot on the **x-axis**?

[1]

(iii) Describe **one** way that the range would improve any conclusions made from the graph.

[1]

(iv) The mean volume at a temperature of 20 °C was 15 cm³ and for a temperature of 35 °C it was 27 cm³.

Describe what the student's results show about the effect of temperature on enzyme activity.

[2]

- 3 Fig. 22.1 shows the mass of urea in the urine plotted against the BMI (Body Mass Index) for nine boys. BMI is a value often used to see if a person is a healthy mass for their height.




Fig. 22.1

- (i) What does the graph show about the relationship between BMI and the mass of urea in the urine?

[1]

- (ii) A boy has a BMI of 16. He produces 1000 cm³ of urine in 24 hours.

Calculate the concentration of urea in the boy's urine.

Concentration = ...g / cm³

[2]

- (iii) Fig. 22.2 shows the mass of urea in the urine against the BMI for nine different boys.




Fig. 22.2

Give **two** differences in the relationship between BMI and the mass of urea in the urine shown in Fig. 22.1 and Fig. 22.2.

- 1 _____
- _____
- 2 _____
- _____

[2]

4(a) Gardeners use dead plant material to make compost. They add this compost to soil where they are growing plants.

A new way of making compost is called bokashi. In this process the compost is made **anaerobically** in a different type of composter.

Scientists compare the normal methods of making compost with bokashi.

This is their method:

- Take one large pile of dead plant material
- Divide the material into two samples of equal mass
- Place one sample into the normal composter and place one sample into the bokashi composter
- Measure the temperature in each composter every 10 days
- After 40 days, measure the mass of the compost.

Why did the scientists put the same mass of compost in each composter?

Tick (✓) **one** box.

To allow valid comparisons of the results.

☐

To decrease the temperature.

☐

To make the measurements more accurate.

☐

To make the results repeatable.

☐

[1]


(b) **Table 20.1** shows the scientists' temperature measurements.

Time (days)	Temperature of the compost (°C)	
	Normal compost	Bokashi compost
0	26	26
10	70	27
20	53	29
30	42	31
40	28	28

Table 20.1

- (i) The scientists' results for the normal compost are plotted on the grid.

Complete the graph by plotting the results for the **bokashi** compost and draw a curve of best fit.



[3]

- (ii) Describe the change in the temperature of the **normal** compost during the investigation.

- (iii) Use data from **Table 20.1** to calculate the difference between the maximum temperature of the normal compost and the maximum temperature of the bokashi compost.

Difference = ... °C [2]

- (iv) Which **two** statements explain this difference in temperature between the two types of compost?

Tick (✓) **two** boxes.

Both types of compost are made by aerobic respiration.

☐

Normal compost is made by aerobic respiration.

☐

Normal compost is made by anaerobic respiration.

☐

Aerobic respiration and anaerobic respiration release the same amount of energy.

☐

Aerobic respiration releases more energy than anaerobic respiration.

☐

Aerobic respiration releases less energy than anaerobic respiration.

☐

(c) Table 20.2 shows the scientists' results for the mass of the compost.

	Normal compost	Bokashi compost
Mass at start (kg)	1500	1500
Mass after 40 days (kg)	760	1200

Table 20.2

(i) The mass of the normal compost has decreased by 19 kg per day.

Calculate the decrease in mass of the bokashi compost per day.

Give your answer to the nearest **whole** number.

Decrease = ...kg per day [3]

(ii) Carbon dioxide is given off in the making of the compost. This causes most of the decrease in mass.

Scientists think that the bokashi method of composting might be better for the environment.

Use your answer from part (i) to justify the scientists' conclusion.

-----[1]

- 5 Hypercholesterolemia (HC) is caused by a dominant allele on chromosome 19. This allele has mutations which cause a change in the order of DNA nucleotides.

A woman who does **not** have HC and a man who is heterozygous are expecting a baby.

What is the probability of the baby having HC?

Complete the genetic diagram to explain your answer.

D is the dominant HC allele and d is the recessive allele.

		Man	
		D	d
Woman	d		
	d		

Probability = ... [2]

- 6 The resolution of an electron microscope is 0.1 nanometres.

The resolution of the eye is 100 micrometres.

How many times greater is the resolution of the electron microscope than the eye?

(1 micrometre = 1000 nanometres)

- A 1000
- B 10 000
- C 100 000
- D 1 000 000

Your answer

[1]

- 7 Fig. 17.1 shows the mass of urea in the urine plotted against the BMI (Body Mass Index) for nine boys. BMI is a value often used to see if a person is a healthy mass for their height.




Fig. 17.1

- (i) What does the graph show about the relationship between BMI and the mass of urea in the urine?

----- [1]

- (ii) A boy has a BMI of 16. He produces 1000 cm³ of urine in 24 hours.

Calculate the concentration of urea in the boy's urine.

Concentration = ... g / cm³ [2]

(iii) Fig. 17.2 shows the mass of urea in the urine against the BMI for nine different boys.




Fig. 17.2

Give **two** differences in the relationship between BMI and the mass of urea in the urine shown in Fig. 17.1 and Fig. 17.2.

1

.....

2

.....

[2]


- 8 Fermentation involves enzymes that break down sugar releasing carbon dioxide gas.

The volume of carbon dioxide released can be used to measure how fast these enzymes are working.

A student investigates if fermentation works faster at 25 °C or 30 °C.

She measures the volume of carbon dioxide released in 10 minutes.

The diagram shows the apparatus she uses.



The student's results are shown in the table.

Temperature (°C)	Volume of carbon dioxide gas (cm ³) released in 10 minutes		
	Trial 1	Trial 2	Trial 3
25	23	25	22
30	34	27	33

- (i) Calculate the **mean** rate of gas produced at 25 °C in cm³ / minute.

Give your answer to 1 decimal place.

Mean rate of gas produced at 25 °C = ... cm³ / minute [3]

(ii) The rate of gas produced at 30 °C is greater than at 25 °C.

Use ideas about enzymes to explain why.

[3]

9(a) Hypercholesterolemia (HC) is the result of a mutation in the genome. It is caused by a dominant allele on chromosome 19. The mutation involved causes a change in the DNA nucleotides.

Write the words **allele**, **chromosome**, **genome** and **nucleotide** in the boxes to show their size from smallest feature to largest feature.

Smallest feature

Largest feature

[1]

(b) One in 500 people are heterozygous for HC.

There are 66 000 000 people in the UK.

Calculate how many people in the UK are heterozygous for HC.


Number of people = ... [1]

(c) A woman who does not have HC and a man who is heterozygous are expecting a baby.

What is the probability of the baby having HC?

Complete the genetic diagram to explain your answer.

Use **D** for the dominant HC allele and **d** for the recessive allele.



Probability = ... [2]

END OF QUESTION PAPER

Mark Scheme

Question			Answer/Indicative content	Marks	Guidance
1			D ✓	1 (AO2.2)	
			Total	1	
2		i	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 32 award 2 marks $34 + 29 + 33 = 96$ ✓ $96 \div 3 = 32$ ✓	2 (AO2.2)	ALLOW answer in the space under the table but answer on answer line in table takes preference ALLOW ECF for mean calculation
		ii	temperature ✓	1 (AO2.1)	
		iii	identifies variability in each point plot / gives an estimate of level of uncertainty ✓	1 (AO1.2)	ALLOW can plot range/error bars ALLOW large error bars variability is high/ORR ALLOW high variability then reliability is low/ORR ALLOW idea of the spread of data at each point and possibly identify/eliminate outlier/anomaly ALLOW ranges overlap the data at those 2 points isn't significantly different
		iv	Any two from: as temperature increases enzyme activity increases ✓ optimum enzyme activity between 25°C and 35°C enzyme activity ✓ but somewhere between 30°C and 35°C enzyme activity starts to decrease ✓ idea decrease in rate (after 35°C) due to denaturing ✓	2 (AO3.1a)	ALLOW idea that as temperature increases/gets higher so does rate of (enzyme) reaction / gas release / ORR ALLOW higher temperature the faster the enzyme activity ALLOW enzyme starts to denature above 30°C/between 30°C and 35°C
			Total	6	
3		i	The higher the BMI then the higher the mass of urea (in urine) / ORR ✓	1 (AO2.1)	ALLOW positive correlation IGNORE they are directly proportional IGNORE linear relationship

Mark Scheme

Question			Answer/Indicative content	Marks	Guidance
		ii	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = $0.0016 \text{ (g/cm}^3\text{)}$ award 2 marks $1.6 \div 1000 \checkmark$ $= 0.0016 \text{ (g/cm}^3\text{)} \checkmark$	2 (AO2.2)	ALLOW 1.6×10^{-3}
		iii	idea that there is a greater increase in mass of urea as BMI increases in Fig 22.2/second graph $\checkmark$ idea that first graph/22.1 has stronger correlation / more points closer to line of best fit / less spread of data $\checkmark$	2 (AO2 x 3.2b)	ALLOW larger mass of urea per BMI gained ALLOW line is steeper/higher gradient in Fig22.2 IGNORE higher BMI for greater mass of urea ALLOW second graph does not follow the line of best fit so closely
			Total	5	

Mark Scheme

Question			Answer/Indicative content	Marks	Guidance
4	a		to allow a valid comparison of the results✓	1 (AO3.1b)	
	b	i	correct plots ✓✓ smooth curved line between points ✓	3 (AO3 x 2.2)	ALLOW +/- half a square All correct = 2 marks 3 or 4 plots correct = 1 mark DO NOT ALLOW sketchy line / line thicker than half a square
		ii	increases up to 10 days/70°C ✓ then decreases ✓	2 (AO3.1a)	ALLOW increases up to 9-11 days ALLOW increases by 44°C
		iii	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 39 (°C) award 2 marks 70-31 ✓ = 39 (°C)✓	2 (AO2.2) (AO1.2)	
		iv	normal compost is made by aerobic respiration✓ aerobic respiration releases more energy than anaerobic respiration✓	2 (AO2 x 2.1)	2 correct ticks = 2 marks 1 correct ticks = 1 mark 3 ticks two correct = 1 mark 3 ticks one correct = 0 marks 4 or more ticks = 0 marks
	c	i	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 8 (kg) award 3 marks 1500-1200 OR 300 ✓ 300/40 OR 7.5 ✓ = 8 (kg) ✓	3 (AO3 x 2.2)	 ALLOW one mark for clear evidence of rounding incorrect answer correctly to the nearest whole number
		ii	less carbon dioxide is produced ✓	1 (AO3.1b)	ALLOW less contribution to global warming / greenhouse effect / climate change
			Total	14	

Mark Scheme

Question			Answer/Indicative content	Marks	Guidance									
5			man <table><tr><td></td><td>D</td><td>d</td></tr><tr><td>d</td><td>Dd</td><td>dd</td></tr><tr><td>d</td><td>Dd</td><td>dd</td></tr></table> ✓ woman 50% / 0.5 / ½ ✓		D	d	d	Dd	dd	d	Dd	dd	2 (AO1 x 2.2) (AO1 x 3.1a)	ALLOW 1 in 2 or 1:1 ALLOW ecf for probability
	D	d												
d	Dd	dd												
d	Dd	dd												
			Total	2										
6			D ✓	1 (AO2.2)										
			Total	1										
7		i	The higher the BMI then the higher the mass of urea (in urine) / ORA ✓	1 (AO2.1)	ALLOW positive correlation IGNORE they are directly proportional IGNORE linear relationship									
		ii	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.0016 (g/cm³) award 2 marks 1.6 ÷ 1000 ✓ = 0.0016 (g/cm³) ✓	2 (AO2.2)	ALLOW 1.6 x 10⁻³									
		iii	idea that there is a greater increase in mass of urea as BMI increases in Fig 17.2/second graph ✓ idea that first graph/17.1 has stronger correlation / more points closer to line of best fit / less spread of data ✓	2 (AO2 x 3.2b)	ALLOW larger mass of urea per BMI gained ALLOW line is steeper/higher gradient in Fig17.2 IGNORE higher BMI for greater mass of urea ALLOW second graph does not follow the line of best fit so closely									
			Total	5										

Mark Scheme

Question			Answer/Indicative content	Marks	Guidance												
8		i	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 2.3 (cm³ / min) award 3 marks $\frac{25+23+22}{3} = 23.3333333 \quad \checkmark$ $\frac{23.3}{10} = 2.3333333 \quad \checkmark$ = 2.3 (cm³ / min) $\checkmark$	3 (AO1 x 1.2) (AO2 x 2.2)	ALLOW one mark for clear evidence of rounding incorrect answer correctly to one dp.												
		ii	increased movement of molecules / increased kinetic energy $\checkmark$ therefore, more chance of substrate colliding with enzymes/active sites $\checkmark$ more chance of substrate entering active site $\checkmark$	3 (AO2 x2.1)	increased KE of enzymes and substrates leads to more collisions = 2 marks ALLOW more enzyme-substrate complexes forming												
			Total	6													
9	a		<table><tr><td rowspan="4">smallest</td><td>nucleotide</td></tr><tr><td>allele</td></tr><tr><td>chromosome</td></tr><tr><td>largest</td></tr><tr><td></td><td>genome</td></tr></table>	smallest	nucleotide	allele	chromosome	largest		genome	1 (AO1.1)						
smallest	nucleotide																
	allele																
	chromosome																
	largest																
	genome																
	b		66000000 ÷ 500 = 132 000 $\checkmark$	1 (AO2.2)	ALLOW 0.132 million or 132 thousand												
	c		<table><tr><td></td><td colspan="2">man</td></tr><tr><td></td><td>D</td><td>d</td></tr><tr><td>woman</td><td>d</td><td>Dd</td></tr><tr><td></td><td>d</td><td>Dd</td></tr></table> $\checkmark$ 0.5 / 50(%)$\checkmark$		man			D	d	woman	d	Dd		d	Dd	2 (AO2.2) (AO3.1a)	ALLOW appropriate use of other lower/upper case letters ALLOW ECF ALLOW 1 in 2 / ½ / 1:1 $\checkmark$ DO NOT ALLOW 1:2
	man																
	D	d															
woman	d	Dd															
	d	Dd															
			Total	4													