

INTERNATIONAL A-LEVEL **BIOLOGY (9610)**

BL05

Unit 5 Synoptic paper

Mark scheme

June 2024

Version: 1.0 Final



2 4 6 X B L 0 5 / M S

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.


It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from [oxfordaqa.com](https://www.oxfordaqa.com)

Copyright information

OxfordAQA retains the copyright on all its publications. However, registered schools/colleges for OxfordAQA are permitted to copy material from this booklet for their own internal use, with the following important exception: OxfordAQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2024 OxfordAQA International Examinations and its licensors. All rights reserved.

Question	Marking guidance	Mark	Comments
01.1	1. 5 cells drawn with correct shapes and wall thicknesses + connections to adjacent cells; 2. Smooth lines; 3. To fit Figure 2 as those in Figure 1 fit;	3	2. Not sketchy 

Question	Marking guidance	Mark	Comments
01.2	1. <math>\frac{\text{Length on drawing} \times 500}{\text{Corresponding length on Figure 1};</math> 2. Correct answer from 1. – eg 1062.5; 3. To 3 sig. figs. – eg 1060;	3	eg $\frac{68 \times 500}{32} \quad \text{OR} \quad \frac{53 \times 500}{25}$ Allow ± 1 mm of each measurement 2. Allow 2 marks for ecf from incorrect measurements in 1 Allow 2 marks for correct numbers but wrong order of magnitude – eg 106 / 10.6

Question	Marking guidance	Mark	Comments
01.3	1. Evaporation of water (at leaves) via stomata; 2. Lowers <u>water potential</u> in leaf (cells); 3. Reduces pressure / Ψ_p / Ψ in xylem vessels which 'pulls' water up; 4. Reference to hydrogen bonds / cohesion(-tension);	4	1. Allow loss of water vapour via stomata 3. Allow water moves from high to low Ψ or water moves from high to low pressure Ignore root pressure / capillary action

Question	Marking guidance	Mark	Comments
01.4	1. Use of (tap and) syringe to move air bubble to (near) lower end of scale; 2. Measure time for bubble to move a set distance OR measure distance moved in a set time; 3. Repetitions (at least 2 more) and calculation of mean; 4. Control variable(s) – eg light / temperature / humidity / (no) wind; 5. (Measure diameter of capillary and) use $\pi r^2 h$ and time to calculate rate;	5	

Question	Marking guidance	Mark	Comments
01.5	1. Not all the water entering is lost in transpiration / evaporation; 2. Named process that uses/produces water in the plant eg photosynthesis / hydrolysis / turgor / respiration;	2	1. Allow measures uptake, not loss, of water

Question	Marking guidance	Mark	Comments
02.1	1. (Starch kept at room temperature / step 2 and) incubate starch at stated temperature / 10 °C; 2. (A few drops amylase added / step 3 and) add measured volume of amylase; 3. (Small volume of mixture removed / step 5 and) measure volume of mixture; 4. (Tested every 2 minutes / step 6 and) test at more frequent intervals – eg every ½-minute; 5.(pH not controlled and) add buffer solution; 6. (Temperature intervals too large and) test at intermediate temperature intervals; 7. Mix / stir / shake amylase and starch solutions at step 3;	2 max	Allow correction described (as this implies the error) for each mark

Question	Marking guidance	Mark	Comments
02.2	1. Need larger scale on y–axis / scale needs to cover smaller range of values / plotted results should cover > ½ of y–axis; 2. Add units (to each axis); 3. Plot points as ‘x’; 4. Not extrapolate to (0,0);	2 max	Allow use ‘smaller scale’ if suitably qualified – eg 1 cm to represent 0.1 unit (on y-axis) 2. Allow units are missing 3. Allow plot points as small(er) dots Allow plot line as smooth curve of best fit

Question	Marking guidance	Mark	Comments
02.3	1. Use intermediate temperatures / temperatures at smaller intervals; 2. Around 40 °C / between 20 and 60 °C / between 30 and 50 °C;	2	2. Allow around the (apparent) optimum temperature

Question	Marking guidance	Mark	Comments
03.4	1. Fewer protons/electrons passed to ETC OR fewer protons enter inter-membrane space or fewer protons pass through ATP-synthase OR reduced proton gradient established OR less energy released from the transfer of electrons; 2. Less ATP made (for metabolic reactions);	2	1. Allow no protons/electrons passed to ETC Allow no protons enter inter-membrane space Allow no protons pass through ATP-synthase Allow no proton gradient established Allow no energy released from the transfer of electrons 2. Allow no ATP made (for metabolic reactions)

Question	Marking guidance	Mark	Comments
04.1	W = rod <u>and</u> Z = cone;	1	Both required for one mark

Question	Marking guidance	Mark	Comments
04.2	1. Several W connected to same ganglion cell / same bipolar neurone / same neurone; 2. Stimulation of each individual cell is sub-threshold / is insufficient or cells together cause above-threshold stimulation of bipolar cell / of ganglion cell / of neurone or summation / described; 3. Each cell W cannot produce depolarisation / an action potential / impulse on its own or need several cells W to produce depolarisation / an action potential / impulse	3	1. Allow 'show retinal convergence' Ignore rhodopsin sensitivity 2. Reject temporal summation

Question	Marking guidance	Mark	Comments
04.3	1. (Each receptor cell has) separate neurone to brain / separate bipolar neurone / separate ganglion cell; 2. Impulses from each receptor kept separate / no retinal convergence;	2	

Question	Marking guidance	Mark	Comments
04.4	1. <u>Three</u> types of Z / cones (each with a different type of pigment); 2. Each type (of cell/pigment) sensitive to a different (range of) wavelength of light; 3. Variable degree of stimulation of each type by different wavelengths / colours of light (produces colour vision);	3	1. Allow three types of iodopsin 2. Allow detect / absorb / respond to for sensitive 2. Allow different colours of light Ignore incorrect name of colour 3. Allow different percentage stimulation of each type by different wavelengths / colours of light (produces colour vision);

Question	Marking guidance	Mark	Comments
05.1	1. (Provide enough energy) to break H-bonds; 2. To produce two separate strands of DNA;	2	2. Allow to denature the DNA Allow so probes can bind

Question	Marking guidance	Mark	Comments
05.2	1. Allows the probe to bind to / form H-bonds with the fetal DNA; 2. To reduce / prevent fetal DNA strands annealing together;	2	

Question	Marking guidance	Mark	Comments
05.3	1. Different alleles / normal and CF alleles / different probes have different base <u>sequences</u> /specific base <u>sequences</u> ; 2. Probe binds by complementary base pairing / described – eg A to T / G to C;	2	2. Allow probe is complementary

Question	Marking guidance	Mark	Comments
05.4	To enable detection of the (different) allele(s) / described;	1	Allow to detect if N / CFTR or n / CF Ignore reference to 'gene'

Question	Marking guidance	Mark	Comments
05.5	P = nn and R = NN; Q = Nn;	2	No marks if same genotype given more than once

Question	Marking guidance	Mark	Comments
05.6	1. To give valid results / to show 'real' effect of treatment; 2. So patients not treated preferentially / so patients do not behave differently / not just psychological effect / to avoid bias;	2	1. Allow to give reliable results / to make the investigation valid 1. Ignore repeatable / reproducible / control / fair test / representative 1. Reject accurate 2. Ignore 'so not just placebo effect'

Question	Marking guidance	Mark	Comments
05.7	Pro: - Improvement shown by patients given CFTR allele but not by those given placebo / speed of breathing (always) higher in those given CFTR allele than by those given placebo; - Non-overlap of SDs at 30 days indicates there could be a significant <u>difference</u> from placebo or difference is not due to chance; Con: - Improvement decreases after 30 days / at day(s) 60 (and 90); OR At 90 days no improvement on start value / on placebo; - Small sample size / not repeated – so may not be representative / reduces validity; - Speed of breathing out is not the only measure of lung function; - Severity of CF may vary between volunteers so different degree of improvement	4 max	For full marks, must have at least one Pro point - Must compare treated with placebo OR (Con) No significant <u>difference</u> / <u>difference</u> due to chance at 60 / 90 days because SDs overlap at 60 / 90 days - Ignore 'results' are significant / not due to chance or 'results' are not significant / are due to chance - Allow improvement is short-lived / decreases with time - Allow differences in e.g. age / sex / race – so not representative / reduces validity Ignore references too short time of investigation Ignore ethical considerations Ignore reference to correlation does not indicate causation Ignore reference to side effects

Question	Marking guidance	Mark	Comments
06.2	EITHER: 1. Cut plant tissue (eg potato tuber) into cylinders of same length / same surface area (with a cork borer); 2. (Rinse and) blot dry; 3. Weigh or measure length of each cylinder; 4. Range of concentrations of sucrose / NaCl solution (at least 5) – eg 0 to 1.0 mol dm⁻³; 5. Leave cylinders in solutions for same suitable time – eg 20 min to 2 days; 6. Remove cylinders, re-measure length of each or blot dry and re-weigh; 7. Repetitions for each concentration – at least twice more; 8. Calculate % change for each cylinder & calculate mean % change at each concentration; 9. Plot (line) graph & determine concentration giving zero change in mass/length; 10. Convert concentration of solution to water potential (use tables);	6 max	OR: 1. Peel epidermis layer (eg onion bulb scale leaf) 4. Range of concentrations of sucrose / NaCl solution (at least 5) – eg 0 to 1.0 mol dm⁻³ 5. Leave epidermis in solutions for same suitable time – eg 20 to 60 min Mount in given solution on microscope slide 6. Count turgid and plasmolysed cells in a given area 7. Repetitions for each concentration – at least twice more 8. Calculate mean % plasmolysed (or turgid) cells at each concentration 9. Plot line graph of mean % plasmolysed vs. concentration & determine concentration giving 50% plasmolysed 10. Convert concentration of solution to water potential (use tables)

Question	Marking guidance	Mark	Comments
06.3	1. Small leaves – eg spines to reduce surface area OR Rolled leaves – less exposure to air / lower Ψ gradient / retains humid air around stomata; ; 2. Sunken stomata – less exposure to (moving) air / retains humid air around stomata; 3. Thick waxy cuticle – waterproofing or prevent/reduce water loss; 4. Ridged stems – for casting shade; 5. Water storage tissue – eg swollen stems in succulent plants; 6. Extensive root systems – deep to reach water table OR near surface – opportunistic re: brief rainfall; 7. Reduced aerial part of plant – less surface for evaporation eg Lithops; 8. Surface hairs – protects the stomata from moving air or keeps layer of humid air next to the surface;	6 max	2. Allow fewer stomata – less surface area for evaporation or stomata opening at night – cooler so less evaporation 6. Allow long roots to reach water

Question	Marking guidance	Mark	Comments
06	<u>Quality of written communication</u> These are awarded for correct use of scientific terms and the ability to present a clear, logical account. They are not awarded for spelling, punctuation and grammar. <u>2 marks</u> for an answer in which technical terms are used correctly throughout and the accounts are presented clearly and logically. <u>1 mark</u> for an answer in which most technical terms are used correctly and most of the accounts are presented clearly and logically. <u>0 marks</u> for an answer in which few technical terms are used correctly or the accounts are seldom presented clearly and logically.	2	Award mark for overall performance in 06.1, 06.2 and 06.3