OXFORD

INTERNATIONAL
AQA EXAMINATIONS

Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

INTERNATIONAL AS
MATHEMATICS

(9660/MA01) Unit P1 − Pure Mathematics

Specimen 2018 Morning Time allowed: 1 hour 30 minutes

Materials

- For this paper you must have the booklet of formulae and statistical tables.
- You may use a graphics calculator.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space, use a supplementary answer book; do **not** use the space provided for a different question.
- Do not write outside the box or around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

Answer **all** questions in the spaces provided.

1 (a) (i) Given that $\frac{1}{8} = 2^q$, state the value of q.

Circle your answer.

[1 mark]

-3 $\quad -\frac{1}{3}$ $\quad \frac{1}{3}$ $\quad 3$

(a) (ii) Given that $\sqrt{2} = 2^r$, state the value of r.

Circle your answer.

[1 mark]

$-\frac{1}{2}$ $\quad 0$ $\quad \frac{1}{2}$ $\quad 2$

(b) Find the value of x for which $\sqrt{2} \times 2^x = \frac{1}{8}$

[2 marks]

Answer _____

2 The line AB has equation $7x + 3y = 13$

(a) Find the gradient of AB.

[2 marks]

Answer _____

(b) The point C has coordinates $(-1, 3)$

(b) (i) Find an equation of the line which passes through the point C and which is parallel to AB.

[2 marks]

Answer _____

(b) (ii) The point $(1\frac{1}{2}, -1)$ is the midpoint of AC.

Find the coordinates of the point A.

[2 marks]

Answer _____

(c) The line AB intersects the line with equation $3x + 2y = 12$ at the point B.

Find the coordinates of B.

[3 marks]

Answer _____

3 (a) The expression $(2 + x^2)^3$ can be written in the form

$$8 + px^2 + qx^4 + x^6$$

Show that $p = 12$ and find the value of the integer q.

[3 marks]

$q =$ _____

(b) (i) Hence find $\int \frac{(2 + x^2)^3}{x^4} \, dx$

[5 marks]

Answer _____

(b) (ii) Hence find the exact value of $\int_1^2 \frac{(2 + x^2)^3}{x^4} \, dx$

[2 marks]

Answer _____

4 A geometric series has third term 36 and sixth term 972

(a) (i) Show that the common ratio of the series is 3.

[2 marks]

Answer _____

(a) (ii) Find the first term of the series.

[2 marks]

Answer _____

(b) The nth term of the series is u_n

Show that $\sum_{n=1}^{20} u_n = 2(3^{20} - 1)$

[2 marks]

5 Use the trapezium rule with four ordinates (three strips) to find an approximate value for

$\int_0^{1.5} \sqrt{27x^3 + 4}\,\mathrm{d}x$. Give your answer to three significant figures.

[4 marks]

Answer _____

6 The polynomial p(x) is given by $\mathrm{p}(x) = x^3 - 2x^2 + 3$

(a) Use the Remainder Theorem to find the remainder when p(x) is divided by $x - 3$

[2 marks]

Answer _____

(b) Use the Factor Theorem to show that $x + 1$ is a factor of p(x).

[2 marks]

(c) (i) Express $p(x) = x^3 - 2x^2 + 3$ in the form $(x + 1)(x^2 + bx + c)$, where b and c are integers.

[2 marks]

Answer _____

(c) (ii) Hence show that the equation $p(x) = 0$ has exactly one real root.

[2 marks]

7 An arithmetic series has first term a and common difference d.

The sum of the first 25 terms of the series is 3500.

(a) Show that $a + 12d = 140$

[3 marks]

(b) The fifth term of the series is 100.

Find the value of d and the value of a.

[4 marks]

$d =$ _____

$a =$ _____

(c) The nth term of the series u_n


Given that $33\left(\sum_{n=1}^{25} u_n - \sum_{n=1}^{k} u_n\right) = 67\sum_{n=1}^{k} u_n$

find the value of $\sum_{n=1}^{k} u_n$

[3 marks]

Answer _____

8 The curve with equation $y = x^3 - 2x^2 + 3$ is sketched below.



(a) Show that $\int_{-1}^{1} (x^3 - 2x^2 + 3)\mathrm{d}x = 4\frac{2}{3}$

[5 marks]

Answer _____

(b) Hence find the area of the shaded region bounded by the curve $y = x^3 - 2x^2 + 3$ and the line AB.

[3 marks]

Answer _____

Turn over for the next question

9 At the point (x, y), where $x > 0$, the gradient of a curve is given by

$$\frac{dy}{dx} = 3x^2 - \frac{4}{x^2} - 11$$

The point $P(2, 1)$ lies on the curve.

(a) (i) Verify that $\frac{dy}{dx} = 0$ when $x = 2$

[1 mark]

(a) (ii) Find the value of $\frac{d^2y}{dx^2}$ when $x = 2$

[4 marks]

Answer _____

(a) (iii) Hence state whether P is a maximum point or a minimum point, giving a reason for your answer.

[1 mark]

P is a _____

Reason _____

(b) Find the equation of the curve.

[4 marks]

Answer _____

10 (a) (i) Express $4 - 10x - x^2$ in the form $p - (x + q)^2$

[2 marks]

Answer _____

(a) (ii) Hence write down the equation of the line of symmetry of the curve with equation $y = 4 - 10x - x^2$

[1 mark]

Answer _____

(b) The curve *C* has equation $y = 4 - 10x - x^2$ and the line *L* has equation $y = k(4x - 13)$

(b) (i) Show that x-coordinates of any points of intersection of the curve *C* with the line *L* satisfy the equation

$$x^2 + 2(2k + 5)x - (13k + 4) = 0$$

[1 mark]

(b) (ii) Given that curve *C* and the line *L* intersect in two distinct points, show that

$$4k^2 + 33k + 29 > 0$$

[3 marks]

(b) (iii) Solve the inequality $4k^2 + 33k + 29 > 0$

[4 marks]

Answer _____

END OF QUESTIONS

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright © 2017 Oxford International AQA Examinations and its licensors. All rights reserved.