

Surname <i>StemUp Model Solution</i>	Centre Number	Candidate Number
Other Names		0



GCSE – NEW

3310U60-1



**MATHEMATICS – NUMERACY
UNIT 2: CALCULATOR-ALLOWED
HIGHER TIER**

FRIDAY, 4 NOVEMBER 2016 – MORNING

1 hour 45 minutes

ADDITIONAL MATERIALS

A calculator will be required for this paper.

A ruler, a protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided.

If you run out of space, use the continuation page at the back of the booklet, taking care to number the question(s) correctly.

Take π as 3.14 or use the π button on your calculator.

INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.

In question 4(a), the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.


For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	3	
2.	3	
3.	6	
4.	16	
5.	12	
6.	7	
7.	4	
8.	10	
9.	8	
10.	11	
Total	80	




NOV163310U60101

Formula List - Higher Tier

Area of trapezium $= \frac{1}{2}(a + b)h$




Volume of prism = area of cross-section $\times$ length




Volume of sphere $= \frac{4}{3}\pi r^3$

Surface area of sphere $= 4\pi r^2$



Volume of cone $= \frac{1}{3}\pi r^2 h$

Curved surface area of cone $= \pi r l$




In any triangle ABC

Sine rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle $= \frac{1}{2}ab \sin C$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$ where $a \neq 0$ are given by $x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$

Annual Equivalent Rate (AER)

AER, as a decimal, is calculated using the formula $\left(1 + \frac{i}{n}\right)^n - 1$, where i is the nominal interest rate per annum as a decimal and n is the number of compounding periods per annum.



1. (a) The Headteacher of Ysgol Bro Gwyn investigates building a new bike shed.

Bike sheds are built on a rectangular base of width x metres and length y metres.

The Headteacher is given a formula for working out the number of bikes, b , that can be stored in a bike shed that has a base of width x metres and length y metres.

He is told the formula only works when

- x and y are whole numbers
- x is greater than 3
- y is greater than 5

The formula is as follows:

$$b = \frac{6xy}{5}$$

According to the details the Headteacher has been given, what is the formula for calculating the length, y metres, of a bike shed x metres wide that can hold b bikes?

Circle your answer.

[1]

$$y = \frac{b-5}{6x}$$

$$x = \frac{6b}{5y}$$

$$y = \frac{b+5}{6x}$$

$$y = \frac{5b}{6x}$$

$$y = \frac{6x}{5b}$$

$$b = 6xy \div 5$$

$$5b = 6xy$$

$$y = 5b \div 6x$$



- (b) The Headteacher decides to place signs around the school site to stop pupils using their bikes on grassed areas.

He introduces a new sign to pupils in the school newsletter.
The size of the sign in the newsletter is shown below.




Diagram not drawn to scale

A mathematically similar new sign is placed near the side of the playing field.



Diagram not drawn to scale

It is 33.6 cm high.
How wide is this sign?

[2]

$$\text{Scale factor} = 33.6 \div 2.1 = 16$$

$$\text{Width} = 2.6 \times 16$$

$$= 41.6 \text{ cm}$$

Width is 41.6 cm



2. The price of softwood changes each year.
The price has increased by 6% per annum for each of the last **5 years**.
Before this, the price had decreased by 2% per annum.
Seven years ago the price of softwood was £34 per m³.

Calculate the current price of softwood.

[3]

Price 5 years ago (after two years of 2% decrease):

$$34 \times 0.98^2 = £32.6536$$

Current price (after five years of 6% increase):

$$32.6536 \times 1.06^5 = 32.6536 \times 1.3382255...$$

$$= 43.69788...$$

$$= £43.70$$

Current price of softwood is £ 43.70 per m³



3. The wire window guard shown below is to be made.




Diagram not drawn to scale

The length of the sides of each small wire square shown is 3.3 cm.




Diagram not drawn to scale

Llinos considers the length of the diagonal of each small square.




Diagram not drawn to scale

She says,

The height of the window guard is equal to 9.5 diagonals of the square.
The width of the window guard is equal to 11 diagonals of the square.



- (a) Calculate the length of the diagonal of a small square.
Give your answer correct to 1 decimal place.

[3]

$$\text{diagonal}^2 = 3.3^2 + 3.3^2$$

$$\text{diagonal}^2 = 10.89 + 10.89 = 21.78$$

$$\text{diagonal} = \sqrt{21.78} = 4.666904...$$

$$\text{diagonal} = 4.7 \text{ cm (1 d.p.)}$$

- (b) Calculate the area of the **window guard**.
You must show all your working.

[3]

$$\text{Height} = 9.5 \times 4.666904... = 44.33559... \text{ cm}$$

$$\text{Width} = 11 \times 4.666904... = 51.33595... \text{ cm}$$

$$\text{Area} = \text{height} \times \text{width}$$

$$= 44.33559... \times 51.33595...$$

$$= 2276.01 \text{ cm}^2$$

$$\text{Area of window guard} = 2276 \text{ cm}^2 \text{ (to the nearest cm}^2\text{)}$$



4. Gwenda enjoys road running.

- (a) *In this part of the question, you will be assessed on the quality of your organisation, communication and accuracy in writing.*

She keeps a record of her run each day this week.

Day	Sun	Mon	Tues	Wed	Thurs	Fri	Sat
Distance	4.6 km	5.4 km	2.2 km	6.2 km	7.2 km	2.2 km	3.4 km
Time	26 mins	31 mins	12 mins	35 mins	40 mins	14 mins	22 mins

Last week, her average speed for the week was 9.6 kilometres per hour.
Calculate Gwenda's percentage improvement in her average speed from last week to this week.
You must show all your working. [6 + 2 OCW]

$$\text{Total distance} = 4.6 + 5.4 + 2.2 + 6.2 + 7.2 + 2.2 + 3.4 = 31.2 \text{ km}$$

$$\text{Total time} = 26 + 31 + 12 + 35 + 40 + 14 + 22 = 180 \text{ minutes}$$

$$180 \text{ minutes} = 180 \div 60 = 3 \text{ hours}$$

$$\text{Average speed this week} = \text{total distance} \div \text{total time}$$

$$= 31.2 \div 3 = 10.4 \text{ km/h}$$

$$\text{Increase in average speed} = 10.4 - 9.6 = 0.8 \text{ km/h}$$

$$\text{Percentage improvement} = 0.8 \div 9.6 \times 100$$

$$= 8.333\ldots\%$$

Gwenda's average speed rose from 9.6 km/h last week to 10.4 km/h

this week, which is an improvement of 8.33% (to 3 s.f.).

Percentage improvement is 8.33 %



- (b) The diagram shows the cross-section of one part of her run.




Diagram not drawn to scale

Calculate the angle of elevation of the road.

[3]

$$\tan \theta = 200 \div 1600 = 0.125$$

$$\theta = \tan^{-1}(0.125) = 7.125016\dots^\circ$$

Angle of elevation = 7.1° (1 d.p.)

- (c)




Diagram not drawn to scale

Gwenda runs on another section of uneven road from A to B.
The rise in this section of the road is 300 metres.
The angle of elevation of B from A is 10° .

- (i) Calculate an estimate of how far Gwenda has run.
State any assumption you have made.

[4]

$$\sin 10^\circ = 300 \div \text{run}$$

$$\text{run} = 300 \div \sin 10^\circ$$

$$= 1727.631\dots \text{ m}$$

Gwenda has run about 1728 m.

Assumption: the road from A to B is a straight line,

so A, B and the vertical form a right-angled triangle.

- (ii) What is the impact of your assumption on your answer?

[1]

It makes my answer an underestimate: the uneven road is longer than a straight line, so she actually ran further than 1728 m.



5. Rhodri has carried out an experiment to measure the diameters of 20 spherical dust particles, in microns.

Here are his results.

Diameter, d (microns)	Frequency
$1 \leq d < 2$	2
$2 \leq d < 4$	6
$4 \leq d < 5$	8
$5 \leq d < 9$	4

- (a) (i) Calculate an estimate of the mean diameter of a dust particle. [4]

Midpoints: 1.5, 3, 4.5, 7

$$\Sigma fx = 1.5 \times 2 + 3 \times 6 + 4.5 \times 8 + 7 \times 4$$

$$= 3 + 18 + 36 + 28 = 85$$

$$\text{Estimate of mean} = 85 \div 20$$

$$= 4.25 \text{ microns}$$

- (ii) Rhodri measures the diameters of another 25 dust particles.

Rhodri is told,

'The ratio of dust particles with diameters less than 4 microns to those with diameters greater than or equal to 4 microns is 7 : 8.'

He finds this fact is true when he considers all 45 dust particles.

How many of the extra 25 dust particles have a diameter of less than 4 microns?
You must show your working. [3]

All 45 particles in the ratio 7 : 8, so $7 + 8 = 15$ parts

$$1 \text{ part} = 45 \div 15 = 3$$

$$\text{Less than 4 microns} = 7 \times 3 = 21 \text{ (4 microns or more} = 8 \times 3 = 24)$$

$$\text{First 20 particles: } 2 + 6 = 8 \text{ had diameter less than 4 microns}$$

$$\text{Extra particles less than 4 microns} = 21 - 8 = 13$$

13 of the extra 25 dust particles



- (b) Rhodri studies a cylindrical cell under his microscope.
The height of the cell is 2 microns.
The circumference of the cell is 5 microns.

Calculate the volume of the cell he sees under the microscope.
Give your answer in microns³, correct to 1 significant figure.

[5]

$$\text{Circumference} = 2\pi r$$

$$5 = 2 \times \pi \times r$$

$$r = 5 \div 2\pi = 0.795774... \text{ microns}$$

$$\text{Volume} = \pi r^2 h$$

$$= \pi \times 0.795774...^2 \times 2$$

$$= 3.978873...$$

$$= 4 \text{ microns}^3 \text{ (1 s.f.)}$$

Volume is 4..... microns³



6. Porth Ifan Hospital has made some changes to improve patient care. A survey is to be used to find out the views of the hospital staff.

(a) The table shows the total number of staff in each job type.

Job type	Doctor	Nurse	Management	Clerical
Number of staff	120	320	56	144

The survey is to be given to a sample of 75 staff.

Use a stratified sampling method to calculate the number of staff from each job type that should be asked to complete the survey.

You must show your working.

[4]

$$\text{Total staff} = 120 + 320 + 56 + 144 = 640$$

$$\text{Doctor: } 120 \div 640 \times 75 = 14.0625 \rightarrow 14$$

$$\text{Nurse: } 320 \div 640 \times 75 = 37.5 \rightarrow 37$$

$$\text{Management: } 56 \div 640 \times 75 = 6.5625 \rightarrow 7$$

$$\text{Clerical: } 144 \div 640 \times 75 = 16.875 \rightarrow 17$$

37.5 is rounded down to 37 so that the sample totals 75:

$$14 + 37 + 7 + 17 = 75$$

Job type	Doctor	Nurse	Management	Clerical
Number in sample	14	37	7	17



- (b) The hospital decides to take a random sample of its 120 doctors to select those needed for the survey.
Use the following list of random numbers to select the first **5 doctors**.
You must start with the first number in the list, explaining clearly how you are using the numbers to select the sample. [3]

032	520	021	924	152	627	351	295	081	495
542	708	339	557	396	949	417	235	962	261
837	783	983	493	876	924	032	421	205	740
055	491	806	415	158	392	441	521	105	342
782	398	923	729	968	244	119	480	451	780

Give each doctor a 3-digit number from 001 to 120.

Read the list along the rows, one 3-digit number at a time, starting with 032.

Keep numbers from 001 to 120; ignore numbers above 120 and any repeats.

Row 1: 032 (keep), 520 (ignore), 021 (keep), 924 ... 295 (ignore), 081 (keep)

Row 2: all above 120, so ignore. Row 3: 032 is a repeat, so ignore.

Row 4: 055 (keep), 491 ... 521 (ignore), 105 (keep)

The first 5 doctors chosen are numbers 032, 021, 081, 055 and 105.



7. Here is some information from a 2014 geographical journal:

- Population of the UK: 6.5×10^7 , correct to the nearest 1 000 000
- Area of the UK: 244 000 km², correct to the nearest 1000 km²

Using these figures, calculate the greatest possible value for the population density of the UK, in population per km². [4]

Greatest possible population (upper bound) = 65 500 000

Least possible area (lower bound) = 243 500 km²

Greatest density = greatest population $\div$ least area

= 65 500 000 $\div$ 243 500

= 268.9938...

Greatest population density = 269 people per km²



8. A confectionary company is designing a new chocolate-covered biscuit in the shape of a square-based pyramid. The centre of the square base is labelled O. Each biscuit will have base sides of length 3.4 cm, and a vertical height of 2.1 cm.




Diagram not drawn to scale

- (a) Calculate the angle that one of the triangular faces makes with the base of the pyramid.

[4]

Distance from O to the middle of a base edge = $3.4 \div 2 = 1.7$ cm

$$\tan \theta = 2.1 \div 1.7$$

$$\theta = \tan^{-1}(2.1 \div 1.7) = 51.009\dots^\circ$$

Angle between face and base = 51.0°

- (b) The company knows that it costs 0.08p per cm^2 to apply a chocolate covering. Calculate the cost of applying a chocolate covering to all 5 faces of a biscuit.

[6]

$$\text{Slant height}^2 = 2.1^2 + 1.7^2 = 4.41 + 2.89 = 7.3$$

$$\text{Slant height} = \sqrt{7.3} = 2.701851\dots \text{ cm}$$

$$\text{Area of one triangular face} = \frac{1}{2} \times 3.4 \times 2.701851\dots = 4.593147\dots \text{ cm}^2$$

$$\text{Area of 4 triangles} = 4 \times 4.593147\dots = 18.372588\dots \text{ cm}^2$$

$$\text{Area of square base} = 3.4^2 = 11.56 \text{ cm}^2$$

$$\text{Total surface area} = 18.372588\dots + 11.56 = 29.932588\dots \text{ cm}^2$$

$$\text{Cost} = 29.932588\dots \times 0.08\text{p}$$

$$= 2.394607\dots\text{p}$$

Cost of chocolate covering = 2.39p (about 2.4p) per biscuit



9. A metal round-headed nail can be thought of as a cone sitting on top of a cylinder, which sits on top of a hemisphere.

A company produces round-headed nails of different sizes, but made of the same metal.

Each nail has the following dimensions:

- height of cone = $9r$,
- height of cylinder = $15r$,
- radius of the hemisphere = $12r$,

where r is the radius of the cylinder and the base radius of the cone.




Diagram not drawn to scale

A metal cuboid of volume $18\,000\text{ mm}^3$ is melted down, and re-cast to form round-headed nails of size A, where $r = 0.4\text{ mm}$.

- (a) Calculate the greatest number of round-headed nails of size A that can be produced. [6]

$$\text{Radius of hemisphere} = 12 \times 0.4 = 4.8\text{ mm}$$

$$\text{Volume of hemisphere} = \frac{2}{3} \times \pi \times 4.8^3 = 231.6233... \text{ mm}^3$$

$$\text{Cylinder: height} = 15 \times 0.4 = 6\text{ mm}$$

$$\text{Volume of cylinder} = \pi \times 0.4^2 \times 6 = 3.0159... \text{ mm}^3$$

$$\text{Cone: height} = 9 \times 0.4 = 3.6\text{ mm}$$

$$\text{Volume of cone} = \frac{1}{3} \times \pi \times 0.4^2 \times 3.6 = 0.6031... \text{ mm}^3$$

$$\text{Volume of one nail} = 231.6233... + 3.0159... + 0.6031...$$

$$= 235.2424... \text{ mm}^3$$

$$\text{Number of nails} = 18\,000 \div 235.2424...$$



$$= 76.5168...$$

Round down, as only whole nails can be made.

Greatest number of size A nails = 76

(b) Circle either TRUE or FALSE for each statement given below.

[2]

STATEMENT		
A nail double the height of a size A nail will have a total height of 28.8 mm.	TRUE	FALSE
A nail double the height of a size A nail will be 8 times the weight of a size A nail.	TRUE	FALSE
A nail 3 times the height of a size A nail will have a total surface area 6 times that of a size A nail.	TRUE	FALSE
When $r = 0.8$ mm, the number of nails that could be produced from the same metal cuboid will be double the number of size A nails.	TRUE	FALSE

$$\text{Total height} = 9r + 15r + 12r = 36r = 36 \times 0.4 = 14.4 \text{ mm, double} = 28.8 \text{ mm}$$

Length scale factor 2, so volume (weight) scale factor $2^3 = 8$

Length scale factor 3, so area scale factor $3^2 = 9$, not 6

$r = 0.8$ mm doubles all lengths, so each nail has 8 times the volume:

the number of nails would be $1/8$ of the number of size A nails, not double.



BLANK PAGE

**PLEASE DO NOT WRITE
ON THIS PAGE**



10. Huw wants to open a savings account.
Here are the details of savings accounts advertised by two local Welsh banks.

Banc Padarn

Nominal interest rate of 1.98%
per annum

Interest paid monthly

Banc Teilo

AER 1.99%

- (a) (i) What is 1.98% as a decimal?
Circle your answer.

[1]

0.0198

0.198

1.098

1.98

98.0

- (ii) Which of these two banks should Huw choose in order to gain the most interest per annum?
You must show your working.

[4]

Banc Padarn: $i = 0.0198$, $n = 12$ (interest paid monthly)

$$AER = (1 + 0.0198 \div 12)^{12} - 1$$

$$= 1.00165^{12} - 1$$

$$= 0.0199806...$$

$$= 1.998\% \text{ (to 3 d.p.)}$$

Banc Teilo: AER = 1.99%

1.998% is greater than 1.99%, so Huw should choose Banc Padarn,

as its savings account gives the most interest per annum.



- (b) Interest earned from savings is taxable, according to the table below.

Tax rates for savings	
Basic rate taxpayer	20% on annual interest earned above £1000
Higher rate taxpayer	40% on annual interest earned above £500

Matthew is a higher rate taxpayer.

Therefore, any savings interest he earns over £500 within a year is taxed at 40%.

On 1st May 2016, he invested £150 000 in a savings account that pays interest at a rate of 1.98% **per annum**.

- (i) What is this interest rate **per month**, written as a decimal?
Circle your answer.

[1]

0.0033

0.00495

0.00165

0.0099

0.0066

Savings interest is added at the end of every month.

- (ii) Calculate the date when the interest that Matthew earned went above his annual tax-free limit, and the amount of tax he would have to pay on this interest if he had closed the account on this date.

[5]

$$\text{Monthly rate} = 0.00165$$

$$31\text{st May: interest} = 0.00165 \times 150\,000 = \pounds 247.50$$

$$\text{Total interest so far} = \pounds 247.50 \text{ (below } \pounds 500)$$

$$30\text{th June: interest} = 0.00165 \times 150\,247.50 = \pounds 247.908\dots$$

$$\text{Total interest} = 247.50 + 247.908\dots = \pounds 495.408\dots \text{ (below } \pounds 500)$$

$$31\text{st July: interest} = 0.00165 \times 150\,495.408\dots = \pounds 248.317\dots$$

$$\text{Total interest} = 495.408\dots + 248.317\dots = \pounds 743.725\dots$$

This is above £500, so the limit is passed on 31st July 2016.

$$\text{Taxable interest} = 743.725\dots - 500 = \pounds 243.725\dots$$

$$\text{Tax} = 0.4 \times 243.725\dots = \pounds 97.490\dots$$

$$\text{Tax to pay} = \pounds 97.49$$



Date *31st July 2016* Tax Matthew would have to pay *£97.49*

END OF PAPER



BLANK PAGE

**PLEASE DO NOT WRITE
ON THIS PAGE**



Examiner
only



BLANK PAGE

**PLEASE DO NOT WRITE
ON THIS PAGE**

