

APPLICATIONS UNIT 2 HIGHER TIER

Applications Unit 2 Higher Tier January 2014	Mark	Comment												
1. Indicates: Mr Roberts, Miss Evans, Miss Abbott, Mr Brett	B2 2	Accept any unambiguous indication B1 for at least 3 correct and no more than 1 incorrect												
2(a)(i) Suitable explanation demonstrating knowledge that the size must be increased to be identical (ii) Suitable explanation demonstrating knowledge that similar means same shape / angles, e.g. 'not the same shape', 'one is in italics' (b) States, e.g. 'turn around through half turn', 'turn upside down' (c) Use of either 5/7 or 7/8 5/7×7/8 5/8 (=35/56) or equivalent	E1 E1 E2 B1 M1 A1 7	e.g. ' double the size', 'enlarge' Do not accept if response implies that they must be the same size Accept 'Rotation (through) 180°' E1 for either turn / rotation or half turn / 180° Do not accept 'flipped' unless 2 appropriate stages are described Accept 0.625 Mark final answer If no marks, SC1 for (2/7 × 1/8 =) 2/56 or in decimals <i>Alternative:</i> 1 – (2/7 + 5/7 × 1/8) B1, M1												
3(a) Choice and reason, e.g. 'Michelle because of correlation', 'Michelle because no very short animals' (b) Line of best fit on Michelle's scatter diagram (c) <table><tr><td></td><td>Mode</td><td>Median</td><td>Range</td></tr><tr><td>Boys' pets</td><td>(0)2</td><td>15</td><td>40</td></tr><tr><td>Girls' pets</td><td>29</td><td>18</td><td>25</td></tr></table> Statement, e.g. 'Carl not correct as both the mode and the median are greater for girls' pets', 'Carl not correct as the mode for girls is greater and the range is not helpful'		Mode	Median	Range	Boys' pets	(0)2	15	40	Girls' pets	29	18	25	E1 B1 B3 E1 6	Accept 'all close together' Appropriate direction with some points above and below the straight line B2 for 4 or 5 correct B1 for 2 or 3 correct <i>Ignore any extra calculations of the means.</i> Accept statement which includes the means Depends on previous award of at least B2 Statement must include reference to mode, or median (and range) Accept , for example 'Carl is not correct as the girls' mode is higher' Accept 'Carl is correct as the range is greater and the medians are similar', must refer to median and range
	Mode	Median	Range											
Boys' pets	(0)2	15	40											
Girls' pets	29	18	25											
4(a) Use of ×48÷4 or ×12 OR realising 55g is 2oz (12 × 55) ÷110 × 4 OR 2 × 12 OR equivalent correct calculation 24 (ounces) (b) 150 fl oz = 150 × 25 (ml) (=3750 ml) 1 pancake 37.5/4 (= 9.375) ml water OR notices 3750 is 100 × amount given in the recipe (3750/9.375 OR 100 × 4 =) 400 (pancakes)	B1 M1 A1 M1 M1 A1 6	(2 oz for 4 pancakes, so 2 × 12) OR 3750÷37.5 = 100												
5(a) 1220.18 ÷ 1.69 (= 722 (litres)) AND ÷ 4.55 (= 158.681319... (gallons)) AND × 42.9 6810 (miles) (b)Appropriate use of either 1 litre = 1000cm ³ or 1m ³ = 1000000cm ³ or 1m ³ = 1000litres or similar 80 × 1000 ÷ 1000000 or 80 ÷ 1000 or equivalent 0.08 (m ³)	M3 A2 B1 M1 A1 8	Complete method ((1220.18÷1.69)÷4.55)×42.9 M2 for any 2 of the 3 operations suitable, other omitted or incorrect, OR M1 for 1220.18÷1.69, or 42.9÷4.55, or 4.55÷42.9, or 1.69×4.55 A marks depend on M3 A1 for 6807(.42857... miles) or correct from premature approximation												

Applications Unit 2 Higher Tier January 2014	Mark	Comment
6(a)(i)		Throughout (a) at least 3 response groups or response options are needed as appropriate, any given groups must not overlap or have gaps
Age: Use of non-overlapping groups and no gaps in groups for ages	B1	
Number of holidays: Use of non-overlapping groups and no gaps in groups given, or list of numbers to indicate (need not start at 0)	B1	
Number of days: Use of non-overlapping groups and no gaps in groups not exceeding 365 days	B1	
Type of holiday: List some types (perhaps with option for others), e.g. beach, city break, camping, activity, ..	B1	
(ii) Reason, e.g. 'helps summarise', or 'smaller number of categories to manage', or 'can't list them all'	E1	
(b) (Value of insurance sales =) $6000 \times 0.8 \times 130$ (£) 624000 (Number of customers claiming =) $6000 \times 0.8 \times 0.3 (=1440)$ (Typical claim taken as £)450 (Amount paid out in claims $1440 \times 450 =$ £) 648000 Loss and (£)24000 or $-(£)24000$	M1 A1 M1 B1 m1 B1	Must be a single value FT 'their 450' between 400 and 500 inclusive Do not accept 24000 FT provided M1, M1, m1 awarded Use of 400 gives 48000 profit, 500 gives 96000 loss, the final 3 marks are then B0, m1, B1 <i>If 400 & 500 (or 2 other extreme amounts) both considered and then summarised, with equivalent working then all of the final 3 marks may be awarded.</i>
Look for		
- spelling - clarity of text explanations and/or labels - the use of notation (watch for the use of '=', £, % being appropriate)		
QWC2: Candidates will be expected to		
present work clearly, with words explaining process or steps		
AND		
make few if any mistakes in mathematical form, spelling, punctuation and grammar and include units in their final answer		
QWC1: Candidates will be expected to		
present work clearly, with words explaining process or steps		
OR		
make few if any mistakes in mathematical form, spelling, punctuation and grammar and include units in their final answer		
	QWC 2	QWC2 Presents relevant material in a coherent and logical manner, using acceptable mathematical form, and with few if any errors in spelling, punctuation and grammar. QWC1 Presents relevant material in a coherent and logical manner but with some errors in use of mathematical form, spelling, punctuation or grammar OR evident weaknesses in organisation of material but using acceptable mathematical form, with few if any errors in spelling, punctuation and grammar.
	13	QWC0 Evident weaknesses in organisation of material, and errors in use of mathematical form, spelling, punctuation or grammar.

Applications Unit 2 Higher Tier January 2014	Mark	Comment
7(a) $19225/(34400+3100)$ OR $12540/(26850+2760)$ $19225/(34400+3100) \times 100$ AND $12540/(26850+2760) \times 100$ June stated or implied AND With sight of 51(.2666... %) AND 42(.35... %) (b) $50000 - 3.2 \times 10^4$ or equivalent 1.8×10^4 (c) $24.3(0) \times 100/135$ or $24.3(0) \div 1.35$ (£)18 (d) $1.7 \times 10^4 + 1.7 \times 10^4 \times 2$ $+ 1.7 \times 10^4 \times 2 \times 2 +$ $1.7 \times 10^4 \times 2 \times 2 \times 2$ Or equivalent (£) 2.55 $\times 10^5$	M1 m1 A1 M1 A2 M1 A1 B2 B2 12	A1 for 18000 OR $15 \times 1.7 \times 10^4$ B1 for sight of $1.7 \times 10^4 \times 2 \times 2 \times 2$ or equivalent for the 4th month B1 for 255000 or 25.5×10^4 or 2.5×10^5 from correct working
8(a) P = ns (b) Correct set up for eliminating one variable First variable's value Method to find second variable, FT from their first value Second variable's value	B1 M1 A1 m1 A1 5	Accept P = s×n Allow 1 error in the non equated variable g = 2 and h = 1/2 Award all 4 marks for unsupported correct answers
9.Sight of 305 (litres) Sight of 59.5 (seconds) 305/59.5 5.126 (litres/second)	B1 B1 M1 A1 4	FT for their max litres (>300) / min time (<60) not 300/60 Must be rounded to 3dp

Applications Unit 2 Higher Tier January 2014	Mark	Comment
10(a) Explains that 'interest is compounded' (b)(i) $(4.8 \div 12 =) 0.4\%$ (ii) 200×1.003^5 (£)203.02 or (£)203.01	E1 B1 M1 A2	A1 for (£)203.01805... or 203 from compound working Alternative method B1 for a correct 0.3% but not 3% M1 For the overall method (5 stages of adding <u>different</u> 0.3%). Accept inappropriate rounding or truncation for M1 only, A0 (Calculation: $\begin{array}{r} 200 \\ 0.60 \\ \hline 200.60 \\ 0.60(18) \\ \hline 201.20(18) \\ 0.60(36054) \\ \hline 201.805405 \\ 0.60541622 \\ \hline 202.410821 \\ 0.60723246 \\ \hline 203.018053 \end{array})$ Do not ignore subsequent working, penalise - 1 If no marks, then SC1 for Simple Interest (£)203.00
(iii)(F3=) $(1 + D2 \div 100) \times B2$ or $B2 \times D2 \div 100 + B2$ or equivalent (F14=) $(1 + D2 \div 100)^{12} \times B2$ or equivalent	B2 B2 9	<u>Accept / for division , * for multiplication and ^ for index</u> B1 for evidence of $D2 \div 100$, or $D2 \times B2$, or $1.012 \times B2$, or 1.012×400 or equivalent B0 for 404.8(0) Accept cell E14 for indication of '12'. B1 for sight of power 12 linked to cell D2, or for $(1 + D2 \div 100)^x \times B2$, or $(1 + D2/100)^{12} \times B2$, or $(1 + D2/100)^{E14} \times B2$, or equivalent or for their formula for F3 with appropriate index provided equivalent difficulty
11(a) $r \geq 5$ and $c < 2r$ and $30r + 4c \leq 300$ (b) Line $r = 5$ drawn correctly Line $c = 2r$ drawn correctly Line $30r + 4c = 300$ drawn correctly The region indicated (c) 8 rugs and 15 cushions (giving $8 \times 30 + 15 \times 4$) (£)300	B4 B1 B1 B1 B1 M1 A1 10	B3 for any 2 correct inequalities B2 for any 1 correct inequality with at least one other inequality only inaccurate due to incorrect symbol ($>$, $\geq$, $<$, $\leq$) B1 for any 1 correct inequality, or B1 for at least two inequalities only inaccurate due to incorrect symbol ($>$, $\geq$, $<$, $\leq$) FT their inequalities if possible CAO FT their graph provided at least B2 in (b) 300 alone, without the number of rugs and cushions is M0, A0

Applications Unit 2 Higher Tier January 2014	Mark	Comment
12. $5400 = \frac{1}{2} \times 9.6 \times \dots \times 3(00)$ $\dots = (5400 \times 2) \div (9.6 \times 3(00))$ or equivalent 3.75 (cm) hypotenuse² = $9.6^2 + 3.75^2$ hypotenuse = $\sqrt{106.2(225)}$ 10.3(... cm) Confirmation note completed: (9.6 cm), 3.8 (cm), 10.3(cm) and 300(.0 cm)	M1 M1 A1 M1 A1 A1 B1 7	Accept with 3 or 300 Rearrangement Accept 3.7, 3.8 or 4 FT from correct working FT 'their 3.75' provided at least M1 previously awarded Use of 3.7, 3.8, 4 gives 105.85, 106.6, 108.16 Use of 3.7, 3.8, 4 gives 10.288..., 10.32..., 10.4 FT provided all M marks awarded Accept 10.4 instead of 10.3 if FT from appropriate working. <i>N.B. Confirmation note must be completed for this B1, do not accept seen in working</i> <i>If no marks, SC1 for use of their height correctly within Pythagoras' Theorem</i>
13. Form and use a right angled triangle with base 55cm and height 50 cm Tan x = 50/55 42(°) or 42.3(°)	S1 M1 A3 5	Or alternative FULL method A2 for 42.27....(°) A1 for $\tan^{-1} 0.909\dots$ or $\tan^{-1} (50/55)$
14. Volume = volume outer cone – volume inner cone $= \frac{1}{3} \times \pi \times 17^2 \times 47 - \frac{1}{3} \times \pi \times 15^2 \times 45$ 3.62 (litres)	S1 M2 A3 6	Accept for their incorrect volumes, but must come from 3D substitution M1 for $\frac{1}{3} \times \pi \times 34^2 \times 47 - \frac{1}{3} \times \pi \times 30^2 \times 45$ A2 for 3.619... (litres), 3.622...(litres), 3620 (cm³) or FT from M1 to 14.5 (litres) A1 for answers between 3619 (cm³) and 3622.7 (cm³) inclusive or FT from M1 to 14.48(litres), 14.49(litres) or 14500(cm³) <i>If no marks, SC1 for both volume expressions or use of 16 and 46 as appropriate within one volume expression</i>